

Citalopram

Antidepressant



Your medication

Citalopram



What is this leaflet for?

This leaflet is to help you understand more about your medicine.

Your medicine could look different to the pictures on this leaflet.

Citalopram is also called Cipramil

Citalopram is available as tablets and liquid.



What is Citalopram used for?


Citalopram is commonly used to treat depression.

It is also used in:

- People having repetitive thoughts or behaviours
- People feeling tense or angry



Citalopram



What will Citalopram do?

Citalopram should help you feel calm and relaxed.

It could take a few weeks for Citalopram to have its full effect.



What are the side effects of Citalopram?

Side effects are the unwanted effects of any medicine on the body.

Not everyone taking a medicine will get side effects.

Many side effects will go away with time. But some side effects may last for longer.

Some side effects can be serious.

You should tell your doctor if you have any side effect.

Citalopram



Some side effects are more serious.

You should tell someone straight away if...

- you feel dizzy
- you feel shaky
- you have problems with passing water
- you have a rash on your skin or your skin feels itchy.




Other side effects of Citalopram can be...

- feeling restless or cannot sit still
- feeling sleepy or sluggish
- feeling sick
- having problems sleeping at night
- having the 'runs' or needing the toilet a lot
- dry mouth
- headache
- loss of interest in sex



Citalopram



How and when do I take Citalopram?

The label on your Citalopram packet should tell you when and how much you should take.



If you forget to take your medicine


Tell your carer or doctor straight away.



When to stop taking your Citalopram?

You should carry on taking your medicine unless your doctor asks you to stop.

Citalopram



Some medicines do not work well together.

You should tell your doctor about any other medicines you are taking.



What should I not do while taking Citalopram?

Drinking alcohol when you are on Citalopram could make you feel sleepy.



Doctor's comments

Help and support



Your doctor:
Telephone Number:

Your Psychiatrist:
Telephone Number:



Your Community Nurse:
Telephone Number:

Other professionals involved:

Other resources:

Patient  UK
The same health information as provided
by GPs to patients during consultations

www.patient.co.uk

NHS Can be reached on
0845
Direct 4647



Leaflet produced and issued by Leicestershire Partnership NHS Trust and the Royal College of Psychiatrists' Faculty of the Psychiatry of Learning Disability.

www.leicspt.nhs.uk - www.rcpsych.ac.uk

© August 2010. The Royal College of Psychiatrists is a registered charity: 228636 (England and Wales) and SC038369 (Scotland).

Pictures used from Change Picture Bank and Somerset Symbols Project.

Thanks to G. Unwin and S. Deb from Birmingham University for use of the content of their medication leaflets.

Please note this is not a manufacturer's information leaflet