



**National Audit of Dementia**  
**Memory Assessment Services Spotlight Audit**  
Regional Report 2023/2024

## Authors

This report was compiled by the National Audit of Dementia project team:

**Prof. Dasha Nicholls**, Clinical and Strategic Director (CCQI)

**Dr Alan Quirk**, Head of Clinical Audit and Research (CCQI)

**Chloë Hood**, Programme Manager

**Ruth Essel**, Deputy Programme Manager

**Carmen Chasse**, Project Officer

**Rachel Davies**, Project Officer

**Kashish Janiani Tulsyani**, Project Officer

**Richard Olowu**, Project Officer

The National Audit of Dementia (care in general hospitals) is commissioned by the Healthcare Quality Improvement Partnership (HQIP) as part of the National Clinical Audit and Patient Outcomes Programme (NCAPOP). HQIP is led by a consortium of the Academy of Medical Royal Colleges, the Royal College of Nursing, and National Voices. Its aim is to promote quality improvement in patient outcomes, and in particular, to increase the impact that clinical audit, outcome review programmes and registries have on healthcare quality in England and Wales. HQIP holds the contract to commission, manage and develop the National Clinical Audit and Patient Outcomes Programme (NCAPOP), comprising around 40 projects covering care provided to people with a wide range of medical, surgical and mental health conditions. The programme is funded by NHS England, the Welsh Government and, with some individual projects, other devolved administrations and crown dependencies.

[www.hqip.org.uk/national-programmes](http://www.hqip.org.uk/national-programmes)

If citing this report, please reference it as: Royal College of Psychiatrists (2024) National Audit of Dementia Memory Assessment Services Spotlight Audit Regional Report 2023/2024. London: Royal College of Psychiatrists. Available from:

[National Audit of Dementia \(NAD\) | Royal College of Psychiatrists \(rcpsych.ac.uk\)](https://www.rcpsych.ac.uk/nad)

© 2024 Healthcare Quality Improvement Partnership (HQIP)

# Contents

<b>Memory Assessment Services Spotlight Audit Background</b> .....	5
<b>Participation Overview</b> .....	6
<b>Sample Size Summary</b> .....	7
<b>Demographic Information for Patients Included in the Casenote Audit</b> .....	8
<b>Access and Wait Times</b> .....	10
<b>Physical Health Assessments</b> .....	14
<b>Neuroimaging</b> .....	16
<b>Diagnosis and Treatment</b> .....	18
<b>Post-Diagnostic Support</b> .....	20
<b>Deprivation Analysis</b> .....	22
<b>Appendices</b> .....	23
<b>References</b> .....	53

## List of Figures and Tables

Figure 1: The number of participating services that completed the casenote audit and organisational checklist per region.....	6
Figure 2: Gender .....	8
Figure 3: Age.....	8
Figure 4: Ethnicity.....	9
Figure 5: First Language.....	9
Figure 6: The wait time in mean days from referral to the initial assessment appointment per region. ....	10
Figure 7: The wait time in mean days from the initial assessment appointment to the point a patient is diagnosed per region. ....	11
Figure 8: The wait time in mean days from referral and the point a patient is diagnosed per region.....	12
Figure 9: % of patients diagnosed within 6 weeks of referral per region.....	13
Figure 10: % of patients per region with all physical health assessments: discussion of eyesight/hearing, falls history taken and alcohol history taken. ...	14
Figure 11: The proportion of patients receiving any physical health assessment: discussion of eyesight/hearing, falls history taken or alcohol history taken per region. ....	15
Figure 12: % of patients with brain scans performed, requested but not performed, and not requested per region. ....	16
Figure 13: The wait time in mean days from brain scan requested to brain scan performed per region. ....	17
Figure 14: % or patients with any dementia diagnosis per region. ....	18
Figure 15: % diagnoses of Alzheimer’s disease per region.....	19
Figure 16: % diagnoses of MCI per region. ....	19
Figure 17: % of patients with dementia receiving post-diagnostic support per region. ....	20
Figure 18: The percentage of patients with diagnosed dementia who were offered CST per region. ....	21
Table 1: Index of Multiple Deprivation decile by region.....	22

## Memory Assessment Services Spotlight Audit Background

This report presents data for participating regions in the National Audit of Dementia Memory Assessment Services Spotlight Audit 2023. As part of this audit, memory services were asked to collect data using two tools:

### *Casenote Audit*

Each registered memory service was asked to submit information about the first 50 consecutive patients (up to a maximum of 100) seen for initial assessment from 01/01/2023.

### *Organisational Checklist*

Services collected information at an organisational (service) level, relating to their organisational structure and provision at individual memory services or clinics. Firstly, services were asked to return the total number of patients completing the pathway to diagnosis between 1st January and 31st August 2023. Subsequent questions related to service accreditation and provision, research and young-onset dementia leads and the availability of onward referrals and post-diagnostic services. This data is presented in the appendices of this report.

### **Data comparison in this report**

This report contains data for all regions that returned data for the casenote audit and organisational checklist. There were no submissions from services in Wales, therefore they are not included in tables and graphs. Comparisons shown in graphs are against the average for the Total National Sample (*TNS*) including all submitted casenotes. See [Memory Assessment Services Spotlight Audit National Report 2023/2024](#) for the full report, including a [service-level key metrics summary](#). Accessible casenote and organisational checklist audit datasets for regions in England are also available to view.

Please note: Please refer to the [appendix tables](#) for a full breakdown of data. All graph data within infographics are rounded and may not add to 100%

## Participation Overview

### Participating Trusts





Figure 1: The number of participating services that completed the casenote audit and organisational checklist per region.



## Casenote Audit Sample Size



## Organisational Checklist Returns



## Demographic Information for Patients Included in the Casenote Audit

Figure 2: Gender




Figure 3: Age




Figure 4: Ethnicity





Figure 5: First Language




## Access and Wait Times

### Access Time

Access time refers to the time between the referral and the initial assessment appointment. Figure 6 shows the wide variation in mean access times at a regional level, from **54 - 119 days**.


Figure 6: The wait time in mean days from referral to the initial assessment appointment per region.



## Diagnosis Wait Time

Diagnosis wait time refers to the time between the initial assessment appointment and the point a patient is diagnosed. Figure 7 shows the range of mean diagnosis wait times at a regional level, from **49 - 93 days**.


Figure 7: The wait time in mean days from the initial assessment appointment to the point a patient is diagnosed per region.



## Overall Wait Time

Overall wait time refers to the time between referral and the point a patient is diagnosed. Figure 8 shows the wide variation in mean overall wait times at a regional level, from **127 - 208 days**.


Figure 8: The wait time in mean days from referral and the point a patient is diagnosed per region.



## Overall Wait Time: Recommended Timeframe for Diagnosis

The national recommended timeframe for diagnosis from the point of referral is 6 weeks<sup>1</sup>. Figure 9 shows the percentage of patients who were diagnosed within 6 weeks of referral in each region, ranging from **4% - 14%**.

Figure 9: % of patients diagnosed within 6 weeks of referral per region.



## Physical Health Assessments

A review of physical health should be carried out as part of the initial assessment. Figure 10 shows the percentage of patients in each region who received all physical health assessments, ranging from **35% - 56%**.

Figure 10: % of patients per region with **all** physical health assessments: discussion of eyesight/hearing, falls history taken and alcohol history taken.





Figure 11: The proportion of patients receiving any physical health assessment: discussion of eyesight/hearing, falls history taken or alcohol history taken per region.



## Neuroimaging

As part of the assessment, neuroimaging such as computed tomography (CT) or magnetic resonance imaging (MRI) scans may be offered. This should be requested based on clinical judgement. The most common reason why a scan had not been requested was that a scan had been performed previously. The most common reason scans were not performed was because the patient declined.

Figure 12: % of patients with brain scans performed, requested but not performed, and not requested per region.






Figure 13: The wait time in mean days from brain scan requested to brain scan performed per region.



## Diagnosis and Treatment

People diagnosed through a Memory Assessment Service have the right to timely and accurate diagnosis, to ensure that they receive appropriate treatment for their condition.

Figure 14: % of patients with any dementia diagnosis per region.



## Diagnoses of Alzheimer's Disease and Mild Cognitive Impairment

Nationally, 30% of patients were diagnosed with Alzheimer's disease; between regions, this ranged from **21%** - **37%**. 17% of patients nationally were diagnosed with mild cognitive impairment (MCI), ranging from **9%** - **21%** between regions.

Figure 15: % diagnoses of Alzheimer's disease per region.





Figure 16: % of diagnoses of MCI per region.



## Post-Diagnostic Support

The NICE guideline<sup>2</sup> recommends a variety of post-diagnostic interventions to ensure that people who have been diagnosed with dementia and their carers are supported in their onward treatment journey.

Figure 17: % of patients with dementia receiving post-diagnostic support per region.





Figure 18: The percentage of patients with diagnosed dementia who were offered CST per region.



## Deprivation Analysis

The Dementia Care Pathway highlights the need for commissioners of services to specifically address inequality risks and identify solutions<sup>1</sup>.

In the casenote audit, we collected information about the areas in which patients live, at the level of Lower Super Output Area (LSOA). Lower-layer super output areas are small areas designed to be of a similar population size with an average of 1,500 residents.

The index of multiple deprivation (IMD) is an overall measure of deprivation calculated by ranking the 32,844 LSOAs in England from most to least deprived and dividing them into 10 equal groups. The IMD deciles range from 1 being the **most** deprived areas, and 10 being the **least** deprived areas nationally.

Table 1: Index of Multiple Deprivation decile by region

Region	IMD Decile Mean	IMD Decile Median	IMD Decile Mode
East of England	6.33	6	8
London	5.28	5	3
Midlands	5.67	6	8
North East and Yorkshire	5.16	5	1
North West	4.69	4	1
South East	7.22	8	10
South West	6.26	6	10
National	5.79	6	10

## Appendices

### Demographics

Q1. Age	National MAS 2023 % (Num)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Under 65	6.1% (374)	4.9% (27)	8.3% (97)	3.1% (24)	4.3% (35)	7.8% (83)	5.6% (71)	7% (37)
65 and Over	93.9% (5774)	95.1% (521)	91.7% (1066)	96.9% (743)	95.7% (777)	92.2% (976)	94.4% (1202)	93% (489)
Range	35-102	44-98	35-101	38-99	47-100	35-102	35-101	42-100
Mean	79.7	79.7	79.2	80.8	80.0	78.9	80.4	79.1
Median	81	80	80	81	81	80	81	80
Q2. Sex	National MAS 2023 % (Num)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Male	43% (2642)	44.3% (243)	41.5% (483)	43.7% (335)	40.8% (331)	45.2% (479)	42.7% (543)	43.3% (228)
Female	57% (3506)	55.7% (305)	58.5% (680)	56.3% (432)	59.2% (481)	54.8% (580)	57.3% (730)	56.7% (298)
Q3. Gender	National MAS 2023 % (Num)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Male	41.1% (2524)	43.6% (239)	39.7% (462)	43.3% (332)	38.4% (312)	43.2% (458)	40.2% (512)	39.7% (209)
Female	54.5% (3349)	55.3% (303)	54.4% (633)	54.8% (420)	57.4% (466)	51.7% (548)	55.5% (706)	51.9% (273)
Non-binary/Other	0.02% (1)	0% (0)	0% (0)	0% (0)	0% (0)	0.1% (1)	0% (0)	0% (0)
Unknown/Not documented	4.5% (274)	1.1% (6)	5.8% (68)	2% (15)	4.2% (34)	4.9% (52)	4.3% (55)	8.4% (44)

<b>Q4. Sexual orientation</b>	<b>National MAS 2023 % (Num)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Heterosexual/Straight	58.3 (3586)	60.9% (334)	68.1% (792)	67.1% (515)	68.2% (554)	48.4% (513)	51.3% (653)	42.8% (225)
Gay or lesbian	0.1% (7)	0.4% (2)	0.2% (2)	0.1% (1)	0% (0)	0% (0)	0.1% (1)	0.2% (1)
Bisexual	0.02% (1)	0% (0)	0.1% (1)	0% (0)	0% (0)	0% (0)	0% (0)	0% (0)
Other sexual orientation	0.1% (9)	0.7% (4)	0.1% (1)	0.3% (2)	0% (0)	0.2% (2)	0% (0)	0% (0)
Unknown/Not documented	41.4% (2545)	38% (208)	31.6% (367)	32.5% (249)	31.8% (258)	51.4% (544)	48.6% (619)	57% (300)
<b>Q5. Ethnicity</b>	<b>National MAS 2023 % (Num)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Asian or Asian British	4.6% (282)	1.6% (9)	13.5% (157)	3.4% (26)	1.6% (13)	2.9% (31)	3.4% (43)	0.6% (3)
Black, African, Black British or Caribbean	2.7% (168)	0.5% (3)	10.1% (117)	1.8% (14)	0.4% (3)	1% (11)	1.3% (16)	0.8% (4)
Mixed or multiple ethnic groups	2% (121)	4.2% (23)	2.1% (24)	1% (8)	1.8% (15)	1% (11)	2.4% (30)	1.9% (10)
White	77.2% (4745)	81.2% (445)	63.5% (739)	78.2% (600)	87.2% (708)	79.6% (843)	77.4% (985)	80.8% (425)
Another ethnic group	1.4% (83)	0.2% (1)	4.2% (49)	1.3% (10)	0.5% (4)	0.8% (9)	0.8% (10)	0% (0)
Unknown/Not documented	12.2% (749)	12.2% (67)	6.6% (77)	14.2% (109)	8.5% (69)	14.5% (154)	14.8% (189)	16% (84)
<b>Q6. Is English the patient's first language?</b>	<b>National MAS 2023 % (Num)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	86.2% (5297)	94.7% (519)	74.4% (865)	86.3% (662)	93.6% (760)	88.1% (933)	89% (1133)	80.8% (425)
No	7.9% (485)	3.1% (17)	23.7% (276)	3.4% (26)	3.3% (27)	4.4% (47)	5.3% (67)	4.8% (25)

The patient is Welsh speaking	0% (0)	0% (0)	0% (0)	0% (0)	0% (0)	0% (0)	0% (0)	0% (0)
Unknown/Not documented	6% (366)	2.2% (12)	1.9% (22)	10.3% (79)	3.1% (25)	7.5% (79)	5.7% (73)	14.4% (76)
<b>Q7. Did the patient need an interpreter?</b>	<b>National MAS 2023 % (Num)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, provided by family member	1.4% (85)	0.4% (2)	3.6% (42)	0.9% (7)	1.1% (9)	0.5% (5)	1.4% (18)	0.4% (2)
Yes, provided by interpreter	3.1% (191)	0.9% (5)	10.5% (122)	1.6% (12)	0.6% (5)	2.8% (30)	0.8% (10)	1.3% (7)
No	94.1% (5784)	97.4% (534)	84.5% (983)	94.4% (724)	95.6% (776)	96% (1017)	97.2% (1237)	97.5% (513)
Unknown/Not documented	1.2% (75)	1.1% (6)	1.9% (22)	10.3% (79)	3.1% (25)	7.5% (79)	5.7% (73)	14.4% (76)
Interpreter not available/ service unable to provide	0.2% (13)	0.2% (1)	0.4% (5)	0.5% (4)	0% (0)	0% (0)	0.2% (3)	0% (0)
<b>Q8. Does the patient live alone?</b>	<b>National MAS 2023 % (Num)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	34.2% (2103)	29.4% (161)	36% (419)	32.1% (246)	38.1% (309)	36.4% (386)	32% (407)	33.3% (175)
No	62.7% (3854)	67.3% (369)	62.3% (724)	62.2% (477)	59.1% (480)	60.7% (643)	64.7% (823)	64.3% (338)
Unknown	3.1% (191)	3.3% (18)	1.7% (20)	5.7% (44)	2.8% (23)	2.8% (30)	3.4% (43)	2.5% (13)

## Referral

\*Additional categories derived from comments when 'Other, please specify' was selected

Q10. Who was the patient referred by?	National MAS 2023 % (Num)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
GP	94.7% (5823/6148)	95.4% (523/548)	95.4% (1109/1163)	94% (721/767)	93% (755/812)	93.7% (992/1059)	96.4% (1227/1273)	94.3% (496/526)
CMHT	1.5% (95/6148)	1.3% (7/548)	2% (23/1163)	2.3% (18/767)	1.8% (15/812)	1.8% (19/1059)	0.5% (7/1273)	1.1% (6/526)
Acute Hospital	2.4% (145/6148)	2.2% (12/548)	1.5% (17/1163)	2.6% (20/767)	3.9% (32/812)	2.3% (24/1059)	1.7% (22/1273)	3.4% (18/526)
Day Hospital	0.4% (24/6148)	0.2% (1/548)	0.7% (8/1163)	0.4% (3/767)	0.2% (2/812)	0.3% (3/1059)	0.5% (6/1273)	0.2% (1/526)
Other	0.1% (3/6148)	0.2% (1/548)	0% (0/1163)	0% (0/767)	0% (0/812)	0% (0/1059)	0.2% (2/1273)	0% (0/526)
Self-referral*	0.2% (11/6148)	0.4% (2/548)	0.3% (3/1163)	0% (0/767)	0.1% (1/812)	0.2% (2/1059)	0.1% (1/1273)	0.4% (2/526)
Social*	0.2% (12/6148)	0% (0/548)	0.1% (1/1163)	0.4% (3/767)	0.2% (2/812)	0.3% (3/1059)	0.2% (3/1273)	0% (0/526)
Care/ Rehabilitation*	0.5% (28/6148)	0% (0/548)	0.1% (1/1163)	0.1% (1/767)	0.6% (5/812)	1.4% (15/1059)	0.3% (4/1273)	0.4% (2/526)
Memory Services Recall*	0.1% (6/6148)	0.4% (2/548)	0.1% (1/1163)	0.1% (1/767)	0% (0/812)	0% (0/1059)	0.1% (1/1273)	0.2% (1/526)
Unknown*	0.1% (1/6148)	0% (0/548)	0% (0/1163)	0% (0/767)	0% (0/812)	0.1% (1/1059)	0% (0/1273)	0% (0/526)
Access Time (Referral to Initial Assessment)	National MAS 2023 % (Num)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Up to 7 days	2.3% (139/6148)	0.9% (5/548)	1.7% (20/1163)	1.4% (11/767)	2.5% (20/812)	5% (53/1059)	1.6% (21/1273)	1.7% (9/526)
8 to 14 days	4% (248/6148)	1.8% (10/548)	3.6% (42/1163)	1.4% (11/767)	3.8% (31/812)	9.4% (100/1059)	2.8% (36/1273)	3.4% (18/526)
15 to 21 days	5.7% (351/6148)	3.5% (19/548)	4.1% (48/1163)	2.7% (21/767)	6.2% (50/812)	9.3% (98/1059)	4.9% (63/1273)	9.9% (52/526)

22 to 28 days	6.3% (389/6148)	3.6% (20/548)	5.8% (68/1163)	2.7% (21/767)	5% (41/812)	12.2% (129/1059)	4.6% (59/1273)	9.7% (51/526)
29 to 35 days	6.4% (394/6148)	3.6% (20/548)	5.9% (69/1163)	3.4% (26/767)	4.1% (33/812)	11.9% (126/1059)	5.1% (65/1273)	10.5% (55/526)
36 to 70 days	24.8% (1527/6148)	27.9% (153/548)	31.6% (368/1163)	17.7% (136/767)	16% (130/812)	30% (318/1059)	23.5% (299/1273)	23.4% (123/526)
71 to 140 days	31.9% (1962/6148)	35.4% (194/548)	37.1% (431/1163)	34.6% (265/767)	34% (276/812)	15.8% (167/1059)	38.8% (494/1273)	25.7% (135/526)
141 to 210 days	13.3% (815/6148)	17.7% (97/548)	8% (93/1163)	26.9% (206/767)	15.8% (128/812)	3.6% (38/1059)	14.7% (187/1273)	12.5% (66/526)
211 to 280 days	3.1%(192/6148)	4.6% (25/548)	1.5% (17/1163)	7.3% (56/767)	2.8% (23/812)	1.8% (19/1059)	3.1% (40/1273)	2.3% (12/526)
281 to 364 days	1.4% (89/6148)	0.9% (5/548)	0.2% (2/1163)	0.7% (5/767)	7.8% (63/812)	0.8% (8/1059)	0.3% (4/1273)	0.4% (2/526)
More than a year	0.7% (42/6148)	0% (0/548)	0.4% (5/1163)	1.2% (9/767)	2.1% (17/812)	0.3% (3/1059)	0.4% (5/1273)	0.6% (3/526)
Up to 6 weeks	31.1% (1912/6148)	18.6% (102/548)	26.9% (313/1163)	15.6% (120/767)	26.1% (212/812)	59.6% (631/1059)	25.4% (323/1273)	40.1% (211/526)
6-18 weeks	45.8% (2817/6148)	53.1% (291/548)	57.9% (673/1163)	43.5% (334/767)	40.5% (329/812)	32.5% (344/1059)	49.7% (633/1273)	40.5% (213/526)
18-52 weeks	22.4% (1377/6148)	28.3% (155/548)	14.8% (172/1163)	39.6% (304/767)	31.3% (254/812)	7.6% (81/1059)	24.5% (312/1273)	18.8% (99/526)
Mean (Days)	88.1	97.2	77.8	118.5	114.9	54	91.1	77.3
Median (Days)	71	80.5	67	113	91	37	84	57
Range (Days)	0-711	0-326	1-493	0-604	1-570	0-413	0-498	0-711
<b>Overall Wait Time (Referral to Diagnosis)</b>	<b>National MAS 2023 % (Num)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Up to 7 days	0.6% (36/6131)	0.2% (1/544)	1% (12/1160)	0.3% (2/767)	0.4% (3/812)	1% (11/1056)	0.5% (6/1266)	0.2% (1/526)
8 to 14 days	1% (59/6131)	0.4% (2/544)	1.5% (17/1160)	0.4% (3/767)	0.6% (5/812)	2.1% (22/1056)	0.6% (7/1266)	0.6% (3/526)

15 to 21 days	1.7% (103/6131)	1.1% (6/544)	2.2% (26/1160)	0.7% (5/767)	0.9% (7/812)	2% (21/1056)	1.9% (24/1266)	2.7% (14/526)
22 to 28 days	1.9% (119/6131)	1.8% (10/544)	3% (35/1160)	1.3% (10/767)	0.6% (5/812)	2.5% (26/1056)	1.6% (20/1266)	2.5% (13/526)
29 to 35 days	2.2% (136/6131)	0.7% (4/544)	2.2% (26/1160)	0.8% (6/767)	1.2% (10/812)	2.9% (31/1056)	2.6% (33/1266)	4.9% (26/526)
36 to 70 days	12.3% (755/6131)	9% (49/544)	14.8% (172/1160)	7.4% (57/767)	6% (49/812)	17.6% (186/1056)	11.9% (151/1266)	17.3% (91/526)
71 to 140 days	33.6% (2061/6131)	35.7% (194/544)	36.8% (427/1160)	24.3% (186/767)	22.3% (181/812)	36.1% (381/1056)	40% (507/1266)	35.2% (185/526)
141 to 210 days	23.8% (1459/6131)	23.7% (129/544)	24.1% (279/1160)	30.4% (233/767)	25.4% (206/812)	20.7% (219/1056)	23.1% (292/1266)	19.2% (101/526)
211 to 280 days	13.1% (804/6131)	20.4% (111/544)	9% (104/1160)	21.5% (165/767)	17.9% (145/812)	9.2% (97/1056)	11.2% (142/1266)	7.6% (40/526)
281 to 364 days	6.2% (382/6131)	6.3% (34/544)	3.4% (40/1160)	9.4% (72/767)	12.7% (103/812)	4.2% (44/1056)	4.6% (58/1266)	5.9% (31/526)
More than a year	3.5% (217/6131)	0.7% (4/544)	1.9% (22/1160)	3.7% (28/767)	12.1% (98/812)	1.7% (18/1056)	2.1% (26/1266)	4% (21/526)
Up to 6 weeks	9.5% (584/6131)	5% (27/544)	12.7% (147/1160)	4.3% (33/767)	4.8% (39/812)	13.7% (145/1056)	9.5% (120/1266)	13.9% (73/526)
6-18 weeks	37.9% (2321/6131)	36.8% (200/544)	42.8% (496/1160)	24.6% (189/767)	23.6% (192/812)	44.7% (472/1056)	42.2% (534/1266)	45.2% (238/526)
18-52 weeks	49.1% (3009/6131)	57.5% (313/544)	42.7% (495/1160)	67.4% (517/767)	59.5% (483/812)	39.9% (421/1056)	46.3% (586/1266)	36.9% (194/526)
Mean (Days)	151.4	157.1	130.2	182.3	208	127	140.2	135.3
Median (Days)	132	145	119	177	188	108	124	111
Range (Days)	0-820	7-437	4-561	7-634	6-820	0-573	0-562	5-711

## Assessment

Q13. Place of assessment	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Clinic	51.8% (3185/6148)	61.9% (339/548)	63.5% (738/1163)	39.5% (303/767)	47.2% (383/812)	38.3% (406/1059)	61.6% (784/1273)	44.1% (232/526)
Patient's usual place of residence	46.6% (2867/6148)	38.1% (209/548)	35.6% (414/1163)	56.1% (430/767)	54.8% (445/812)	60.9% (645/1059)	34% (433/1273)	55.3% (291/526)
Phone call	2% (123/6148)	0.4% (2/548)	1.5% (18/1163)	2.3% (18/767)	1.6% (13/812)	0.8% (8/1059)	4.6% (59/1273)	1% (5/526)
Video call	0.4% (25/6148)	0.2% (1/548)	0.6% (7/1163)	1.7% (13/767)	0% (0/812)	0% (0/1059)	0.3% (4/1273)	0% (0/526)
Other	0.6% (39/6148)	0% (0/548)	0.4% (5/1163)	1.3% (10/767)	0.6% (5/812)	0.7% (7/1059)	0.9% (11/1273)	0.2% (1/526)
Q14. Was the video call facilitated by someone else? e.g. children or spouse	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Yes	80% (20/25)	0% (0/1)	71.4% (5/7)	92.3% (12/13)	-	-	75% (3/4)	-
No	12% (3/25)	0% (0/1)	14.3% (1/7)	7.7% (1/13)	-	-	25% (1/4)	-
Unknown/Not documented	8% (2/25)	100% (1/1)	14.3% (1/7)	0% (0/13)	-	-	0% (0/4)	-
Q15. Reported alcohol consumption per week	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
0 units	51.2% (3148/6148)	47.6% (261/548)	61.7% (717/1163)	57.2% (439/767)	55.2% (448/812)	52.3% (554/1059)	42% (535/1273)	36.9% (194/526)
1-4 units	14.3% (877/6148)	15.7% (86/548)	13.2% (154/1163)	9.6% (74/767)	15.4% (125/812)	12.2% (129/1059)	17.3% (220/1273)	16.9% (89/526)
5-9 units	5.6% (342/6148)	4.9% (27/548)	3.6% (42/1163)	5.9% (45/767)	5.2% (42/812)	6.9% (73/1059)	5.6% (71/1273)	8% (42/526)

10-14 units	3.9% (238/6148)	2.6% (14/548)	2.3% (27/1163)	3.1% (24/767)	5% (41/812)	3.1% (33/1059)	4.2% (54/1273)	8.6% (45/526)
More than 14 units	5.4% (331/6148)	5.7% (31/548)	3.1% (36/1163)	4.2% (32/767)	6% (49/812)	5.7% (60/1059)	6.4% (82/1273)	7.8% (41/526)
Unknown	19.7% (1212/6148)	23.5% (129/548)	16.1% (187/1163)	19.9% (153/767)	13.2% (107/812)	19.8% (210/1059)	24.4% (311/1273)	21.9% (115/526)
<b>Was the patient asked about alcohol consumption?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	80.3% (4936/6148)	76.5% (419/548)	83.9% (976/1163)	80.1% (614/767)	86.8% (705/812)	80.2% (849/1059)	75.6% (962/1273)	78.1% (411/526)
<b>Q16. Is there evidence of a discussion about:</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
The patient's eyesight/vision	64.9% (3988/6148)	57.1% (313/548)	68.2% (793/1163)	67.5% (518/767)	65.8% (534/812)	75% (794/1059)	52.2% (665/1273)	70.5% (371/526)
The patient's hearing	63% (3871/6148)	52.9% (290/548)	67.2% (782/1163)	64.3% (493/767)	62.2% (505/812)	70.1% (742/1059)	54.8% (697/1273)	68.8% (362/526)
<b>Q17. Was the patient referred to occupational therapy for a functional assessment?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, or Yes patient declined	11.2% (689/6148)	9.5% (52/548)	10.6% (123/1163)	8.7% (67/767)	18.7% (152/812)	15.4% (163/1059)	8% (102/1273)	5.7% (30/526)
Not referred, reason unknown or unclear	16.4% (1008/6148)	22.8% (125/548)	9.3% (108/1163)	15.1% (116/767)	11.2% (91/812)	17% (180/1059)	24% (306/1273)	15.6% (82/526)
No service provided	5.0% (307/6148)	3.8% (21/548)	10.7% (124/1163)	2.1% (16/767)	0.2% (2/812)	1.7% (18/1059)	9% (114/1273)	2.3% (12/526)
No, not appropriate	67.4% (4144/6148)	63.9% (350/548)	69.5% (808/1163)	74.1% (568/767)	69.8% (567/812)	65.9% (698/1059)	59% (751/1273)	76.4% (402/526)
<b>Q18. Was a falls history taken?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>

Yes	79.4% (4881/6148)	70.1% (384/548)	82.5% (960/1163)	83.3% (639/767)	86% (698/812)	85.1% (901/1059)	69.2% (881/1273)	79.5% (418/526)
No	20.6% (1267/6148)	29.9% (164/548)	17.5% (203/1163)	16.7% (128/767)	14% (114/812)	14.9% (158/1059)	30.8% (392/1273)	20.5% (108/526)
<b>Q19. Was the patient referred to diagnostic neuropsychological assessment?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, or Yes patient declined	10.9% (673/6148)	10.2% (56/548)	12.8% (149/1163)	5.6% (43/767)	12.1% (98/812)	6.8% (72/1059)	9.1% (116/1273)	26.4% (139/526)
No service provided/available for referral	1.4% (84/6148)	0.5% (3/548)	1.3% (15/1163)	1.2% (9/767)	0.2% (2/812)	3.6% (38/1059)	1.1% (14/1273)	0.6% (3/526)
No, not appropriate	74.2% (4561/6148)	69% (378/548)	79.2% (921/1163)	79% (606/767)	81.4% (661/812)	75.3% (797/1059)	66.3% (844/1273)	67.3% (354/526)
Not referred, reason unknown or unclear	13.5% (830/6148)	20.3% (111/548)	6.7% (78/1163)	14.2% (109/767)	6.3% (51/812)	14.4% (152/1059)	23.5% (299/1273)	5.7% (30/526)
<b>Any physical health assessments, including alcohol consumption, vision, hearing loss, and falls history</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Patients had at least one physical health assessments	94.4% (5803/6148)	92.3% (506/548)	95.8% (1114/1163)	92.8% (712/767)	97.2% (789/812)	96.1% (1018/1059)	91.8% (1168/1273)	94.3% (496/526)
Patients had four physical health assessments	47.7% (2933/6148)	38.7% (212/548)	52% (605/1163)	52% (399/767)	49.8% (404/812)	56.1% (594/1059)	34.9% (444/1273)	52.3% (275/526)
No physical health assessments	5.6% (345/6148)	7.7% (42/548)	4.2% (49/1163)	7.2% (55/767)	2.8% (23/812)	3.9% (41/1059)	8.2% (105/1273)	5.7% (30/526)

## Investigations

<b>Q20. Was a brain scan requested by memory service?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	47.3% (2910/6148)	51.6% (283/548)	47.5% (553/1163)	39.6% (304/767)	60.5% (491/812)	46.1% (488/1059)	52.2% (664/1273)	24.1% (127/526)
No	52.7% (3238/6148)	48.4% (265/548)	52.5% (610/1163)	60.4% (463/767)	39.5% (321/812)	53.9% (571/1059)	47.8% (609/1273)	75.9% (399/526)
<b>Q21. Reason scan was not requested</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Previous Scan	59.7% (1932/3238)	38.9% (103/265)	57.7% (352/610)	55.7% (258/463)	75.4% (242/321)	55% (314/571)	57.8% (352/609)	77.9% (311/399)
Contraindicated	1% (31/3238)	1.1% (3/265)	1.5% (9/610)	0.2% (1/463)	0.9% (3/321)	0.9% (5/571)	1% (6/609)	1% (4/399)
Patient Declined	5.1% (165/3238)	5.3% (14/265)	4.3% (26/610)	4.3% (20/463)	8.7% (28/321)	4.2% (24/571)	7.2% (44/609)	2.3% (9/399)
Not Required	25.7% (831/3238)	32.8% (87/265)	33% (201/610)	32.8% (152/463)	11.8% (38/321)	31.7% (181/571)	17.6% (107/609)	16.3% (65/399)
Not Known	8.6% (279/3238)	21.9% (58/265)	3.6% (22/610)	6.9% (32/463)	3.1% (10/321)	8.2% (47/571)	16.4% (100/609)	2.5% (10/399)
<b>Q23. Who requested the scan?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
GP	4.1% (119/2910)	1.1% (3/283)	1.4% (8/553)	6.6% (20/304)	2.6% (13/491)	3.3% (16/488)	3.9% (26/664)	26% (33/127)
Memory Service	93.7% (2728/2910)	98.6% (279/283)	97.8% (541/553)	80.6% (245/304)	95.9% (471/491)	96.3% (470/488)	94.9% (630/664)	72.4% (92/127)
Hospital	2.2% (63/2910)	0.4% (1/283)	0.7% (4/553)	12.8% (39/304)	1.4% (7/491)	0.4% (2/488)	1.2% (8/664)	1.6% (2/127)
<b>Q24. Was a scan performed?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	93.6% (2725/2910)	91.9% (260/283)	92.9% (514/553)	93.4% (284/304)	96.1% (472/491)	93% (454/488)	93.5% (621/664)	94.5% (120/127)

No	6.4% (185/2910)	8.1% (23/283)	7.1% (39/553)	6.6% (20/304)	3.9% (19/491)	7% (34/488)	6.5% (43/664)	5.5% (7/127)
<b>Q25. What scan was performed?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
MRI	29.8% (812/2725)	51.5% (134/260)	48.4% (249/514)	14.8% (42/284)	13.3% (63/472)	38.8% (176/454)	21.6% (134/621)	11.7% (14/120)
CT	71.6% (1951/2725)	48.8% (127/260)	52.3% (269/514)	87.3% (248/284)	88.6% (418/472)	62.8% (285/454)	79.9% (496/621)	90% (108/120)
Both	1.4% (38/2725)	0.4% (1/260)	0.8% (4/514)	2.1% (6/284)	1.9% (9/472)	1.5% (7/454)	1.4% (9/621)	1.7% (2/120)
<b>Q26. Reason scan was not performed:</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Previous scan	15.1% (28/185)	4.3% (1/23)	23.1% (9/39)	20% (4/20)	57.9% (11/19)	2.9% (1/34)	4.7% (2/43)	0% (0/7)
Contraindicated	1.1% (2/185)	0% (0/23)	0% (0/39)	5% (1/20)	0% (0/19)	0% (0/34)	2.3% (1/43)	0% (0/7)
Patient declined	40.5% (75/185)	39.1% (9/23)	28.2% (11/39)	45% (9/20)	36.8% (7/19)	52.9% (18/34)	39.5% (17/43)	57.1% (4/7)
Not required	7.6% (14/185)	8.7% (2/23)	7.7% (3/39)	5% (1/20)	5.3% (1/19)	5.9% (2/34)	9.3% (4/43)	14.3% (1/7)
Not Known	35.7% (66/185)	47.8% (11/23)	41% (16/39)	25% (5/20)	0% (0/19)	38.2% (13/34)	44.2% (19/43)	28.6% (2/7)
<b>Combined brain scan requested and performed</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Brain scan requested and performed	44.3% (2725/6148)	47.4% (260/548)	44.2% (514/1163)	37% (284/767)	58.1% (472/812)	42.9% (454/1059)	48.8% (621/1273)	22.8% (120/526)
Brain scan requested and not performed	3% (185/6148)	4.2% (23/548)	3.4% (39/1163)	2.6% (20/767)	2.3% (19/812)	3.2% (34/1059)	3.4% (43/1273)	1.3% (7/526)
Brain scan not requested	52.7% (3238/6148)	48.4% (265/548)	52.5% (610/1163)	60.4% (463/767)	39.5% (321/812)	53.9% (571/1059)	47.8% (609/1273)	75.9% (399/526)

<b>Q28. Were specialised investigations performed? e.g. PET/DAT/SPECT scan/CSF examination</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	2.1% (129/6148)	1.8% (10/548)	1.6% (19/1163)	1% (8/767)	4.3% (35/812)	0.7% (7/1059)	2.5% (32/1273)	3.4% (18/526)
No	97.9% (6019/6148)	98.2% (538/548)	98.4% (1144/1163)	99% (759/767)	95.7% (777/812)	99.3% (1052/1059)	97.5% (1241/1273)	96.6% (508/526)
<b>Q29. What specialist investigations were performed?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
PET scan	52.7% (68/129)	50% (5/10)	21.1% (4/19)	62.5% (5/8)	54.3% (19/35)	42.9% (3/7)	62.5% (20/32)	66.7% (12/18)
DAT scan	34.1% (44/129)	50% (5/10)	42.1% (8/19)	37.5% (3/8)	34.3% (12/35)	14.3% (1/7)	25% (8/32)	38.9% (7/18)
SPECT scan	11.6% (15/129)	0% (0/10)	21.1% (4/19)	0% (0/8)	11.4% (4/35)	28.6% (2/7)	9.4% (3/32)	11.1% (2/18)
CSF	6.2% (8/129)	0% (0/10)	15.8% (3/19)	0% (0/8)	0% (0/35)	28.6% (2/7)	6.3% (2/32)	5.6% (1/18)
<b>Assessment to Brain Scan Request Time</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Up to 7 days	75.1% (2184/2910)	85.9% (243/283)	70.5% (390/553)	76% (231/304)	76.2% (374/491)	66.8% (326/488)	77.7% (516/664)	81.9% (104/127)
8 to 14 days	10.5% (307/2910)	8.1% (23/283)	15.2% (84/553)	8.6% (26/304)	8.8% (43/491)	13.5% (66/488)	8.6% (57/664)	6.3% (8/127)
15 to 21 days	3.6% (105/2910)	3.5% (10/283)	2.4% (13/553)	3% (9/304)	4.5% (22/491)	4.5% (22/488)	3.3% (22/664)	5.5% (7/127)
22 to 28 days	2.3% (67/2910)	0% (0/283)	2.9% (16/553)	2% (6/304)	1.6% (8/491)	4.1% (20/488)	2.4% (16/664)	0.8% (1/127)
29 to 35 days	2.3% (67/2910)	0.4% (1/283)	2.4% (13/553)	2.6% (8/304)	3.7% (18/491)	2% (10/488)	2.1% (14/664)	2.4% (3/127)
36 to 70 days	3.6% (106/2910)	0.7% (2/283)	4.7% (26/553)	4.9% (15/304)	3.9% (19/491)	5.1% (25/488)	2.6% (17/664)	1.6% (2/127)

71 to 140 days	1.8% (53/2910)	1.1% (3/283)	1.4% (8/553)	2.6% (8/304)	1.4% (7/491)	2.5% (12/488)	2.1% (14/664)	0.8% (1/127)
141 to 210 days	0.5% (14/2910)	0.4% (1/283)	0% (0/553)	0% (0/304)	0% (0/491)	1.2% (6/488)	0.9% (6/664)	0.8% (1/127)
211 to 280 days	0.2% (6/2910)	0% (0/283)	0.4% (2/553)	0.3% (1/304)	0% (0/491)	0.2% (1/488)	0.3% (2/664)	0% (0/127)
281 to 364 days	0.0% (1/2910)	0% (0/283)	0.2% (1/553)	0% (0/304)	0% (0/491)	0% (0/488)	0% (0/664)	0% (0/127)
More than a year	0% (0/2910)	0% (0/283)	0% (0/553)	0% (0/304)	0% (0/491)	0% (0/488)	0% (0/664)	0% (0/127)
Up to 6 weeks	95% (2764/2910)	98.2% (278/283)	94.8% (524/553)	93.4% (284/304)	96.7% (475/491)	92% (449/488)	94.9% (630/664)	97.6% (124/127)
6-18 weeks	4.2% (121/2910)	1.4% (4/283)	4.5% (25/553)	5.9% (18/304)	3.1% (15/491)	6.4% (31/488)	3.9% (26/664)	1.6% (2/127)
18-52 weeks	0.9% (25/2910)	0.4% (1/283)	0.7% (4/553)	0.7% (2/304)	0.2% (1/491)	1.6% (8/488)	1.2% (8/664)	0.8% (1/127)
Mean (Days)	8.9	4.2	9.5	9.8	7.2	12.9	9.1	5.9
Median (Days)	0	0	0	0	0	3	0	0
Range (Days)	0-300	0-169	0-300	0-242	0-134	0-229	0-235	0-149
<b>Assessment to Brain Scan Time</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Up to 7 days	36.8% (1002/2725)	50.8% (132/260)	32.1% (165/514)	30.3% (86/284)	34.5% (163/472)	29.3% (133/454)	39.8% (247/621)	63.3% (76/120)
8 to 14 days	3% (83/2725)	2.3% (6/260)	2.7% (14/514)	1.8% (5/284)	5.9% (28/472)	4.2% (19/454)	1.6% (10/621)	0.8% (1/120)
15 to 21 days	6.1% (167/2725)	8.8% (23/260)	4.7% (24/514)	5.6% (16/284)	9.5% (45/472)	5.7% (26/454)	4.5% (28/621)	4.2% (5/120)
22 to 28 days	6.3% (171/2725)	8.1% (21/260)	5.1% (26/514)	8.1% (23/284)	7.6% (36/472)	6.2% (28/454)	5.5% (34/621)	2.5% (3/120)

29 to 35 days	6.5% (177/2725)	3.1% (8/260)	7.2% (37/514)	7.4% (21/284)	6.1% (29/472)	6.2% (28/454)	6.9% (43/621)	9.2% (11/120)
36 to 70 days	26.7% (728/2725)	16.5% (43/260)	29.6% (152/514)	23.6% (67/284)	27.1% (128/472)	31.9% (145/454)	28.3% (176/621)	14.2% (17/120)
71 to 140 days	11.3% (307/2725)	7.7% (20/260)	15.4% (79/514)	17.3% (49/284)	7.2% (34/472)	12.6% (57/454)	10% (62/621)	5% (6/120)
141 to 210 days	2.5% (69/2725)	1.5% (4/260)	2.9% (15/514)	4.9% (14/284)	1.7% (8/472)	3.1% (14/454)	2.1% (13/621)	0.8% (1/120)
211 to 280 days	0.6% (16/2725)	0.4% (1/260)	0.2% (1/514)	0.4% (1/284)	0.2% (1/472)	0.9% (4/454)	1.3% (8/621)	0% (0/120)
281 to 364 days	0.2% (5/2725)	0.8% (2/260)	0.2% (1/514)	0.7% (2/284)	0% (0/472)	0% (0/454)	0% (0/621)	0% (0/120)
More than a year	0% (0/2725)	0% (0/260)	0% (0/514)	0% (0/284)	0% (0/472)	0% (0/454)	0% (0/621)	0% (0/120)
Up to 6 weeks	65.2% (1776/2725)	76.9% (200/260)	58% (298/514)	61.3% (174/284)	70.8% (334/472)	58.1% (264/454)	64.7% (402/621)	86.7% (104/120)
6-18 weeks	31% (846/2725)	19.6% (51/260)	38.5% (198/514)	31.3% (89/284)	27.3% (129/472)	36.8% (167/454)	31.7% (197/621)	12.5% (15/120)
18-52 weeks	3.8% (103/2725)	3.5% (9/260)	3.5% (18/514)	7.4% (21/284)	1.9% (9/472)	5.1% (23/454)	3.5% (22/621)	0.8% (1/120)
Mean (Days)	35.9	27.7	40.3	45.4	30	40.8	35.7	17.4
Median (Days)	26	5	34	31.5	21.5	34	26	0
Range (Days)	0-357	0-340	0-297	0-357	0-240	0-257	0-257	0-162
<b>Brain Scan Performed Wait Time (Brain Scan Request to Brain Scan Performed)</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Up to 7 days	8.6% (234/2725)	7.7% (20/260)	6.6% (34/514)	16.5% (47/284)	5.9% (28/472)	10.1% (46/454)	5.2% (32/621)	22.5% (27/120)
8 to 14 days	7.2% (195/2725)	5.8% (15/260)	8.8% (45/514)	6.7% (19/284)	9.7% (46/472)	5.3% (24/454)	6.3% (39/621)	5.8% (7/120)

15 to 21 days	12% (326/2725)	14.2% (37/260)	13% (67/514)	9.5% (27/284)	13.1% (62/472)	7.7% (35/454)	13.2% (82/621)	13.3% (16/120)
22 to 28 days	10.9% (296/2725)	8.5% (16.5/260)	11.9% (29.6/514)	10.6% (23.6/284)	12.7% (27.1/472)	9.7% (31.9/454)	11% (28.3/621)	9.2% (14.2/120)
29 to 35 days	11% (299/2725)	8.1% (21/260)	11.1% (57/514)	7.7% (22/284)	10.8% (51/472)	10.8% (49/454)	12.4% (77/621)	18.3% (22/120)
36 to 70 days	36.5% (995/2725)	36.5% (95/260)	33.7% (173/514)	26.1% (74/284)	39% (184/472)	43.2% (196/454)	39.9% (248/621)	20.8% (25/120)
71 to 140 days	11.7% (320/2725)	17.3% (45/260)	13.2% (68/514)	19.4% (55/284)	6.6% (31/472)	11% (50/454)	9.7% (60/621)	9.2% (11/120)
141 to 210 days	1.5% (41/2725)	0.8% (2/260)	1.6% (8/514)	2.8% (8/284)	1.9% (9/472)	1.5% (7/454)	1.1% (7/621)	0% (0/120)
211 to 280 days	0.5% (13/2725)	0.4% (1/260)	0.2% (1/514)	0% (0/284)	0% (0/472)	0.7% (3/454)	1.1% (7/621)	0.8% (1/120)
281 to 364 days	0.1% (4/2725)	0.8% (2/260)	0% (0/514)	0.7% (2/284)	0% (0/472)	0% (0/454)	0% (0/621)	0% (0/120)
More than a year	0.1% (2/2725)	0% (0/260)	0% (0/514)	0% (0/284)	0.2% (1/472)	0% (0/454)	0.2% (1/621)	0% (0/120)
Up to 6 weeks	61% (1661/2725)	55.4% (144/260)	61.7% (317/514)	60.6% (172/284)	65.7% (310/472)	54.4% (247/454)	59.7% (371/621)	83.3% (100/120)
6-18 weeks	36.1% (985/2725)	41.2% (107/260)	36% (185/514)	35.2% (100/284)	31.8% (150/472)	42.3% (192/454)	37.4% (232/621)	15.8% (19/120)
18-52 weeks	2.8% (77/2725)	3.5% (9/260)	2.3% (12/514)	4.2% (12/284)	2.3% (11/472)	3.3% (15/454)	2.7% (17/621)	0.8% (1/120)
Mean (Days)	42.3	47.8	41.4	44.9	38.9	43.1	43.9	30.1
Median (Days)	36	39.5	34.5	34	35	39	36	27
Range (Days)	0-400	0-338	0-277	0-346	0-383	0-257	0-400	0-215

## Diagnosis

Q30. Recorded diagnosis	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Alzheimer's disease	30.1% (1848/6148)	29.2% (160/548)	31.6% (367/1163)	27.4% (210/767)	37.4% (304/812)	26.8% (284/1059)	30.2% (384/1273)	26.4% (139/526)
Vascular dementia	11.9% (729/6148)	11.1% (61/548)	11.6% (135/1163)	15.5% (119/767)	11.2% (91/812)	15.2% (161/1059)	9.3% (119/1273)	8.2% (43/526)
Dementia with Lewy bodies	1% (60/6148)	0.7% (4/548)	0.9% (11/1163)	1.4% (11/767)	1.5% (12/812)	0.8% (9/1059)	0.6% (8/1273)	1% (5/526)
Behavioural variant frontotemporal dementia	0.2% (15/6148)	0% (0/548)	0.2% (2/1163)	0.7% (5/767)	0.1% (1/812)	0.2% (2/1059)	0.2% (3/1273)	0.4% (2/526)
Posterior cortical atrophy	0.1% (9/6148)	0.2% (1/548)	0.2% (2/1163)	0.1% (1/767)	0.1% (1/812)	0.1% (1/1059)	0% (0/1273)	0.6% (3/526)
Parkinson's disease dementia	1.5% (92/6148)	1.8% (10/548)	1.5% (17/1163)	1.6% (12/767)	1.4% (11/812)	1.5% (16/1059)	1.3% (16/1273)	1.9% (10/526)
Mixed dementia (dementia of more than one type)	20.8% (1280/6148)	20.3% (111/548)	16.1% (187/1163)	30.1% (231/767)	20.1% (163/812)	18.3% (194/1059)	19.2% (244/1273)	28.5% (150/526)
Alcohol related dementia included Korsakoff syndrome	0.2% (14/6148)	0.2% (1/548)	0.3% (4/1163)	0.1% (1/767)	0.2% (2/812)	0% (0/1059)	0.3% (4/1273)	0.4% (2/526)
Unspecified dementia (if working diagnosis please select this option)	4% (248/6148)	4.4% (24/548)	4.8% (56/1163)	4.3% (33/767)	2.8% (23/812)	2.3% (24/1059)	5% (64/1273)	4.6% (24/526)
Other dementia	0.7% (40/6148)	0.4% (2/548)	1% (12/1163)	0.3% (2/767)	0.1% (1/812)	1% (11/1059)	0.6% (8/1273)	0.8% (4/526)
Mild Cognitive Impairment (MCI)	17% (1045/6148)	21.2% (116/548)	16% (186/1163)	9.3% (71/767)	13.7% (111/812)	20% (212/1059)	21.8% (277/1273)	13.7% (72/526)
Subjective cognitive impairment/no illness specified)	1.8% (112/6148)	2.4% (13/548)	1.2% (14/1163)	0.8% (6/767)	2.2% (18/812)	0.8% (8/1059)	2.9% (37/1273)	3% (16/526)

Primary psychiatric diagnosis (e.g. depression, anxiety, schizophrenia)	1% (63/6148)	1.1% (6/548)	2.7% (31/1163)	0.3% (2/767)	0.7% (6/812)	1% (11/1059)	0.5% (6/1273)	0.2% (1/526)
Functional cognitive disorder	0.4% (23/6148)	0.4% (2/548)	0.8% (9/1163)	0% (0/767)	0.5% (4/812)	0.4% (4/1059)	0.2% (3/1273)	0.2% (1/526)
Other (not dementia)	9.3% (570/6148)	6.8% (37/548)	11.2% (130/1163)	8.2% (63/767)	7.9% (64/812)	11.5% (122/1059)	7.9% (100/1273)	10.3% (54/526)
<b>Q31. Was this diagnosis:</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Confirmed	90.4% (5559/6148)	94.2% (516/548)	92.3% (1074/1163)	96.3% (739/767)	92.4% (750/812)	89.2% (945/1059)	83% (1057/1273)	90.9% (478/526)
Working	9.6% (589/6148)	5.8% (32/548)	7.7% (89/1163)	3.7% (28/767)	7.6% (62/812)	10.8% (114/1059)	17% (216/1273)	9.1% (48/526)
<b>Diagnosis Wait Time (Initial Assessment to Diagnosis)</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Up to 7 days	31.4% (1926/6131)	34.9% (190/544)	38.8% (450/1160)	25.4% (195/767)	16.6% (135/812)	19.2% (203/1056)	46.5% (589/1266)	31.2% (164/526)
8 to 14 days	5.1% (313/6131)	4.8% (26/544)	6.5% (75/1160)	6.5% (50/767)	3.7% (30/812)	4% (42/1056)	3.6% (46/1266)	8.4% (44/526)
15 to 21 days	3.8% (231/6131)	3.1% (17/544)	3.5% (41/1160)	5.3% (41/767)	3.8% (31/812)	4% (42/1056)	2.3% (29/1266)	5.7% (30/526)
22 to 28 days	3.6% (218/6131)	1.1% (6/544)	3.4% (40/1160)	3.8% (29/767)	2.6% (21/812)	6% (63/1056)	2.1% (27/1266)	6.1% (32/526)
29 to 35 days	3.7% (228/6131)	2.8% (15/544)	2.8% (33/1160)	5.1% (39/767)	3.1% (25/812)	4.5% (48/1056)	3.1% (39/1266)	5.5% (29/526)
36 to 70 days	16.3% (1002/6131)	17.3% (94/544)	14.6% (169/1160)	16% (123/767)	19.8% (161/812)	18.8% (198/1056)	13.5% (171/1266)	16.3% (86/526)
71 to 140 days	21.5% (1321/6131)	22.1% (120/544)	20% (232/1160)	24.4% (187/767)	23.4% (190/812)	28.9% (305/1056)	18% (228/1266)	11.2% (59/526)
141 to 210 days	9.7% (597/6131)	11% (60/544)	6.6% (76/1160)	10% (77/767)	17.5% (142/812)	10% (106/1056)	7.4% (94/1266)	8% (42/526)

211 to 280 days	3.7% (226/6131)	2.4% (13/544)	2.6% (30/1160)	3% (23/767)	6.7% (54/812)	3.3% (35/1056)	3% (38/1266)	6.3% (33/526)
281 to 364 days	1.1% (67/6131)	0.4% (2/544)	1.1% (13/1160)	0.4% (3/767)	2.8% (23/812)	1.3% (14/1056)	0.4% (5/1266)	1.3% (7/526)
More than a year	0.1% (2/6131)	0.2% (1/544)	0.1% (1/1160)	0% (0/767)	0% (0/812)	0% (0/1056)	0% (0/1266)	0% (0/526)
Up to 6 weeks	50.4% (3090/6131)	48.2% (262/544)	58.4% (678/1160)	49% (376/767)	32.5% (264/812)	40.7% (430/1056)	60% (759/1266)	61% (321/526)
6-18 weeks	31.9% (1956/6131)	34% (185/544)	29% (336/1160)	33.4% (256/767)	35.6% (289/812)	40.6% (429/1056)	27.3% (346/1266)	21.9% (115/526)
18-52 weeks	17.7% (1083/6131)	17.6% (96/544)	12.5% (145/1160)	17.6% (135/767)	31.9% (259/812)	18.7% (197/1056)	12.7% (161/1266)	17.1% (90/526)
Mean (Days)	63.3	60.3	52.3	63.7	93.1	73.2	49.2	58.1
Median (Days)	42	47	24	45	71	60.5	14	28
Range (Days)	0-367	0-367	0-365	0-315	0-343	0-347	0-296	0-310

## Treatment

\*Additional categories derived from comments when 'Other, please specify' was selected

Q33. Was anti-dementia medication prescribed? (D= patients with any diagnosis of dementia)	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Yes	54.1% (2347/4335)	47.9% (179/374)	49.8% (395/793)	42.9% (268/625)	63.9% (389/609)	57% (400/702)	60% (510/850)	53.9% (206/382)
Patient declined	6.9% (297/4335)	4.8% (18/374)	8.2% (65/793)	9.1% (57/625)	5.7% (35/609)	5.3% (37/702)	7.6% (65/850)	5.2% (20/382)
No, not appropriate	32.7% (1416/4335)	36.4% (136/374)	36.2% (287/793)	43% (269/625)	24% (146/609)	33.6% (236/702)	27.5% (234/850)	28.3% (108/382)
No, contraindicated	6.3% (275/4335)	11% (41/374)	5.8% (46/793)	5% (31/625)	6.4% (39/609)	4.1% (29/702)	4.8% (41/850)	12.6% (48/382)
Q34. Which medication was prescribed? This refers to the initial prescription (see recorded diagnosis and medication prescribed table below)	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Donepezil	57.9% (1363/2353)	40.2% (72/179)	60.5% (239/395)	55.4% (149/269)	55.9% (218/390)	50.5% (204/404)	70% (357/510)	60.2% (124/206)
Rivastigmine oral	2.3% (55/2353)	1.7% (3/179)	2.3% (9/395)	1.1% (3/269)	2.8% (11/390)	4% (16/404)	2% (10/510)	1.5% (3/206)
Rivastigmine transdermal patch	3% (70/2353)	4.5% (8/179)	2.8% (11/395)	3% (8/269)	2.3% (9/390)	2.7% (11/404)	2% (10/510)	6.3% (13/206)
Galantamine	1.8% (42/2353)	12.3% (22/179)	0.3% (1/395)	0.4% (1/269)	1.3% (5/390)	2% (8/404)	0.4% (2/510)	1.5% (3/206)
Memantine	34.6% (815/2353)	41.3% (74/179)	33.2% (131/395)	40.1% (108/269)	36.9% (144/390)	40.8% (165/404)	25.7% (131/510)	30.1% (62/206)
AChEI and Memantine	0.3% (8/2353)	0% (0/179)	1% (4/395)	0% (0/269)	0.8% (3/390)	0% (0/404)	0% (0/510)	0.5% (1/206)

<b>Q35. Was the patient offered cognitive stimulation therapy (CST)?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	17.4% (1069/6148)	9.3% (51/548)	25.3% (294/1163)	34.8% (267/767)	20.4% (166/812)	8.5% (90/1059)	9.3% (118/1273)	15.8% (83/526)
No, not appropriate	37.1% (2281/6148)	39.4% (216/548)	49.2% (572/1163)	36% (276/767)	36.3% (295/812)	27.6% (292/1059)	35.9% (457/1273)	32.9% (173/526)
No, service not available	27.8% (1712/6148)	20.8% (114/548)	12.6% (146/1163)	4.3% (33/767)	27.8% (226/812)	45.5% (482/1059)	44.1% (561/1273)	28.5% (150/526)
Not Recorded	17.7% (1086/6148)	30.5% (167/548)	13% (151/1163)	24.9% (191/767)	15.4% (125/812)	18.4% (195/1059)	10.8% (137/1273)	22.8% (120/526)
<b>CST offering to patients diagnosed with dementia (not appropriate excluded)</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Patients with a dementia diagnosis receiving CST	30.8% (1036/3367)	14% (39/279)	55% (287/522)	56.1% (266/474)	35.5% (163/459)	13.5% (84/623)	16.7% (117/699)	25.7% (80/311)
Patients with a dementia diagnosis for whom CST not available	41.1% (1384/3367)	36.2% (101/279)	19% (99/522)	6.5% (31/474)	42.3% (194/459)	60% (374/623)	66.5% (465/699)	38.6% (120/311)
Patients with a dementia diagnosis for whom CST was unknown	27.8% (974/3367)	49.8% (139/279)	26.1% (136/522)	37.3% (177/474)	22.2% (102/459)	26.5% (165/623)	16.7% (117/699)	35.7% (111/311)
<b>Q35b. Was this provided (CST)?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Face to face	37.3% (399/1069)	25.5% (13/51)	33% (97/294)	47.6% (127/267)	23.5% (39/166)	54.4% (49/90)	29.7% (35/118)	47% (39/83)
Virtual	3% (32/1069)	2% (1/51)	8.2% (24/294)	0% (0/267)	0% (0/166)	3.3% (3/90)	1.7% (2/118)	2.4% (2/83)
Patient declined	39.2% (419/1069)	33.3% (17/51)	30.3% (89/294)	44.2% (118/267)	66.3% (110/166)	24.4% (22/90)	26.3% (31/118)	38.6% (32/83)
Other	8.2% (88/1069)	5.9% (3/51)	9.9% (29/294)	4.9% (13/267)	7.2% (12/166)	8.9% (8/90)	18.6% (22/118)	1.2% (1/83)
Not provided*	0.3% (3/1069)	0% (0/51)	0.7% (2/294)	0% (0/267)	0% (0/166)	1.1% (1/90)	0% (0/118)	0% (0/83)

Waiting list*	6.9% (74/1069)	21.6% (11/51)	13.6% (40/294)	1.1% (3/267)	3% (5/166)	2.2% (2/90)	10.2% (12/118)	1.2% (1/83)
Unknown*	5.1% (54/1069)	11.8% (6/51)	4.4% (97/294)	2.2% (127/267)	0% (39/166)	5.6% (49/90)	13.6% (35/118)	9.6% (39/83)
<b>Q36. Was the patient offered a dementia advisor or navigation type service (either in house or referral on)?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, this was offered	59.3% (3645/6148)	64.2% (352/548)	56.2% (654/1163)	68.8% (528/767)	68% (552/812)	51.7% (548/1059)	52.6% (670/1273)	64.8% (341/526)
No, not appropriate	32.1% (1975/6148)	30.7% (168/548)	36.4% (423/1163)	23.2% (178/767)	24.3% (197/812)	34.2% (362/1059)	38.3% (487/1273)	30.4% (160/526)
No, other	0.7% (40/6148)	1.8% (10/548)	0.7% (8/1163)	0.4% (3/767)	0.4% (3/812)	0.5% (5/1059)	0.7% (9/1273)	0.4% (2/526)
No, service not available	2.6% (160/6148)	0.7% (4/548)	2.2% (26/1163)	0.4% (3/767)	0.6% (5/812)	7.6% (81/1059)	3.2% (41/1273)	0% (0/526)
Signposted*	0.9% (54/6148)	0.9% (5/548)	2.1% (24/1163)	1.7% (13/767)	0% (0/812)	0.4% (4/1059)	0.5% (7/1273)	0.2% (1/526)
Not offered*	0.6% (39/6148)	0.5% (3/548)	0.6% (7/1163)	0.4% (3/767)	0.1% (1/812)	0.7% (7/1059)	0.6% (8/1273)	1.9% (10/526)
Unknown*	3.8% (235/6148)	1.1% (6/548)	1.8% (21/1163)	5.1% (39/767)	6.7% (54/812)	4.9% (52/1059)	4% (51/1273)	2.3% (12/526)
<b>Q37. Was the carer offered a psychoeducation course (either in house or referral on)? For example: START, CRISP programme</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, carer accepted	15.6% (962/6148)	9.9% (54/548)	13.2% (153/1163)	23.2% (178/767)	19.8% (161/812)	14.2% (150/1059)	14.9% (190/1273)	14.4% (76/526)
Yes, carer declined	6.7% (412/6148)	1.1% (6/548)	8.2% (95/1163)	9.6% (74/767)	8.7% (71/812)	6.6% (70/1059)	5.7% (72/1273)	4.6% (24/526)
No, patient did not have dementia	22% (1354/6148)	21% (115/548)	24.3% (283/1163)	16.8% (129/767)	18.2% (148/812)	21.3% (226/1059)	25.9% (330/1273)	23.4% (123/526)

No, no carer or relative	4.1% (255/6148)	9.9% (54/548)	6.6% (77/1163)	3.1% (24/767)	3% (24/812)	2% (21/1059)	2.7% (35/1273)	3.8% (20/526)
No, service not available	30.1% (1851/6148)	33% (181/548)	24.5% (285/1163)	18.3% (140/767)	34.2% (278/812)	37.3% (395/1059)	34.1% (434/1273)	26.2% (138/526)
No, other	1.9% (114/6148)	5.7% (31/548)	1.7% (20/1163)	1.3% (10/767)	0.5% (4/812)	2.2% (23/1059)	0.6% (8/1273)	3.4% (18/526)
Referred/Signposted*	5.1% (313/6148)	11.3% (62/548)	4.6% (53/1163)	8.3% (64/767)	2.7% (22/812)	2.5% (27/1059)	3.6% (46/1273)	7.4% (39/526)
Not Offered*	1.7% (103/6148)	2% (11/548)	2.8% (33/1163)	0.7% (5/767)	1.1% (9/812)	0.7% (7/1059)	2.4% (31/1273)	1.3% (7/526)
Not appropriate*	3.1% (192/6148)	2.7% (15/548)	5.8% (68/1163)	2.6% (20/767)	1.2% (10/812)	3% (32/1059)	2.9% (37/1273)	1.9% (10/526)
Pending/Awaiting referral*	0.7% (42/6148)	0.2% (1/548)	0.3% (4/1163)	0.4% (3/767)	2.8% (23/812)	0.7% (7/1059)	0.2% (3/1273)	0.2% (1/526)
Unknown*	8.9% (550/6148)	3.3% (18/548)	7.9% (92/1163)	15.6% (120/767)	7.6% (62/812)	9.5% (101/1059)	6.8% (87/1273)	13.3% (70/526)
<b>Q38. Was the patient asked about being contacted for research?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, patient consented	12.9% (796/6148)	13.9% (76/548)	18.6% (216/1163)	8.3% (64/767)	11.7% (95/812)	4.8% (51/1059)	17.8% (226/1273)	12.9% (68/526)
Yes, patient declined	12.4% (761/6148)	11.1% (61/548)	13.8% (160/1163)	16.8% (129/767)	18.6% (151/812)	7.6% (81/1059)	12% (153/1273)	4.9% (26/526)
Not appropriate	15.7% (964/6148)	17.7% (97/548)	17.2% (200/1163)	13.7% (105/767)	22.2% (180/812)	10.3% (109/1059)	16.4% (209/1273)	12.2% (64/526)
No documented discussion	59% (3627/6148)	57.3% (314/548)	50.5% (587/1163)	61.1% (469/767)	47.5% (386/812)	77.2% (818/1059)	53.8% (685/1273)	70% (368/526)

## Correspondence

<b>Q39. Were READ or SNOMED codes in relation to diagnosis included in letter correspondence to GP?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	30.8% (1894/6148)	24.1% (132/548)	48.8% (568/1163)	42.5% (326/767)	34.1% (277/812)	7.4% (78/1059)	21.8% (277/1273)	44.9% (236/526)
No	69.2% (4254/6148)	75.9% (416/548)	51.2% (595/1163)	57.5% (441/767)	65.9% (535/812)	92.6% (981/1059)	78.2% (996/1273)	55.1% (290/526)
<b>Q40. Were other codes identifying the diagnosis included in letter correspondence to the GP?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	57.4% (3526/6148)	79.7% (437/548)	71.4% (830/1163)	52.5% (403/767)	60.2% (489/812)	36.4% (385/1059)	63.1% (803/1273)	34% (179/526)
No	42.6% (2622/6148)	20.3% (111/548)	28.6% (333/1163)	47.5% (364/767)	39.8% (323/812)	63.6% (674/1059)	36.9% (470/1273)	66% (347/526)

## Organisational Checklist

QB. My service or clinic is in:	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
England	100% (138/138)	100% (10/10)	100% (24/24)	100% (15/15)	100% (29/29)	100% (24/24)	100% (26/26)	100% (10/10)
Wales	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
Q1. What is the total number of patients completing the pathway to diagnosis between 1st January and 31st August 2023? *	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Min	27	209	27	107	48	74	40	94
Max	3428	3428	2779	2252	1054	865	1298	1481
Median	313	561	276	541	301	336	305	342.5
Mean	447	779.2	353.8	683.1	360.6	377.3	363.7	563.7
Not stated	7	0	1	0	0	6	0	0
Q2. Is your service accredited with the Memory Services National Accreditation Programme (MSNAP)	National MAS 2023 % (Num/Den)	East of England	London	Midlands	North East and Yorkshire	North West	South East	South West
Yes	35.5% (49/138)	30% (3/10)	54.2% (13/24)	13.3% (2/15)	34.5% (10/29)	29.2% (7/24)	50% (13/26)	10% (1/10)
No	64.5% (89/138)	70% (7/10)	45.8% (11/24)	86.7% (13/15)	65.5% (19/29)	70.8% (17/24)	50% (13/26)	90% (9/10)

<b>Q3. What organisation provides the memory service?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Mental Health Trust	94.9% (131/138)	90% (9/10)	100% (24/24)	80% (12/15)	96.6% (28/29)	100% (24/24)	100% (26/26)	80% (8/10)
Acute Trust	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
Community services provider	0.7% (1/138)	0% (0/10)	0% (0/24)	0% (0/15)	3.4% (1/29)	0% (0/24)	0% (0/26)	0% (0/10)
Health Board (Wales only)	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
GP (Wales only)	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
Learning Disability service (Wales only)	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
Other	4.3% (6/138)	10% (1/10)	0% (0/24)	20% (3/15)	0% (0/29)	0% (0/24)	0% (0/26)	20% (2/10)
<b>Q4. Do you have a named research champion/lead?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	73.9% (102/138)	70% (7/10)	75% (18/24)	86.7% (13/15)	82.8% (24/29)	54.2% (13/24)	69.2% (18/26)	90% (9/10)
No	26.1% (36/138)	30% (3/10)	25% (6/24)	13.3% (2/15)	17.2% (5/29)	45.8% (11/24)	30.8% (8/26)	10% (1/10)
<b>Q5. Do you have a named lead for young onset dementia (under 65)?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	59.4% (82/138)	60% (6/10)	45.8% (11/24)	73.3% (11/15)	55.2% (16/29)	50% (12/24)	61.5% (16/26)	100% (10/10)
No	34.1% (47/138)	40% (4/0)	29.2% (7/25)	26.7% (4/0)	44.8% (13/0)	50% (12/0)	26.9% (7/11.5)	0% (0/0)

N/A	6.5% (9/138)	0% (0/10)	25% (6/24)	0% (0/15)	0% (0/29)	0% (0/24)	11.5% (3/26)	0% (0/10)
<b>Q6. Which patients do you request an ECG for prior to commencing cholinesterase inhibitors?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
All patients	23.9% (33/138)	30% (3/10)	16.7% (4/24)	33.3% (5/15)	20.7% (6/29)	58.3% (14/24)	0% (0/26)	10% (1/10)
Patients where indicated e.g. with a slow pulse or cardiac condition	73.2% (101/138)	60% (6/10)	83.3% (20/24)	60% (9/15)	75.9% (22/29)	41.7% (10/24)	96.2% (25/26)	90% (9/10)
Other	2.9% (4/138)	10% (1/10)	0% (0/24)	6.7% (1/15)	3.4% (1/29)	0% (0/24)	3.8% (1/26)	0% (0/10)
<b>Q7. Are CT and MRI scans reported by neuroradiologists?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	47.8% (66/138)	50% (5/10)	70.8% (17/24)	33.3% (5/15)	48.3% (14/29)	33.3% (8/24)	53.8% (14/26)	30% (3/10)
No	52.2% (72/138)	50% (5/10)	29.2% (7/24)	66.7% (10/15)	51.7% (15/29)	66.7% (16/24)	46.2% (12/26)	70% (7/10)
<b>Q8. Can you view scan images (e.g. using medical imaging technology such as PACS)?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	39.9% (55/138)	0% (0/10)	37.5% (9/24)	40% (6/15)	27.6% (8/29)	58.3% (14/24)	50% (13/26)	50% (5/10)
No	60.1% (83/138)	100% (10/10)	62.5% (15/24)	60% (9/15)	72.4% (21/29)	41.7% (10/24)	50% (13/26)	50% (5/10)
<b>Q9. Is attending imaging appointments facilitated by the memory service?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>

Yes	24.6% (34/138)	40% (4/10)	45.8% (11/24)	0% (0/15)	27.6% (8/29)	25% (6/24)	15.4% (4/26)	10% (1/10)
No	75.4% (104/138)	60% (6/10)	54.2% (13/24)	100% (15/15)	72.4% (21/29)	75% (18/24)	84.6% (22/26)	90% (9/10)
<b>Q10a. Are you able to refer patients for: PET scans</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	86.2% (119/138)	70% (7/10)	70.8% (17/24)	86.7% (13/15)	96.6% (28/29)	87.5% (21/24)	92.3% (24/26)	90% (9/10)
No	13.8% (19/138)	30% (3/10)	29.2% (7/24)	13.3% (2/15)	3.4% (1/29)	12.5% (3/24)	7.7% (2/26)	10% (1/10)
<b>Q10b. Are you able to refer patients for: DAT scans</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	92% (127/138)	90% (9/10)	79.2% (19/24)	93.3% (14/15)	100% (29/29)	91.7% (22/24)	96.2% (25/26)	90% (9/10)
No	8% (11/138)	10% (1/10)	20.8% (5/24)	6.7% (1/15)	0% (0/29)	8.3% (2/24)	3.8% (1/26)	10% (1/10)
<b>Q10c. Are you able to refer patients for: CSF examination</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	50.7% (70/138)	50% (5/10)	50% (12/24)	26.7% (4/15)	51.7% (15/29)	62.5% (15/24)	50% (13/26)	60% (6/10)
No	49.3% (68/138)	50% (5/10)	50% (12/24)	73.3% (11/15)	48.3% (14/29)	37.5% (9/24)	50% (13/26)	40% (4/10)
<b>Q10d. Are you able to refer patients for: SPECT scans</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes	71% (98/138)	30% (3/10)	33.3% (8/24)	80% (12/15)	79.3% (23/29)	95.8% (23/24)	76.9% (20/26)	90% (9/10)
No	29% (40/138)	70% (7/10)	66.7% (16/24)	20% (3/15)	20.7% (6/29)	4.2% (1/24)	23.1% (6/26)	10% (1/10)
<b>Q11a. Is there an opportunity for joint working with: Neurology</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>

Yes, regular meetings (weekly/monthly)	14.5% (20/138)	10% (1/10)	41.7% (10/24)	6.7% (1/15)	6.9% (2/29)	12.5% (3/24)	3.8% (1/26)	20% (2/10)
Yes, quarterly meetings	5.1% (7/138)	20% (2/10)	0% (0/24)	6.7% (1/15)	3.4% (1/29)	8.3% (2/24)	0% (0/26)	10% (1/10)
Yes, adhoc advice	73.9% (102/138)	70% (7/10)	45.8% (11/24)	73.3% (11/15)	86.2% (25/29)	75% (18/24)	88.5% (23/26)	70% (7/10)
No	6.5% (9/138)	0% (0/10)	12.5% (3/24)	13.3% (2/15)	3.4% (1/29)	4.2% (1/24)	7.7% (2/26)	0% (0/10)
Other	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
<b>Q11b. Is there an opportunity for joint working with: Neuroradiology</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, regular meetings (weekly/monthly)	18.1% (25/138)	0% (0/10)	54.2% (13/24)	6.7% (1/15)	6.9% (2/29)	4.2% (1/24)	23.1% (6/26)	20% (2/10)
Yes, quarterly meetings	2.2% (3/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	8.3% (2/24)	0% (0/26)	10% (1/10)
Yes, adhoc advice	60.9% (84/138)	80% (8/10)	33.3% (8/24)	60% (9/15)	72.4% (21/29)	58.3% (14/24)	65.4% (17/26)	70% (7/10)
No	18.8% (26/138)	20% (2/10)	12.5% (3/24)	33.3% (5/15)	20.7% (6/29)	29.2% (7/24)	11.5% (3/26)	0% (0/10)
Other	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
<b>Q11c. Is there an opportunity for joint working with: Geriatrics</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, regular meetings (weekly/monthly)	8% (11/138)	10% (1/10)	25% (6/24)	0% (0/15)	6.9% (2/29)	0% (0/24)	3.8% (1/26)	10% (1/10)
Yes, quarterly meetings	0.7% (1/138)	0% (0/10)	0% (0/24)	0% (0/15)	3.4% (1/29)	0% (0/24)	0% (0/26)	0% (0/10)
Yes, adhoc advice	81.2% (112/138)	90% (9/10)	66.7% (16/24)	73.3% (11/15)	82.8% (24/29)	83.3% (20/24)	88.5% (23/26)	90% (9/10)

No	10.1% (14/138)	0% (0/10)	8.3% (2/24)	26.7% (4/15)	6.9% (2/29)	16.7% (4/24)	7.7% (2/26)	0% (0/10)
Other	0% (0/138)	0% (0/10)	0% (0/24)	0% (0/15)	0% (0/29)	0% (0/24)	0% (0/26)	0% (0/10)
<b>Q11d. Is there an opportunity for joint working with: Parkinson's disease clinic</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, regular meetings (weekly/monthly)	3.6% (5/138)	10% (1/10)	8.3% (2/24)	0% (0/15)	3.4% (1/29)	0% (0/24)	0% (0/26)	10% (1/10)
Yes, quarterly meetings	2.2% (3/138)	0% (0/10)	4.2% (1/24)	0% (0/15)	3.4% (1/29)	4.2% (1/24)	0% (0/26)	0% (0/10)
Yes, adhoc advice	87.7% (121/138)	90% (9/10)	83.3% (20/24)	80% (12/15)	89.7% (26/29)	87.5% (21/24)	92.3% (24/26)	90% (9/10)
No	5.8% (8/138)	0% (0/10)	4.2% (1/24)	20% (3/15)	0% (0/29)	8.3% (2/24)	7.7% (2/26)	0% (0/10)
Other	0.7% (1/138)	0% (0/10)	0% (0/24)	0% (0/15)	3.4% (1/29)	0% (0/24)	0% (0/26)	0% (0/10)
<b>Q12. Do you offer a post diagnostic follow up monitoring service?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>
Yes, for all patients	52.9% (73/138)	40% (4/10)	37.5% (9/24)	46.7% (7/15)	79.3% (23/29)	50% (12/24)	46.2% (12/26)	60% (6/10)
Yes, for patients prescribed medication	31.9% (44/138)	40% (4/10)	37.5% (9/24)	33.3% (5/15)	17.2% (5/29)	25% (6/24)	50% (13/26)	20% (2/10)
Yes, Other	11.6% (16/138)	20% (2/10)	12.5% (3/24)	13.3% (2/15)	3.4% (1/29)	20.8% (5/24)	3.8% (1/26)	20% (2/10)
No	3.6% (5/138)	0% (0/10)	12.5% (3/24)	6.7% (1/15)	0% (0/29)	4.2% (1/24)	0% (0/26)	0% (0/10)
<b>Q13. Do you provide or offer Cognitive Stimulation Therapy (CST)?</b>	<b>National MAS 2023 % (Num/Den)</b>	<b>East of England</b>	<b>London</b>	<b>Midlands</b>	<b>North East and Yorkshire</b>	<b>North West</b>	<b>South East</b>	<b>South West</b>

Yes, this is provided in-house	62.3% (86/138)	70% (7/10)	79.2% (19/24)	73.3% (11/15)	69% (20/29)	41.7% (10/24)	50% (13/26)	60% (6/10)
Yes, we refer to another service providing this	13.8% (19/138)	0% (0/10)	8.3% (2/24)	26.7% (4/15)	10.3% (3/29)	20.8% (5/24)	15.4% (4/26)	10% (1/10)
No, this is not available	23.9% (33/138)	30% (3/10)	12.5% (3/24)	0% (0/15)	20.7% (6/29)	37.5% (9/24)	34.6% (9/26)	30% (3/10)
Yes combined	76.1% (105/138)	70% (7/10)	87.5% (21/24)	100% (15/15)	79.3% (23/29)	62.5% (15/24)	65.4% (17/26)	70% (7/10)

## References

1. National Collaborating Centre for Mental Health. The Dementia Care Pathway Full Implementation Guidance. October 2018 <https://www.rcpsych.ac.uk/docs/default-source/improving-care/nccmh/dementia/nccmh-dementia-care-pathway-full-implementation-guidance.pdf>
2. National Institute for Health and Care Excellence (NICE). Dementia: assessment, management and support for people living with dementia and their carers. NICE guideline [NG97] June 2018. <https://www.nice.org.uk/guidance/ng97>