



Authors

Chloe Hood – Programme Manager
Ruth Essel – Deputy Programme Manager
Clementine Fitch-Bunce – Project Officer
Emma Garling – Project Officer
Ines Almeida – Project Officer
Rachel Davies – Project Officer
Parveen Gurm – Project Officer
Carmen Chasse – Project Officer
Alan Quirk – Head of Clinical Audit and Research
Dasha Nicholls – Clinical and Strategic Director; Audits and Research

Content is advised and approved by all members of the Steering Group. Please see our website for full details of the [Steering Group members](#) and the [Project Team](#).

Partner Organisations

Age UK
Alzheimer's Society
British Geriatrics Society (BGS)
John's Campaign
National Dementia Action Alliance (NDAA)
Royal College of Nursing (RCN)

This report should be cited as: Royal College of Psychiatrists (2022) National Audit of Dementia Memory Assessment Services Spotlight Audit regional report. London: Royal College of Psychiatrists.

© Healthcare Quality Improvement Partnership Ltd. (HQIP) 2022

Contents

| | |
|---|----|
| Memory Assessment Services Spotlight Audit Background..... | 4 |
| MAS Local Report Overview | 5 |
| Demographic Characteristics of Patients Included in Audit | 7 |
| 1. COVID-19 Impact and Recovery..... | 9 |
| 2. Assessments..... | 16 |
| 3. Diagnosis and Treatment..... | 18 |
| 4. Post Diagnostic Intervention..... | 21 |
| 5. Proportion for Working Age Patients..... | 23 |
| Appendix I: Sampling and Methodology | 24 |
| Appendix II: Casenote Data Tables | 26 |
| Appendix III: Organisational Data Tables..... | 52 |

List of Table and Figures

| | |
|--|----|
| Figure A: Number of services in each region/country that were able to provide total number of patients that accessed their services..... | 6 |
| Figure B: Proportion of Virtual Appointments..... | 12 |
| Figure C: Overall Wait Time (median days)..... | 13 |
| Figure D: Referral to Initial Assessment (median days)..... | 14 |
| Figure E: Wait Time (median days)..... | 15 |
| Figure F: All Routine Assessments..... | 16 |
| Figure G: Any Routine Assessments..... | 17 |
| Figure H: Any Dementia Diagnosis..... | 18 |
| Figure I: Patients Diagnosed with Dementia Prescribed Any Medication..... | 19 |
| Figure J: Brain Scans Requested and Performed per region/country..... | 20 |
| Figure K: Any Post Diagnostic Intervention (excluding signposting)..... | 21 |
| Figure L: Services offering Cognitive Stimulation Therapy | 22 |
| Figure M: Proportion of Patients in each region/country under 65..... | 23 |

Memory Assessment Services Spotlight Audit Background

This is the report for all participating regions and Wales for the National Audit of Dementia Memory Assessment Services Spotlight Audit 2021. As part of this audit, all services were asked to collect data using three tools:

Casenote Audit

Each registered service was asked to submit information about the first 50 consecutive patients (up to a maximum of 100) seen at the memory clinic for initial assessment from 01/01/2021. From this, submission data was completed based on a tool adapted from the London Audit of memory assessment services (2019) data collection tool. Additionally, services were asked to return the total number of patients completing the pathway to diagnosis between 1st January and 31st August 2021.

Organisational Checklist

Services collected information at an organisational (service) level, relating to organisational structure and provision at individual memory services or clinics. This tool was divided into sections: the first section asked about the impact of the COVID-19 pandemic on service closure and staff redeployment. The succeeding questions related to service accreditation and provision, research and young-onset dementia leads and the availability of onward referrals and post-diagnostic services.

Patient feedback tool for patients with dementia

This tool was an adapted version, originally developed by Alzheimer's Society to gather feedback on the experience of virtual appointments for people living with dementia attending memory assessment services. This questionnaire was completed online, by the person living with dementia, or by a family member/carer on their behalf. Services were asked to return data for 20 patients that had an initial assessment between 1st January to August 2022.

Data comparison in this report

This report contains data for all regions and Wales, returned for the casenote audit and organisational checklist. Comparisons shown in graphs are against the average for the **Total National Sample (TNS)** including all submitted casenotes. National Report figures, shown alongside graphs, show the average across data from all services who submitted 20 or more casenotes. See [Memory Assessment Services Spotlight Audit National Report 2021](#). Accessible casenote audit data for regions in England is also available to view.

Please note: Please refer to appendices tables for full breakdown. All graph data within infographics are rounded and may not add to 100%.

MAS Local Report Overview


Casenote Audit Sample Size



Organisational Checklist Returns





Figure A: Number of services in each region/country that were able to provide total number of patients that accessed their services.



Demographic Characteristics of Patients Included in Audit

Gender





*Results for non-binary/other were 0 and therefore not included in this graph

National Report

Female: 52%
Male: 39%
Unknown: 7%



Age





National Report

Over 65 years old: 93%
Under 65 years old: 7%

Ethnicity




English as First Language



1. COVID-19 Impact and Recovery

Proportion of Memory services closed or paused for new assessments during the first national lockdown (23rd March-July 2020)





National Report

Any service closure/paused: 72%

No closure/pause: 28%


Proportion of services that experienced any staff redeployment during the first national lockdown



National Report

Any Redeployment: 83%
No Redeployment: 17%

Proportion of services that were both closed/paused and experienced staff redeployment





National Report

Any Closure and Redeployment: 66%

No Closure and Redeployment: 34%

Figure B: Proportion of Virtual Appointments

Figure B shows the proportion of appointments in the data collection period held either by phone call or video call.



National Report
 Virtual Appointment: 35%
 No Virtual Appointment: 65%

Figure C: Overall Wait Time (median days)

Figure C shows the time in median days from **referral to diagnosis**.




Figure D: Referral to Initial Assessment (median days)

Figure D shows the time in median days from **referral to initial assessment**.





Figure E: Wait Time (median days)



Figure E shows the time in median days from **initial assessment to diagnosis** for each region/country.



2. Assessments

Figure F: All Routine Assessments

Figure F shows the proportion of patients who received an assessment of **all** of the following: discussion of falls, eyesight/vision, hearing and alcohol consumption.





National Report

All Routine Assessments: 43%

No Routine Assessments: 57%

Figure G: Any Routine Assessments

Figure G shows the proportion of patients receiving **at least one** (or more) of the assessments in Figure F.



National Report



Any Routine Assessment: 93%

No Routine Assessments: 7%

3. Diagnosis and Treatment

Figure H: Any Dementia Diagnosis



Figure H shows the proportion of patients receiving any diagnosis of dementia.



National Report
 Any Dementia Diagnosis: 70%
 Non Dementia Diagnosis: 30%

Figure I: Patients Diagnosed with Dementia Prescribed Any Medication



Figure I shows the proportion of patients diagnosed with dementia who were prescribed medication.



National Report
 Dementia Patients Prescribed: 44%
 Dementia Patients Not Prescribed: 56%

Figure J: Brain Scans Requested and Performed per region/country.

Figure J shows brains scans requested and performed, brain scan requested and not performed, and brain scans not requested. NB: Data presented relates to the Combined Brain Scan Requested and Performed in Table D of Appendix II.



National Report

Requested & performed: 41%



Requested & not performed: 6%

Not requested: 53%

4. Post Diagnostic Intervention

Figure K: Any Post Diagnostic Intervention (excluding signposting).

Figure K shows the proportion of patients in each region/country who were given **any** recommended post diagnostic intervention. This does *not* include signposting to another service or resource.





National Report

Any Post Diagnostic: 54%

No Post Diagnostic: 46%

Figure L: Services offering Cognitive Stimulation Therapy

Figure L shows the proportion of services in each region able to offer Cognitive Stimulation Therapy.





National Report
CST Offered: 75%
CST Not Offered: 25%

5. Proportion for Working Age Patients

Figure M: Proportion of Patients in each region/country under 65

Figure M shows the proportion of patients in each region/country that are of working age (under 65).



National Report

Under 65: 7%

Over 65: 93%

Appendices

Appendix I: Sampling and Methodology

Audit Development

The audit was developed in collaboration with the London Dementia Clinical Network, NHS England and Improvement. The audit is based on the London Dementia Clinical Network audit, which ran as a national audit in 2019. Additional questions were created by a service led working party to capture the impact of new ways of working.



There were 3 separate parts of the audit: an organisational questionnaire, a casenote audit and patient/carer feedback questionnaire. All three audit tools are available on our [website](#).

Audit Participation

Community-based memory services in England and Wales were invited to participate.

Audit Tool

Services submitted one organisational tool per service. This consisted of 15 questions for English services, and 18 for Welsh services. The tool included questions to capture the impact of the COVID-19 pandemic on services, including whether the service was closed or paused for assessments during the first national lockdown. 134 out of 138 total registered services submitted organisational data.



Sampling




The casenote audit tool was comprised of 39 questions, and services were asked to sample 50-100 patients, seen consecutively from 1st January 2021. To reach the required sample size, services were initially able to continue sampling patients into February 2021. However, this was extended into August 2021 during the data cleaning process.

Services taking part in the audit submitted information from 5970 sets of casenotes (5899 when services that submitted >20 casenotes were removed from analysis).

Patient Feedback

The patient/carer feedback form was developed by Alzheimer's Society and comprises of 19 questions about the experiences of people diagnosed with dementia during the pandemic, and their experience of virtual assessments. The tool was designed to be completed by the person living with dementia, or by a family member/carer on their behalf, and services were asked to aim for 20 responses. A total of 251 responses were received.




Data Submission

Data was submitted between 7th September 2021-7th January 2022. Due to staff redeployment and COVID-19 vaccine booster programmes, this was extended to 26th January for some services.

Inter-rater Reliability

Inter-rater reliability checks were conducted by submission of 5 casenotes from two different professionals within one service. Key findings in the report were found to be reliable by external statistician, with [link to the report](#) on the website.



Total N Sample

Participating services were asked to identify patients who had an initial assessment in January 2021, and were permitted to include further months as necessary to complete their sample. We asked services to tell us the total number of patients who had had initial assessment in each month from which they included patients in their sample. 107 services responded to this request, but of these 44 were unable to provide full information. From the remaining 63, the average number of patients seen for initial assessment in January 2021 was 36.7, ranging from 2 to 74. As a proportion of total eligible patients per service, samples ranged from 5-100%.

Appendix II: Casenote Data Tables

Below is a full breakdown of your results, shown against the national average. Results of less than 5 locally (in demographics tables only) have been suppressed to preserve anonymity.

Table A: Demographics

| Q1. Age | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|------------------------|---------------------------|-----------------|--------------|-------------|------------------------|-------------|--------------|-------------|------------|
| Under 65 | 7.2% (429) | 7.5% (46) | 10.2% (120) | 10.4% (66) | 4.9% (52) | 7% (72) | 4.6% (51) | 6.5% (18) | 4.4% (4) |
| 65 and Over | 92.8% (5541) | 92.5% (564) | 89.8% (1051) | 89.6% (571) | 95.1% (1004) | 93% (950) | 95.4% (1055) | 93.5% (259) | 95.6% (87) |
| Range | 28-102 | 34-101 | 33-100 | 41-98 | 38-100 | 28-102 | 42-102 | 39-96 | 53-94 |
| Mean | 79.7 | 79.9 | 79.1 | 78.7 | 80.4 | 79.5 | 80.7 | 79.4 | 80.4 |
| Median | 81 | 81 | 81 | 80 | 81 | 81 | 82 | 80 | 81 |
| Q2. Sex | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Male | 41.6% (2453) | 56.7% (346) | 58.3% (683) | 59.3% (378) | 58.9% (622) | 58.3% (596) | 59.8% (661) | 57% (158) | 48.4% (44) |
| Female | 58.4% (3446) | 43.3% (264) | 41.7% (488) | 40.7% (259) | 41.1% (434) | 41.7% (426) | 40.2% (445) | 43% (119) | 51.6% (47) |
| Q3. Gender | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Male | 38.9% (2323) | 53.6% (327) | 52.3% (612) | 54.3% (346) | 57.3% (605) | 56.5% (577) | 52.6% (582) | 51.3% (142) | 49.5% (45) |
| Female | 54.2% (3236) | 41.6% (254) | 39% (457) | 36.4% (232) | 40.3% (426) | 39.8% (407) | 35.5% (393) | 39% (108) | 50.5% (46) |
| Non-binary/Other | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) |
| Unknown/Not documented | 6.9% (411) | 4.8% (29) | 8.7% (102) | 9.3% (59) | 2.4% (25) | 3.7% (38) | 11.8% (131) | 9.7% (27) | 0% (0) |

| Q4. Sexual orientation | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|----------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Heterosexual/Straight | 61.9% (3649) | 0% (0) | 0.1% (1) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) |
| Gay or lesbian | 0.1% (6) | 0% (0) | 0.1% (1) | 0.2% (1) | 0% (0) | 0.3% (3) | 0.1% (1) | 0% (0) | 0% (0) |
| Bisexual | 0.0% (1) | 68.7% (419) | 60.8% (712) | 62% (395) | 77.2% (815) | 60.7% (620) | 48.4% (535) | 50.9% (141) | 84.6% (77) |
| Other sexual orientation | 0.2% (9) | 0.2% (1) | 0.1% (1) | 0% (0) | 0.2% (2) | 0.3% (3) | 0% (0) | 0% (0) | 2.2% (2) |
| Unknown/Not documented | 37.9% (2234) | 31.1% (190) | 38.9% (456) | 37.8% (241) | 22.6% (239) | 38.7% (396) | 51.5% (570) | 49.1% (136) | 13.2% (12) |
| Q5. Ethnicity | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Asian or Asian British | 4.4% (262) | 0.7% (4) | 15% (176) | 3.3% (21) | 1.4% (15) | 2.2% (22) | 2.1% (23) | 0.7% (2) | 0% (0) |
| Black, African, Black British or Caribbean | 2.7% (162) | 0.2% (1) | 10.7% (125) | 1.6% (10) | 0.8% (8) | 0.7% (7) | 0.9% (10) | 0.4% (1) | 0% (0) |
| Mixed or multiple ethnic groups | 1.3% (76) | 0.7% (4) | 1.9% (22) | 1.1% (7) | 0.6% (6) | 0.9% (9) | 2.7% (30) | 1.1% (3) | 0% (0) |
| White | 79.6% (4695) | 83.3% (508) | 64.4% (754) | 79.9% (509) | 88.6% (936) | 85% (869) | 79% (874) | 77.6% (215) | 100% (91) |
| Another ethnic group | 1.2% (70) | 0.8% (5) | 2.7% (32) | 0.5% (3) | 0.2% (2) | 0.8% (8) | 1.8% (20) | 0% (0) | 0% (0) |
| Unknown/Not documented | 10.7% (634) | 14.4% (88) | 5.3% (62) | 13.7% (87) | 8.4% (89) | 10.5% (107) | 13.5% (149) | 20.2% (56) | 0% (0) |
| Q6. Is English the patient's first language? | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 85.1% (5020) | 93.6% (571) | 71.2% (834) | 85.7% (546) | 87.9% (928) | 89.2% (912) | 92.2% (1020) | 82.3% (228) | 56% (51) |
| No | 6.6% (387) | 2% (12) | 19.9% (233) | 3.9% (25) | 2% (21) | 4.6% (47) | 3.4% (38) | 1.8% (5) | 6.6% (6) |
| The patient is Welsh speaking | 0.5% (27) | 0% (0) | 0.1% (1) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 0% (0) | 28.6% (26) |

| | | | | | | | | | |
|---|----------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Unknown/Not documented | 7.9% (465) | 4.4% (27) | 8.8% (103) | 10.4% (66) | 10.1% (107) | 6.2% (63) | 4.3% (48) | 15.9% (44) | 8.8% (8) |
| Q7. Did the patient need an interpreter? | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes, provided by family member | 1.1% (64) | 0.2% (1) | 3.1% (36) | 1.4% (9) | 0.5% (5) | 0.4% (4) | 0.5% (6) | 1.1% (3) | 0% (0) |
| Yes, provided by interpreter | 2.3% (136) | 0.8% (5) | 7.7% (90) | 0.9% (6) | 0.9% (9) | 1.8% (18) | 0.5% (6) | 0.7% (2) | 0% (0) |
| No | 93.5% (5515) | 93.8% (572) | 88% (1030) | 95% (605) | 91.9% (970) | 95.9% (980) | 96.8% (1071) | 96.4% (267) | 100% (91) |
| Unknown/Not documented | 2.9% (170) | 5.1% (31) | 1.3% (15) | 2.7% (17) | 6.4% (68) | 1.2% (12) | 2% (22) | 1.8% (5) | 0% (0) |
| Interpreter not available/service unable to provide | 0.2% (14) | 0.2% (1) | 0% (0) | 0% (0) | 0.4% (4) | 0.8% (8) | 0.1% (1) | 0% (0) | 0% (0) |
| Q8. Does the patient live alone? | National MAS 2021 % (Num) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 37.1% (2104) | 33.6% (195) | 37.5% (424) | 32.1% (199) | 38.3% (375) | 38.6% (379) | 39% (425) | 39.4% (104) | 28.6% (26) |
| No | 62.9% (3563) | 66.4% (385) | 62.5% (707) | 67.9% (421) | 61.7% (605) | 61.4% (604) | 61% (664) | 60.6% (160) | 71.4% (65) |

Table B: Referral

| Q10. Who was the patient referred by? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|-------------------------------|-----------------|-------------------|-----------------|------------------------|------------------|-------------------|-----------------|---------------|
| GP | 92.3% (5443/5899) | 94.1% (574/610) | 93.4% (1094/1171) | 93.4% (595/637) | 91.1% (962/1056) | 87.1% (890/1022) | 94.2% (1042/1106) | 93.9% (260/277) | 97.8% (89/91) |
| CMHT | 1.9% (115/5899) | 1.1% (7/610) | 2.4% (28/1171) | 3.5% (22/637) | 1.9% (20/1056) | 2.3% (24/1022) | 1.1% (12/1106) | 1.4% (4/277) | 1.1% (1/91) |
| Acute Hospital | 3.3% (196/5899) | 2.8% (17/610) | 2.3% (27/1171) | 2.7% (17/637) | 4.5% (47/1056) | 4.3% (44/1022) | 3.6% (40/1106) | 1.8% (5/277) | 1.1% (1/91) |
| Day Hospital | 1.3% (75/5899) | 0.2% (1/610) | 0.2% (2/1171) | 0.2% (1/637) | 0.1% (1/1056) | 6% (61/1022) | 0.5% (5/1106) | 1.4% (4/277) | 0% (0/91) |
| Other | 0.4% (23/5899) | 0% (0/610) | 0% (0/1171) | 0.2% (1/637) | 2.2% (23/1056) | 0% (0/1022) | 0.1% (1/1106) | 0% (0/277) | 0% (0/91) |
| Self-referral | 0.1% (6/5899) | 0.2% (1/610) | 0.2% (2/1171) | 0% (0/637) | 0.1% (1/1056) | 0.1% (1/1022) | 0% (0/1106) | 0.4% (1/277) | 0% (0/91) |
| Social | 0.1% (7/5899) | 0.7% (4/610) | 0.1% (1/1171) | 0% (0/637) | 0% (0/1056) | 0% (0/1022) | 0.1% (1/1106) | 0.4% (1/277) | 0% (0/91) |
| Care/ Rehabilitation | 0.2% (13/5899) | 0.5% (3/610) | 0.3% (3/1171) | 0.2% (1/637) | 0% (0/1056) | 0.2% (2/1022) | 0.4% (4/1106) | 0% (0/277) | 0% (0/91) |
| Memory Services Recall | 0.3% (19/5899) | 0.5% (3/610) | 1.2% (14/1171) | 0% (0/637) | 0% (0/1056) | 0% (0/1022) | 0% (0/1106) | 0.7% (2/277) | 0% (0/91) |
| Unknown | 0.1% (2/5899) | 0% (0/610) | 0% (0/1171) | 0% (0/637) | 0.2% (2/1056) | 0% (0/1022) | 0.1% (1/1106) | 0% (0/277) | 0% (0/91) |
| Access Time (Referral to Initial Assessment) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Up to 1 week | 4.2% (247/5899) | 3.6% (22/610) | 4.3% (50/1171) | 0.8% (5/637) | 4.6% (49/1056) | 7.7% (79/1022) | 3.7% (41/1106) | 2.2% (6/277) | 1.1% (1/91) |
| 1-2 weeks | 8.6% (506/5899) | 6.7% (41/610) | 10% (117/1171) | 3.3% (21/637) | 11.6% (122/1056) | 11.4% (117/1022) | 7.2% (80/1106) | 5.1% (14/277) | 4.4% (4/91) |
| 2-3 weeks | 9.5% (563/5899) | 10.7% (65/610) | 10.8% (127/1171) | 3.1% (20/637) | 13.7% (145/1056) | 8.9% (91/1022) | 10.4% (115/1106) | 4% (11/277) | 3.3% (3/91) |

| | | | | | | | | | |
|--|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| 3-4 weeks | 9.5% (559/5899) | 8.9% (54/610) | 9% (105/1171) | 3.9% (25/637) | 15.2% (161/1056) | 8.9% (91/1022) | 9.6% (106/1106) | 7.2% (20/277) | 4.4% (4/91) |
| 4-5 weeks | 8.3% (490/5899) | 8.4% (51/610) | 8.9% (104/1171) | 4.4% (28/637) | 5.1% (54/1056) | 12.1% (124/1022) | 8.7% (96/1106) | 12.6% (35/277) | 3.3% (3/91) |
| 5-10 weeks | 28.3% (1669/5899) | 26.2% (160/610) | 38.2% (447/1171) | 26.2% (167/637) | 17.1% (181/1056) | 31% (317/1022) | 27.6% (305/1106) | 28.5% (79/277) | 38.5% (35/91) |
| 10-20 weeks | 21.0% (1237/5899) | 20.3% (124/610) | 13.3% (156/1171) | 30.9% (197/637) | 25.5% (269/1056) | 15.8% (161/1022) | 23.1% (256/1106) | 23.1% (64/277) | 17.6% (16/91) |
| 20-30 weeks | 6.9% (408/5899) | 12.3% (75/610) | 2.7% (32/1171) | 16.3% (104/637) | 6% (63/1056) | 3% (31/1022) | 5.3% (59/1106) | 12.3% (34/277) | 12.1% (11/91) |
| 30-40 weeks | 1.6% (92/5899) | 1.8% (37/610) | 0.2% (44/1171) | 3.9% (84/637) | 0.3% (78/1056) | 0.5% (68/1022) | 2.8% (74/1106) | 2.2% (27/277) | 9.9% (16/91) |
| 40-52 weeks | 1.5% (90/5899) | 0.8% (5/610) | 1.7% (20/1171) | 5.5% (35/637) | 0.5% (5/1056) | 0.6% (6/1022) | 1.1% (12/1106) | 1.1% (3/277) | 4.4% (4/91) |
| More than a year (52 weeks) | 0.6% (38/5899) | 0.3% (2/610) | 0.9% (11/1171) | 1.6% (10/637) | 0.4% (4/1056) | 0% (0/1022) | 0.5% (5/1106) | 1.8% (5/277) | 1.1% (1/91) |
| Mean (Days) | 65.9 | 70.4 | 55.4 | 110.6 | 55.9 | 47.9 | 65.5 | 82.1 | 105.4 |
| Median (Days) | 45 | 49 | 42 | 81 | 35 | 36 | 46 | 53 | 68 |
| Range (Days) | 0-727 | 0-407 | 0-727 | 0-530 | 0-522 | 0-343 | 0-461 | 0-586 | 0-366 |
| Overall Wait Time (Referral to Diagnosis) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Up to 1 week | 0.9% (48/5237) | 0.5% (3/552) | 1.9% (19/1007) | 0% (0/516) | 0.5% (5/975) | 1.6% (14/903) | 0.7% (7/1012) | 0.8% (2/253) | 0% (0/86) |
| 1-2 weeks | 2.2% (116/5237) | 2% (11/552) | 5.2% (52/1007) | 0.2% (1/516) | 1.4% (14/975) | 2.3% (21/903) | 1.6% (16/1012) | 0.4% (1/253) | 0% (0/86) |
| 2-3 weeks | 2.8% (146/5237) | 2% (11/552) | 6.7% (67/1007) | 1.6% (8/516) | 1.7% (17/975) | 2.1% (19/903) | 2.4% (24/1012) | 0.4% (1/253) | 1.2% (1/86) |
| 3-4 weeks | 3.4% (178/5237) | 4.2% (23/552) | 5.6% (56/1007) | 1.7% (9/516) | 2.5% (24/975) | 2.8% (25/903) | 3.2% (32/1012) | 4% (10/253) | 0% (0/86) |
| 4-5 weeks | 4.1% (213/5237) | 3.6% (20/552) | 5.2% (52/1007) | 1.6% (8/516) | 2.7% (26/975) | 5.8% (52/903) | 4.2% (43/1012) | 5.1% (13/253) | 0% (0/86) |
| 5-10 weeks | 20.2% (1057/5237) | 20.7% (114/552) | 27% (272/1007) | 14.3% (74/516) | 14.2% (138/975) | 23.1% (209/903) | 23.1% (234/1012) | 13% (33/253) | 1.2% (1/86) |

| | | | | | | | | | |
|-----------------------------|-------------------|-----------------|------------------|-----------------|-----------------|-----------------|------------------|----------------|---------------|
| 10-20 weeks | 32.6% (1706/5237) | 34.1% (188/552) | 28.6% (288/1007) | 22.9% (118/516) | 39.8% (388/975) | 31.6% (285/903) | 36.4% (368/1012) | 32.4% (82/253) | 19.8% (17/86) |
| 20-30 weeks | 18.8% (984/5237) | 19.6% (108/552) | 11.3% (114/1007) | 24.2% (125/516) | 23.3% (227/975) | 18.5% (167/903) | 15.9% (161/1012) | 21.3% (54/253) | 46.5% (40/86) |
| 30-40 weeks | 8.1% (426/5237) | 6.7% (37/552) | 4.4% (44/1007) | 16.3% (84/516) | 8% (78/975) | 7.5% (68/903) | 7.3% (74/1012) | 10.7% (27/253) | 18.6% (16/86) |
| 40-52 weeks | 4.9% (255/5237) | 6% (33/552) | 2.4% (24/1007) | 10.9% (56/516) | 4.5% (44/975) | 4% (36/903) | 4% (40/1012) | 5.1% (13/253) | 11.6% (10/86) |
| More than a year (52 weeks) | 2.1% (108/5237) | 0.7% (4/552) | 1.9% (19/1007) | 6.4% (33/516) | 1.4% (14/975) | 0.8% (7/903) | 1.3% (13/1012) | 6.7% (17/253) | 1.2% (1/86) |
| Mean (Days) | 123.6 | 119.2 | 93.7 | 177.0 | 131.6 | 113.5 | 114.9 | 153.0 | 192.4 |
| Median (Days) | 104 | 99 | 69 | 167.5 | 118 | 94 | 97 | 122 | 182 |
| Range (Days) | 0-731 | 3-383 | 0-731 | 8-600 | 2-616 | 0-449 | 0-531 | 0-589 | 16-388 |

Table C: Assessment

| Q13. Place of assessment (more than one may be selected) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Clinic | 28.7% (1692/5899) | 35.7% (218/610) | 30.8% (361/1171) | 21.4% (136/637) | 22.9% (242/1056) | 19.2% (196/1022) | 32.3% (357/1106) | 44.4% (123/277) | 81.3% (74/91) |
| Patient's usual place of residence | 45.1% (2658/5899) | 44.3% (270/610) | 39.6% (464/1171) | 44.4% (283/637) | 54.7% (578/1056) | 55.2% (564/1022) | 33.5% (370/1106) | 41.2% (114/277) | 51.6% (47/91) |
| Phone call | 23.8% (1406/5899) | 13.9% (85/610) | 21.2% (248/1171) | 30.9% (197/637) | 17.2% (182/1056) | 27.2% (278/1022) | 31.6% (349/1106) | 14.8% (41/277) | 54.9% (50/91) |
| Video call | 11.2% (661/5899) | 12.5% (76/610) | 17.7% (207/1171) | 9.7% (62/637) | 8.4% (89/1056) | 4.6% (47/1022) | 14.8% (164/1106) | 4% (11/277) | 9.9% (9/91) |
| Other | 0.7% (41/5899) | 2.5% (15/610) | 0.3% (4/1171) | 0.6% (4/637) | 0.6% (6/1056) | 0.6% (6/1022) | 0.6% (7/1106) | 0% (0/277) | 0% (0/91) |
| Q14. Was the video call facilitated by someone else? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |

| | | | | | | | | | |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Yes | 74% (489/661) | 78.9% (60/76) | 73.9% (153/207) | 71% (44/62) | 75.3% (67/89) | 97.9% (46/47) | 65.9% (108/164) | 72.7% (8/11) | 55.6% (5/9) |
| No | 12.3% (81/665) | 9.2% (7/76) | 13% (27/207) | 16.1% (10/62) | 12.4% (11/89) | 0% (0/47) | 13.4% (22/164) | 27.3% (3/11) | 33.3% (3/9) |
| Unknown/Not documented | 13.8% (91/665) | 11.8% (9/76) | 13% (27/207) | 12.9% (8/62) | 12.4% (11/89) | 2.1% (1/47) | 20.7% (34/164) | 0% (0/11) | 11.1% (1/9) |
| Q15. Reported alcohol consumption per week | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| 0 units | 52% (3066/5899) | 44.4% (271/610) | 60.5% (709/1171) | 52.6% (335/637) | 53.9% (569/1056) | 52.7% (539/1022) | 45.8% (507/1106) | 43.3% (120/277) | 62.6% (57/91) |
| 1-4 units | 13% (768/5899) | 18.4% (112/610) | 10.7% (125/1171) | 11.5% (73/637) | 11.6% (122/1056) | 12.6% (129/1022) | 16.7% (185/1106) | 8.3% (23/277) | 13.2% (12/91) |
| 5-9 units | 4.4% (260/5899) | 3.9% (24/610) | 2.9% (34/1171) | 5.8% (37/637) | 4.7% (50/1056) | 4% (41/1022) | 4.7% (52/1106) | 4.7% (13/277) | 11% (10/91) |
| 10-14 units | 3.5% (207/5899) | 4.3% (26/610) | 1.9% (22/1171) | 3.6% (23/637) | 2.3% (24/1056) | 4.1% (42/1022) | 4.2% (46/1106) | 7.9% (22/277) | 3.3% (3/91) |
| More than 14 units | 5.4% (319/5899) | 4.6% (28/610) | 4.3% (50/1171) | 4.9% (31/637) | 5.4% (57/1056) | 6.8% (70/1022) | 6% (66/1106) | 6.1% (17/277) | 2.2% (2/91) |
| Unknown | 21.7% (1279/5899) | 24.4% (149/610) | 19.7% (231/1171) | 21.7% (138/637) | 22.2% (234/1056) | 19.7% (201/1022) | 22.6% (250/1106) | 29.6% (82/277) | 7.7% (7/91) |
| Was the patient asked about alcohol consumption? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 78.3% (4620/5899) | 75.6% (461/610) | 80.3% (940/1171) | 78.3% (499/637) | 77.8% (822/1056) | 80.3% (821/1022) | 77.4% (856/1106) | 70.4% (195/277) | 92.3% (84/91) |
| Q16. Is there evidence of a discussion about: | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| The patient's eyesight/vision | 61.3% (3614/5899) | 58% (354/610) | 60.3% (706/1171) | 72.8% (464/637) | 57.4% (606/1056) | 66.1% (676/1022) | 49.3% (545/1106) | 67.5% (187/277) | 97.8% (89/91) |
| The patient's hearing | 58.4% (3445/5899) | 54.8% (334/610) | 61.9% (725/1171) | 65.5% (417/637) | 51.8% (547/1056) | 60.4% (617/1022) | 48.9% (541/1106) | 66.8% (185/277) | 97.8% (89/91) |

| Q16 (W). If your service is in Wales, is there evidence of a discussion about: | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| The individuals general current physical health status and any current difficulty | 100% (91/91) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (91/91) |
| Q17. Was the patient referred to occupational therapy for a functional assessment? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 11.8% (699/5899) | 7.7% (47/610) | 8.8% (103/1171) | 6.8% (43/637) | 24.3% (257/1056) | 15.1% (154/1022) | 5% (55/1106) | 4% (11/277) | 65.9% (60/91) |
| Patient declined | 0.8% (45/5899) | 1% (6/610) | 0.9% (11/1171) | 0.5% (3/637) | 1.3% (14/1056) | 0.5% (5/1022) | 0.3% (3/1106) | 0.4% (1/277) | 2.2% (2/91) |
| No service provided | 11.3% (665/5899) | 19.8% (121/610) | 16.9% (198/1171) | 8% (51/637) | 5.1% (54/1056) | 8.2% (84/1022) | 8.9% (98/1106) | 21.7% (60/277) | 1.1% (1/91) |
| No, not appropriate | 76.1% (4490/5899) | 71.5% (436/610) | 73.4% (859/1171) | 84.8% (540/637) | 69.2% (731/1056) | 76.2% (779/1022) | 85.9% (950/1106) | 74% (205/277) | 30.8% (28/91) |
| Q18. Was a falls history taken? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 76.1% (4491/5899) | 69.5% (424/610) | 71.6% (838/1171) | 84.5% (538/637) | 80.4% (849/1056) | 80.9% (827/1022) | 68.6% (759/1106) | 75.5% (209/277) | 98.9% (90/91) |
| No | 23.9% (1408/5899) | 30.5% (186/610) | 28.4% (333/1171) | 15.5% (99/637) | 19.6% (207/1056) | 19.1% (195/1022) | 31.4% (347/1106) | 24.5% (68/277) | 1.1% (1/91) |
| Q19. Was the patient referred to diagnostic neuropsychological assessment? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 8.3% (487/5899) | 5.2% (32/610) | 6.4% (75/1171) | 8.3% (53/637) | 7.3% (77/1056) | 9.7% (99/1022) | 12.8% (142/1106) | 5.4% (15/277) | 4.4% (4/91) |
| Patient declined | 0.7% (41/5899) | 1% (6/610) | 0.7% (8/1171) | 1.1% (7/637) | 0.5% (5/1056) | 0.3% (3/1022) | 0.8% (9/1106) | 1.1% (3/277) | 0% (0/91) |

| | | | | | | | | | |
|--|--------------------------------------|------------------------|-------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| No, not appropriate | 80.1% (4724/5899) | 85.2% (520/610) | 84.8% (993/1171) | 82.7% (527/637) | 78.4% (828/1056) | 67.8% (693/1022) | 79.7% (882/1106) | 87.4% (242/277) | 93.4% (85/91) |
| No service provided/available for referral | 3.3% (193/5899) | 0% (0/610) | 0% (0/1171) | 0% (0/637) | 0% (0/1056) | 0% (0/1022) | 0% (0/1106) | 0% (0/277) | 0% (0/91) |
| Not referred, reason unknown or unclear | 7.7% (454/5899) | 6.9% (42/610) | 6.7% (78/1171) | 5% (32/637) | 10.1% (107/1056) | 13.2% (135/1022) | 5.4% (60/1106) | 3.2% (9/277) | 2.2% (2/91) |
| Any routine assessments, including alcohol consumption, vision, hearing loss, and falls history | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Patients had at least one | 92.9% (5481/5899) | 91.5% (558/610) | 93.5% (1095/1171) | 95.1% (606/637) | 93.7% (989/1056) | 93.2% (952/1022) | 90.7% (1003/1106) | 91% (252/277) | 98.9% (90/91) |
| Patients had all | 43.1% (2545/5899) | 35.7% (218/610) | 44.2% (517/1171) | 52.7% (336/637) | 38.4% (406/1056) | 48.9% (500/1022) | 32% (354/1106) | 48.4% (134/277) | 92.3% (84/91) |
| No | 7% (418/5899) | 8.5% (52/610) | 6.5% (76/1171) | 4.9% (31/637) | 6.3% (67/1056) | 6.8% (70/1022) | 9.3% (103/1106) | 9% (25/277) | 1.1% (1/91) |

Table D: Investigations

| Q20. Was a brain scan requested by memory service? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Yes | 45.2% (2665/5899) | 49.8% (304/610) | 33.1% (388/1171) | 35.8% (228/637) | 51.5% (544/1056) | 43.1% (440/1022) | 59.9% (662/1106) | 36.1% (100/277) | 37.4% (34/91) |
| No | 53.4% (3149/5899) | 48.2% (294/610) | 65.2% (763/1171) | 63.4% (404/637) | 46.1% (487/1056) | 55.9% (571/1022) | 39.5% (437/1106) | 62.1% (172/277) | 62.6% (57/91) |
| Requested but not carried out | 1.4% (85/5899) | 2% (12/610) | 1.7% (20/1171) | 0.8% (5/637) | 2.4% (25/1056) | 1.1% (11/1022) | 0.6% (7/1106) | 1.8% (5/277) | 0% (0/91) |
| Q22. Who requested the scan? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| GP | 4.8% (128/2665) | 1% (3/304) | 2.1% (8/388) | 11% (25/228) | 5.7% (31/544) | 2.3% (10/440) | 6.5% (43/662) | 4% (4/100) | 14.7% (5/34) |
| Memory Service | 92.4% (2462/2665) | 1.6% (5/304) | 3.6% (14/388) | 1.8% (4/228) | 1.3% (7/544) | 2.7% (12/440) | 5% (33/662) | 0% (0/100) | 0% (0/34) |
| Hospital | 2.8% (75/2665) | 97.4% (296/304) | 94.3% (366/388) | 87.3% (199/228) | 93% (506/544) | 95% (418/440) | 88.5% (586/662) | 96% (96/100) | 85.3% (29/34) |
| Q23. Was a scan performed? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 89.8% (2392/2665) | 88% (38/316) | 89.5% (43/408) | 94% (14/233) | 87.9% (69/569) | 91.4% (39/451) | 77.9% (148/669) | 89.5% (11/105) | 100% (0/34) |
| No | 10.2% (273/2665) | 12% (278/316) | 10.5% (365/408) | 6% (219/233) | 12.1% (500/569) | 8.6% (412/451) | 22.1% (521/669) | 10.5% (94/105) | 0% (34/34) |
| Q24. What scan was performed? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| MRI | 31.8% (761/2392) | 50.4% (140/278) | 49% (179/365) | 30.6% (67/219) | 6.2% (31/500) | 46.1% (190/412) | 26.7% (139/521) | 22.3% (21/94) | 2.9% (1/34) |
| CT | 69.9% (1671/2392) | 50.4% (140/278) | 52.1% (190/365) | 72.6% (159/219) | 95.8% (479/500) | 55.3% (228/412) | 74.7% (389/521) | 81.9% (77/94) | 100% (34/34) |

| | | | | | | | | | |
|--|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Both | 1.7% (40/2392) | 0.7% (2/278) | 1.1% (4/365) | 3.2% (7/219) | 2% (10/500) | 1.5% (6/412) | 1.3% (7/521) | 4.3% (4/94) | 2.9% (1/34) |
| Q25. Reason scan was not performed: | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Previous scan | 43.2% (118/273) | 30.8% (0/26) | 21.7% (1/23) | 0% (1/9) | 56.8% (0/44) | 10.7% (0/28) | 54.6% (2/141) | 33.3% (0/6) | 0% (0/0) |
| Contraindicated | 1.5% (4/273) | 0% (4/26) | 4.3% (4/23) | 11.1% (0/9) | 0% (3/44) | 0% (6/28) | 1.4% (28/141) | 0% (0/6) | 0% (0/0) |
| Patient declined | 39.2% (107/273) | 53.8% (14/26) | 56.5% (13/23) | 88.9% (8/9) | 36.4% (16/44) | 67.9% (19/28) | 24.1% (34/141) | 66.7% (4/6) | 0% (0/0) |
| Not required | 16.1% (44/273) | 15.4% (8/26) | 17.4% (5/23) | 0% (0/9) | 6.8% (25/44) | 21.4% (3/28) | 19.9% (77/141) | 0% (2/6) | 0% (0/0) |
| Combined Brain Scan Requested and Performed | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Total Brain Scans Requested | 46.6% (2750/5899) | 49.8% (304/610) | 33.1% (388/1171) | 35.8% (228/637) | 51.5% (544/1056) | 43.1% (440/1022) | 59.9% (662/1106) | 36.1% (100/277) | 37.4% (34/91) |
| Brain Scan Requested and Performed | 40.5% (2392/5899) | 45.6% (278/610) | 31.2% (365/1171) | 34.4% (219/637) | 47.3% (500/1056) | 40.3% (412/1022) | 47.1% (521/1106) | 33.9% (94/277) | 37.4% (34/91) |
| Brain Scan Requested and Not Performed | 6.1% (358/5899) | 6.2% (38/610) | 3.7% (43/1171) | 2.2% (14/637) | 6.5% (69/1056) | 3.8% (39/1022) | 13.4% (148/1106) | 4% (11/277) | 0% (0/91) |
| Brain Scan Not Requested | 53.4% (3149/5899) | 48.2% (294/610) | 65.2% (763/1171) | 63.4% (404/637) | 46.1% (487/1056) | 55.9% (571/1022) | 39.5% (437/1106) | 62.1% (172/277) | 62.6% (57/91) |
| Q27. Were specialised investigations performed? e.g. PET/DAT/SPECT scan/CSF examination | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 2.2% (130/5899) | 2.8% (17/610) | 2% (23/1171) | 1.4% (9/637) | 2.9% (31/1056) | 2.5% (26/1022) | 2.2% (24/1106) | 0% (0/277) | 0% (0/91) |
| No | 97.8% (5769/5899) | 97.2% (593/610) | 98% (1148/1171) | 98.6% (628/637) | 97.1% (1025/1056) | 97.5% (996/1022) | 97.8% (1082/1106) | 100% (277/277) | 100% (91/91) |

| Q28. What specialist investigations were performed? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|-------------------------------|-----------------|---------------|-------------|------------------------|---------------|--------------|------------|----------|
| PET scan | 26.9% (35/130) | 17.6% (3/17) | 47.8% (11/23) | 33.3% (3/9) | 12.9% (4/31) | 30.8% (8/26) | 25% (6/24) | 0% (0/0) | 0% (0/0) |
| DAT scan | 37.7% (49/130) | 58.8% (10/17) | 34.8% (8/23) | 33.3% (3/9) | 38.7% (12/31) | 26.9% (7/26) | 37.5% (9/24) | 0% (0/0) | 0% (0/0) |
| SPECT scan | 33.8% (44/130) | 5.9% (1/17) | 13% (3/23) | 33.3% (3/9) | 51.6% (16/31) | 53.8% (14/26) | 29.2% (7/24) | 0% (0/0) | 0% (0/0) |
| CSF | 6.2% (8/130) | 17.6% (3/17) | 8.7% (2/23) | 0% (0/9) | 3.2% (1/31) | 0% (0/26) | 8.3% (2/24) | 0% (0/0) | 0% (0/0) |

Table E: Scan Wait Times

| Assessment to Brain Scan Request Time | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---------------------------------------|-------------------------------|-----------------|-----------------|-----------------|------------------------|-----------------|-----------------|--------------|--------------|
| Up to 1 week | 67.7% (1804/2665) | 69.4% (211/304) | 69.6% (270/388) | 61.8% (141/228) | 71.1% (387/544) | 59.8% (263/440) | 76.7% (508/662) | 38% (38/100) | 14.7% (5/34) |
| 1-2 weeks | 12.3% (327/2665) | 10.2% (31/304) | 16.8% (65/388) | 13.6% (31/228) | 11.8% (64/544) | 15.9% (70/440) | 6.8% (45/662) | 20% (20/100) | 20.6% (7/34) |
| 2-3 weeks | 4.3% (115/2665) | 4.3% (13/304) | 4.4% (17/388) | 3.5% (8/228) | 3.5% (19/544) | 5.2% (23/440) | 3% (20/662) | 15% (15/100) | 14.7% (5/34) |
| 3-4 weeks | 2.4% (63/2665) | 2.3% (7/304) | 1% (4/388) | 0.4% (1/228) | 1.1% (6/544) | 3.9% (17/440) | 2.6% (17/662) | 9% (9/100) | 11.8% (4/34) |
| 4-5 weeks | 2.3% (61/2665) | 1.6% (5/304) | 2.3% (9/388) | 2.6% (6/228) | 1.5% (8/544) | 3.4% (15/440) | 1.8% (12/662) | 3% (3/100) | 11.8% (4/34) |
| 5-10 weeks | 6.0% (161/2665) | 5.9% (18/304) | 3.9% (15/388) | 10.5% (24/228) | 6.1% (33/544) | 6.6% (29/440) | 3.8% (25/662) | 10% (10/100) | 20.6% (7/34) |
| 10-20 weeks | 3.2% (85/2665) | 4.6% (14/304) | 1% (4/388) | 4.4% (10/228) | 3.7% (20/544) | 3.4% (15/440) | 2.6% (17/662) | 5% (5/100) | 2.9% (1/34) |
| 20-30 weeks | 1.0% (27/2665) | 1% (3/304) | 0.8% (3/388) | 2.2% (5/228) | 0.7% (4/544) | 1.4% (6/440) | 0.8% (5/662) | 0% (0/100) | 2.9% (1/34) |
| 30-40 weeks | 0.5% (14/2665) | 0% (0/304) | 0% (0/388) | 0.9% (2/228) | 0.6% (3/544) | 0.5% (2/440) | 1.1% (7/662) | 0% (0/100) | 0% (0/34) |
| 40-52 weeks | 0.3% (8/2665) | 0.7% (2/304) | 0.3% (1/388) | 0% (0/228) | 0% (0/544) | 0% (0/440) | 0.9% (6/662) | 0% (0/100) | 0% (0/34) |
| More than a year (52 weeks) | 0% (0/2665) | 0% (0/304) | 0% (0/388) | 0% (0/228) | 0% (0/544) | 0% (0/440) | 0% (0/662) | 0% (0/100) | 0% (0/34) |
| Mean (Days) | 13.9 | 14.5 | 8.9 | 19.1 | 12.2 | 15.6 | 14.0 | 18.3 | 28.2 |
| Median (Days) | 1 | 0.5 | 1 | 2 | 0 | 4 | 0 | 8.5 | 21.5 |
| Range (Days) | 0-341 | 0-307 | 0-298 | 0-247 | 0-222 | 0-273 | 0-341 | 0-118 | 0-146 |
| Assessment to Brain Scan Time | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |

| | | | | | | | | | |
|--|--------------------------------------|------------------------|-----------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Up to 1 week | 18.3% (437/2392) | 16.5% (46/278) | 15.3% (56/365) | 11.4% (25/219) | 17.8% (89/500) | 7.3% (30/412) | 34.5% (180/521) | 9.6% (9/94) | 5.9% (2/34) |
| 1-2 weeks | 6.1% (146/2392) | 11.2% (31/278) | 10.4% (38/365) | 3.2% (7/219) | 3.6% (18/500) | 5.6% (23/412) | 5.4% (28/521) | 2.1% (2/94) | 2.9% (1/34) |
| 2-3 weeks | 6.3% (150/2392) | 7.6% (21/278) | 6.8% (25/365) | 3.7% (8/219) | 4.2% (21/500) | 6.1% (25/412) | 8.6% (45/521) | 6.4% (6/94) | 8.8% (3/34) |
| 3-4 weeks | 7.5% (180/2392) | 6.8% (19/278) | 8.8% (32/365) | 5% (11/219) | 6.2% (31/500) | 10.4% (43/412) | 7.3% (38/521) | 9.6% (9/94) | 8.8% (3/34) |
| 4-5 weeks | 8.3% (199/2392) | 9.7% (27/278) | 7.4% (27/365) | 11.4% (25/219) | 6.4% (32/500) | 11.2% (46/412) | 6.5% (34/521) | 6.4% (6/94) | 11.8% (4/34) |
| 5-10 weeks | 31.1% (743/2392) | 23.7% (66/278) | 30.1% (110/365) | 39.3% (86/219) | 35.6% (178/500) | 35.2% (145/412) | 21.9% (114/521) | 40.4% (38/94) | 52.9% (18/34) |
| 10-20 weeks | 16.7% (399/2392) | 14.4% (40/278) | 17.3% (63/365) | 17.4% (38/219) | 19.8% (99/500) | 19.7% (81/412) | 11.3% (59/521) | 22.3% (21/94) | 5.9% (2/34) |
| 20-30 weeks | 3.6% (87/2392) | 6.8% (19/278) | 3.3% (12/365) | 5% (11/219) | 3.8% (19/500) | 3.9% (16/412) | 1.3% (7/521) | 3.2% (3/94) | 2.9% (1/34) |
| 30-40 weeks | 1.6% (38/2392) | 2.2% (6/278) | 0.3% (1/365) | 3.7% (8/219) | 2.2% (11/500) | 0.7% (3/412) | 1.7% (9/521) | 0% (0/94) | 0% (0/34) |
| 40-52 weeks | 0.6% (13/2392) | 1.1% (3/278) | 0.3% (1/365) | 0% (0/219) | 0.4% (2/500) | 0% (0/412) | 1.3% (7/521) | 0% (0/94) | 0% (0/34) |
| More than a year (52 weeks) | 0% (0/2392) | 0% (0/278) | 0% (0/365) | 0% (0/219) | 0% (0/500) | 0% (0/412) | 0% (0/521) | 0% (0/94) | 0% (0/34) |
| Mean (Days) | 50.2 | 56.5 | 46.4 | 59.0 | 54.5 | 53.5 | 38.6 | 53.0 | 46.4 |
| Median (Days) | 39 | 34 | 36 | 43 | 45 | 42 | 22 | 47.5 | 45.5 |
| Range (Days) | 0-361 | 0-349 | 0-298 | 0-261 | 0-325 | 0-260 | 0-361 | 0-176 | 0-154 |
| Brain Scan Performed Wait Time (Brain Scan Request to Brain Scan Performed) | | | | | | | | | |
| | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Up to 1 week | 20.7% (495/2392) | 22.3% (62/278) | 16.7% (61/365) | 14.2% (31/219) | 20% (100/500) | 9% (37/412) | 36.3% (189/521) | 11.7% (11/94) | 14.7% (5/34) |

| | | | | | | | | | |
|-----------------------------|------------------|----------------|----------------|----------------|-----------------|----------------|----------------|---------------|---------------|
| 1-2 weeks | 9.8% (235/2392) | 14.7% (41/278) | 11.8% (43/365) | 5.5% (12/219) | 6.6% (33/500) | 9.7% (40/412) | 10% (52/521) | 11.7% (11/94) | 26.5% (9/34) |
| 2-3 weeks | 9.7% (231/2392) | 5.8% (16/278) | 8.2% (30/365) | 7.3% (16/219) | 6.2% (31/500) | 13.1% (54/412) | 12.1% (63/521) | 14.9% (14/94) | 32.4% (11/34) |
| 3-4 weeks | 9.4% (224/2392) | 8.3% (23/278) | 13.4% (49/365) | 7.8% (17/219) | 7.4% (37/500) | 13.1% (54/412) | 8.3% (43/521) | 4.3% (4/94) | 2.9% (1/34) |
| 4-5 weeks | 9.7% (233/2392) | 10.1% (28/278) | 10.4% (38/365) | 12.8% (28/219) | 8.8% (44/500) | 10% (41/412) | 8.3% (43/521) | 11.7% (11/94) | 11.8% (4/34) |
| 5-10 weeks | 27.6% (660/2392) | 21.2% (59/278) | 24.7% (90/365) | 37% (81/219) | 35.4% (177/500) | 32% (132/412) | 17.9% (93/521) | 35.1% (33/94) | 11.8% (4/34) |
| 10-20 weeks | 11.1% (264/2392) | 11.2% (31/278) | 13.2% (48/365) | 14.2% (31/219) | 12.4% (62/500) | 12.1% (50/412) | 6.7% (35/521) | 9.6% (9/94) | 0% (0/34) |
| 20-30 weeks | 1.6% (38/2392) | 4.7% (13/278) | 1.6% (6/365) | 0.9% (2/219) | 2% (10/500) | 1% (4/412) | 0.6% (3/521) | 1.1% (1/94) | 0% (0/34) |
| 30-40 weeks | 0.4% (9/2392) | 1.4% (4/278) | 0% (0/365) | 0.5% (1/219) | 0.8% (4/500) | 0% (0/412) | 0% (0/521) | 0% (0/94) | 0% (0/34) |
| 40-52 weeks | 0.1% (3/2392) | 0.4% (1/278) | 0% (0/365) | 0% (0/219) | 0.4% (2/500) | 0% (0/412) | 0% (0/521) | 0% (0/94) | 0% (0/34) |
| More than a year (52 weeks) | 0% (0/2392) | 0% (0/278) | 0% (0/365) | 0% (0/219) | 0% (0/500) | 0% (0/412) | 0% (0/521) | 0% (0/94) | 0% (0/34) |
| Mean (Days) | 36.1 | 42.5 | 37.4 | 40.8 | 41.7 | 39.2 | 23.2 | 35.4 | 18.3 |
| Median (Days) | 29 | 28 | 28 | 36 | 36 | 32 | 16 | 30 | 15.5 |
| Range (Days) | 0-325 | 0-308 | 0-186 | 0-224 | 0-325 | 0-203 | 0-180 | 0-176 | 0-47 |

Table F: Diagnosis

| Q29. Recorded diagnosis | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|-------------------------------|-----------------|------------------|-----------------|------------------------|------------------|------------------|----------------|---------------|
| Alzheimer's disease | 29.4% (1734/5899) | 25.9% (158/610) | 27.6% (323/1171) | 24.5% (156/637) | 37.8% (399/1056) | 29.4% (300/1022) | 29.1% (322/1106) | 30.7% (85/277) | 22% (20/91) |
| Vascular dementia | 12.0% (708/5899) | 8.7% (53/610) | 12.5% (146/1171) | 15.5% (99/637) | 10% (106/1056) | 14.3% (146/1022) | 9.9% (109/1106) | 10.8% (30/277) | 26.4% (24/91) |
| Dementia with Lewy bodies | 1.3% (79/5899) | 3% (18/610) | 0.9% (11/1171) | 0.9% (6/637) | 1% (11/1056) | 1.7% (17/1022) | 1.3% (14/1106) | 0.4% (1/277) | 2.2% (2/91) |
| Behavioural variant frontotemporal dementia - Primary progressive aphasia | 0.3% (17/5899) | 0.2% (1/610) | 0.3% (4/1171) | 0.2% (1/637) | 0.2% (2/1056) | 0.2% (2/1022) | 0.5% (6/1106) | 0.4% (1/277) | 0% (0/91) |
| Behavioural variant frontotemporal dementia - Posterior cortical atrophy | 0.2% (11/5899) | 0.2% (1/610) | 0.1% (1/1171) | 0.2% (1/637) | 0% (0/1056) | 0.2% (2/1022) | 0.5% (5/1106) | 0.4% (1/277) | 0% (0/91) |
| Parkinson's disease dementia | 1.7% (99/5899) | 3% (18/610) | 1.4% (16/1171) | 1.1% (7/637) | 1.5% (16/1056) | 1.3% (13/1022) | 2.3% (25/1106) | 1.4% (4/277) | 0% (0/91) |
| Mixed dementia (dementia of more than one type) | 19.1% (1126/5899) | 23.3% (142/610) | 14.5% (170/1171) | 20.9% (133/637) | 20.8% (220/1056) | 16.3% (167/1022) | 19.9% (220/1106) | 22.4% (62/277) | 31.9% (29/91) |
| Alcohol related dementia included Korsakoff Syndrome | 0.4% (25/5899) | 0.2% (1/610) | 0.4% (5/1171) | 0.3% (2/637) | 0.4% (4/1056) | 0.5% (5/1022) | 0.7% (8/1106) | 0% (0/277) | 0% (0/91) |
| Unspecified dementia (if working diagnosis please select this option) | 4.9% (287/5899) | 3.9% (24/610) | 5.7% (67/1171) | 3.6% (23/637) | 3.9% (41/1056) | 5.3% (54/1022) | 5.1% (56/1106) | 8.3% (23/277) | 1.1% (1/91) |
| Other dementia | 0.5% (29/5899) | 0.3% (2/610) | 0.6% (7/1171) | 0.9% (6/637) | 0.1% (1/1056) | 0.6% (6/1022) | 0.5% (6/1106) | 0.7% (2/277) | 0% (0/91) |

| | | | | | | | | | |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| MCI | 16.3% (963/5899) | 18.2% (111/610) | 19.8% (232/1171) | 9.9% (63/637) | 12.4% (131/1056) | 17.2% (176/1022) | 19.7% (218/1106) | 11.6% (32/277) | 11% (10/91) |
| Subjective cognitive impairment/no illness specified | 1.4% (81/5899) | 3% (18/610) | 0.8% (9/1171) | 2% (13/637) | 1.4% (15/1056) | 0.2% (2/1022) | 1.3% (14/1106) | 4% (11/277) | 0% (0/91) |
| Primary psychiatric diagnosis (e.g. depression, anxiety, schizophrenia) | 1.0% (58/5899) | 0.3% (2/610) | 1.1% (13/1171) | 0.6% (4/637) | 2.3% (24/1056) | 0.8% (8/1022) | 0.5% (6/1106) | 0.4% (1/277) | 0% (0/91) |
| Functional cognitive disorder | 0.3% (20/5899) | 0.5% (3/610) | 0.3% (3/1171) | 0.3% (2/637) | 0.5% (5/1056) | 0.5% (5/1022) | 0.3% (3/1106) | 0% (0/277) | 0% (0/91) |
| Other (not dementia) | 11.2% (662/5899) | 9.5% (58/610) | 14% (164/1171) | 19% (121/637) | 7.7% (81/1056) | 11.6% (119/1022) | 8.5% (94/1106) | 8.7% (24/277) | 5.5% (5/91) |
| Any Dementia Diagnosis | 69.8% (4115/5899) | 68.5% (418/610) | 64% (750/1171) | 68.1% (434/637) | 75.8% (800/1056) | 69.7% (712/1022) | 69.7% (771/1106) | 75.5% (209/277) | 83.5% (76/91) |
| Q30. Was this diagnosis: | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Confirmed | 89.5% (4689/5237) | 89.3% (493/552) | 92% (926/1007) | 93.8% (484/516) | 87.3% (851/975) | 84.7% (765/903) | 89% (901/1012) | 95.7% (242/253) | 89.5% (77/86) |
| Working | 10.5% (548/5237) | 10.7% (59/552) | 8% (81/1007) | 6.2% (32/516) | 12.7% (124/975) | 15.3% (138/903) | 11% (111/1012) | 4.3% (11/253) | 10.5% (9/86) |
| Diagnosis Wait Time (Initial Assessment to Diagnosis) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Up to 1 week | 32.0% (1674/5237) | 36.6% (202/552) | 46.8% (471/1007) | 22.5% (116/516) | 21% (205/975) | 22.1% (200/903) | 40.4% (409/1012) | 33.2% (84/253) | 4.7% (4/86) |
| 1-2 weeks | 6.0% (314/5237) | 5.1% (28/552) | 7.8% (79/1007) | 7.2% (37/516) | 3.9% (38/975) | 6.4% (58/903) | 5.2% (53/1012) | 2.8% (7/253) | 17.4% (15/86) |
| 2-3 weeks | 4.2% (218/5237) | 2.7% (15/552) | 4.8% (48/1007) | 5.4% (28/516) | 3.5% (34/975) | 4.9% (44/903) | 3.8% (38/1012) | 2.4% (6/253) | 5.8% (5/86) |

| | | | | | | | | | |
|-----------------------------|-------------------|-----------------|------------------|-----------------|-----------------|-----------------|------------------|----------------|---------------|
| 3-4 weeks | 3.6% (191/5237) | 3.3% (18/552) | 3% (30/1007) | 7.2% (37/516) | 3.2% (31/975) | 3.2% (29/903) | 3.5% (35/1012) | 4.3% (11/253) | 2.3% (2/86) |
| 4-5 weeks | 3.4% (177/5237) | 4% (22/552) | 3.1% (31/1007) | 3.1% (16/516) | 3.3% (32/975) | 4.8% (43/903) | 3.1% (31/1012) | 2% (5/253) | 1.2% (1/86) |
| 5-10 weeks | 16.0% (836/5237) | 17.4% (96/552) | 14.7% (148/1007) | 14.5% (75/516) | 17.9% (175/975) | 18.3% (165/903) | 14.7% (149/1012) | 13% (33/253) | 12.8% (11/86) |
| 10-20 weeks | 23.4% (1225/5237) | 21.7% (120/552) | 13.4% (135/1007) | 26.7% (138/516) | 32.2% (314/975) | 25.4% (229/903) | 20.4% (206/1012) | 27.7% (70/253) | 34.9% (30/86) |
| 20-30 weeks | 8.3% (437/5237) | 7.1% (39/552) | 5% (50/1007) | 9.5% (49/516) | 10.7% (104/975) | 11.7% (106/903) | 5.9% (60/1012) | 8.7% (22/253) | 17.4% (15/86) |
| 30-40 weeks | 2.7% (142/5237) | 2% (11/552) | 1.5% (15/1007) | 2.7% (14/516) | 3.6% (35/975) | 2.9% (26/903) | 2.8% (28/1012) | 4.7% (12/253) | 2.3% (2/86) |
| 40-52 weeks | 0.4% (23/5237) | 0.2% (1/552) | 0% (0/1007) | 1.2% (6/516) | 0.7% (7/975) | 0.3% (3/903) | 0.3% (3/1012) | 1.2% (3/253) | 1.2% (1/86) |
| More than a year (52 weeks) | 0% (0/5237) | 0% (0/552) | 0% (0/1007) | 0% (0/516) | 0% (0/975) | 0% (0/903) | 0% (0/1012) | 0% (0/253) | 0% (0/86) |
| Mean (Days) | 57.6 | 50.6 | 36.6 | 65.0 | 74.7 | 67.2 | 49.0 | 68.3 | 90.3 |
| Median (Days) | 37 | 33 | 9 | 47 | 65 | 51 | 23 | 50 | 97 |
| Range (Days) | 0-338 | 0-281 | 0-279 | 0-336 | 0-338 | 0-326 | 0-330 | 0-315 | 1-311 |

Table G: Treatment and Support

| Q32. Was anti-dementia medication prescribed? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Yes | 44.1% (2308/5237) | 42% (232/552) | 32.5% (327/1007) | 36% (186/516) | 57.5% (561/975) | 45.8% (414/903) | 46.6% (472/1012) | 48.2% (122/253) | 32.6% (28/86) |
| Patient declined | 4.7% (247/5237) | 2.9% (16/552) | 7.5% (76/1007) | 5.6% (29/516) | 4.2% (41/975) | 2.5% (23/903) | 5.1% (52/1012) | 3.2% (8/253) | 5.8% (5/86) |
| No, not appropriate | 45.7% (2395/5237) | 48.7% (269/552) | 54.5% (549/1007) | 45.5% (235/516) | 35.2% (343/975) | 46.8% (423/903) | 44.7% (452/1012) | 44.3% (112/253) | 46.5% (40/86) |
| No, contraindicated | 5.5% (287/5237) | 6.3% (35/552) | 5.5% (55/1007) | 12.8% (66/516) | 3.1% (30/975) | 4.8% (43/903) | 3.6% (36/1012) | 4.3% (11/253) | 15.1% (13/86) |
| Q33. Which medication was prescribed? This refers to the initial prescription | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Donepezil | 55.9% (1290/2308) | 58.2% (135/232) | 57.8% (189/327) | 54.8% (102/186) | 58.6% (329/561) | 45.2% (187/414) | 58.7% (277/472) | 60.7% (74/122) | 53.6% (15/28) |
| Rivastigmine oral | 2.9% (67/2308) | 3% (7/232) | 2.1% (7/327) | 2.2% (4/186) | 3.2% (18/561) | 3.1% (13/414) | 3.2% (15/472) | 2.5% (3/122) | 3.6% (1/28) |
| Rivastigmine transdermal patch | 4.2% (97/2308) | 6.9% (16/232) | 5.8% (19/327) | 8.1% (15/186) | 1.2% (7/561) | 3.6% (15/414) | 4% (19/472) | 4.9% (6/122) | 3.6% (1/28) |
| Galantamine | 1.2% (28/2308) | 3% (7/232) | 0.6% (2/327) | 0.5% (1/186) | 1.4% (8/561) | 1.4% (6/414) | 1.1% (5/472) | 0% (0/122) | 0% (0/28) |
| Memantine | 35.2% (813/2308) | 28.4% (66/232) | 33% (108/327) | 34.4% (64/186) | 34.8% (195/561) | 45.9% (190/414) | 32.8% (155/472) | 30.3% (37/122) | 39.3% (11/28) |
| AChEI and Memantine | 0.6% (13/2308) | 0.4% (1/232) | 0.6% (2/327) | 0% (0/186) | 0.7% (4/561) | 0.7% (3/414) | 0.2% (1/472) | 1.6% (2/122) | 0% (0/28) |
| Q34a. Was the patient offered cognitive stimulation therapy (CST)? (Face to face) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes, patient accepted | 3.5% (203/5764) | 4% (24/597) | 3.1% (35/1128) | 4.4% (27/615) | 5.3% (55/1032) | 2.7% (28/1020) | 1.8% (19/1081) | 4.8% (13/271) | 4.4% (4/91) |

| | | | | | | | | | |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Yes, patient declined | 3.2% (184/5764) | 3% (18/597) | 3.7% (42/1128) | 3.4% (21/615) | 3.8% (39/1032) | 4.9% (50/1020) | 1% (11/1081) | 2.2% (6/271) | 0% (0/91) |
| Yes, offered | 0.6% (34/5764) | 0.5% (3/597) | 1.1% (12/1128) | 0.3% (2/615) | 0.6% (6/1032) | 0% (0/1020) | 1% (11/1081) | 0% (0/271) | 0% (0/91) |
| No, not appropriate | 35.9% (2068/5764) | 34.2% (204/597) | 36.5% (412/1128) | 45.4% (279/615) | 36% (372/1032) | 33.6% (343/1020) | 35.7% (386/1081) | 29.9% (81/271) | 22% (20/91) |
| No, service not available | 47.1% (2713/5764) | 51.8% (309/597) | 47.3% (533/1128) | 38.5% (237/615) | 46.2% (477/1032) | 46.8% (477/1020) | 49.4% (534/1081) | 51.3% (139/271) | 30.8% (28/91) |
| No, other | 9.4% (539/5764) | 6% (36/597) | 7.8% (88/1128) | 7.5% (46/615) | 7.8% (80/1032) | 12% (122/1020) | 10.5% (114/1081) | 11.1% (30/271) | 42.9% (39/91) |
| Not offered | 0.4% (23/5764) | 0.5% (3/597) | 0.5% (6/1128) | 0.5% (3/615) | 0.3% (3/1032) | 0% (0/1020) | 0.6% (6/1081) | 0.7% (2/271) | 0% (0/91) |
| Q34b. Was the patient offered cognitive stimulation therapy (CST)? (Virtual) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes, patient accepted | 3.0% (172/5758) | 2.3% (14/600) | 2.6% (29/1128) | 2.6% (16/613) | 4% (41/1029) | 2.6% (26/1019) | 1.9% (21/1079) | 9.6% (26/270) | 1.1% (1/91) |
| Yes, patient declined | 4.7% (273/5758) | 5.2% (31/600) | 3.3% (37/1128) | 4.2% (26/613) | 5% (51/1029) | 5.8% (59/1019) | 5.5% (59/1079) | 5.6% (15/270) | 0% (0/91) |
| Yes, offered | 0.7% (38/5758) | 0.3% (2/600) | 1.2% (14/1128) | 0.2% (1/613) | 0.7% (7/1029) | 0% (0/1019) | 1.3% (14/1079) | 0% (0/270) | 0% (0/91) |
| No, not appropriate (e.g. advanced dementia, no dementia, language barrier) | 37.5% (2159/5758) | 35% (210/600) | 37.1% (419/1128) | 48.5% (297/613) | 37.1% (382/1029) | 33.7% (343/1019) | 39% (421/1079) | 35.6% (96/270) | 23.1% (21/91) |
| No, service not available | 43.2% (2490/5758) | 50.5% (303/600) | 46.3% (522/1128) | 36.2% (222/613) | 44.5% (458/1029) | 44.7% (456/1019) | 39.9% (430/1079) | 32.2% (87/270) | 33% (30/91) |
| No, other | 10.4% (599/5758) | 6.2% (37/600) | 8.9% (100/1128) | 7.8% (48/613) | 8.4% (86/1029) | 13.2% (135/1019) | 12% (130/1079) | 14.8% (40/270) | 42.9% (39/91) |
| Not offered | 0.5% (27/5758) | 0.5% (3/600) | 0.6% (7/1128) | 0.5% (3/613) | 0.4% (4/1029) | 0% (0/1019) | 0.4% (4/1079) | 2.2% (6/270) | 0% (0/91) |
| Offering of cognitive stimulation therapy (CST) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |

| | | | | | | | | | |
|------------------------------------|------------------|---------------|------------------|----------------|------------------|------------------|------------------|----------------|-------------|
| Yes, face to face | 7.1% (421/5899) | 7.4% (45/610) | 7.6% (89/1171) | 7.8% (50/637) | 9.5% (100/1056) | 7.6% (78/1022) | 3.7% (41/1106) | 6.9% (19/277) | 4.4% (4/91) |
| Yes, virtual | 8.2% (483/5899) | 7.7% (47/610) | 6.8% (80/1171) | 6.8% (43/637) | 9.4% (99/1056) | 8.3% (85/1022) | 8.5% (94/1106) | 14.8% (41/277) | 1.1% (1/91) |
| Yes, both face to face and virtual | 4.4% (260/5899) | 5.9% (36/610) | 4% (47/1171) | 4.2% (27/637) | 5.5% (58/1056) | 5.8% (59/1022) | 2.1% (23/1106) | 5.1% (14/277) | 1.1% (1/91) |
| Offered any CST | 10.9% (644/5899) | 9.2% (56/610) | 10.4% (122/1171) | 10.4% (66/637) | 13.4% (141/1056) | 10.2% (104/1022) | 10.1% (112/1106) | 16.6% (46/277) | 4.4% (4/91) |

| Q35. Was the patient offered a dementia advisor or navigation type service (either in house or referral on)? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Yes, patient accepted | 49.7% (2763/5555) | 44.2% (265/599) | 44.1% (492/1115) | 51.4% (315/613) | 55.6% (492/885) | 51.7% (516/998) | 48.4% (511/1055) | 59.3% (160/270) | 50.5% (46/91) |
| Yes, patient declined | 5.5% (306/5555) | 6.8% (41/599) | 5.7% (64/1115) | 4.6% (28/613) | 6.7% (59/885) | 4.2% (42/998) | 5.4% (57/1055) | 4.4% (12/270) | 6.6% (6/91) |
| Offered/ signposted only | 2.8% (158/5555) | 2.3% (14/599) | 5.6% (62/1115) | 0.7% (4/613) | 0.7% (6/885) | 0.1% (1/998) | 6.4% (68/1055) | 1.1% (3/270) | 0% (0/91) |
| No, not appropriate | 33.8% (1875/5555) | 37.7% (226/599) | 36.1% (403/1115) | 38.7% (237/613) | 32.7% (289/885) | 32.3% (322/998) | 29.8% (314/1055) | 29.6% (80/270) | 28.6% (26/91) |
| No, service not available | 5.5% (308/5555) | 6.3% (38/599) | 5.7% (64/1115) | 3.1% (19/613) | 2% (18/885) | 9.8% (98/998) | 5.9% (62/1055) | 1.9% (5/270) | 14.3% (13/91) |
| No, other | 1.6% (91/5555) | 2.5% (15/599) | 0.8% (9/1115) | 1.3% (8/613) | 1.2% (11/885) | 1.4% (14/998) | 2.7% (28/1055) | 3% (8/270) | 0% (0/91) |
| Not offered | 1.0% (54/5555) | 0% (0/599) | 1.9% (21/1115) | 0.3% (2/613) | 1.1% (10/885) | 0.5% (5/998) | 1.4% (15/1055) | 0.7% (2/270) | 0% (0/91) |

| Q35b. If your service is in Wales, was the patient offered a dementia advisor or navigation type service from diagnosis to end of life (either in house or referral on)? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
|---|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|

| | | | | | | | | | |
|-----------------------|---------------|----------|----------|----------|----------|----------|----------|----------|---------------|
| Yes, patient accepted | 82.4% (75/91) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 82.4% (75/91) |
| Yes, patient declined | 6.6% (6/91) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 6.6% (6/91) |
| No, not appropriate | 9.9% (9/91) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 9.9% (9/91) |
| No, other | 1.1% (1/91) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 1.1% (1/91) |

| Q36. Was the carer offered a psychoeducation course (either in house or referral on)? For example: START, CRISP programme | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Yes, carer accepted | 13.9% (768/5534) | 12.7% (73/574) | 15.7% (168/1070) | 11% (64/583) | 14.6% (149/1024) | 7% (66/945) | 16.8% (178/1061) | 11% (28/255) | 49.5% (45/91) |
| Yes, carer declined | 6.7% (369/5534) | 2.8% (16/574) | 5.6% (60/1070) | 12.9% (75/583) | 5.8% (59/1024) | 7.5% (71/945) | 6.3% (67/1061) | 3.5% (9/255) | 16.5% (15/91) |
| Offered not know whether accepted/ signposted | 4.7% (259/5534) | 10.5% (60/574) | 2.5% (27/1070) | 13.2% (77/583) | 5.4% (55/1024) | 0.6% (6/945) | 2.2% (23/1061) | 4.3% (11/255) | 0% (0/91) |
| No, not appropriate | 3.1% (174/5534) | 4% (23/574) | 2.9% (31/1070) | 4.8% (28/583) | 3.1% (32/1024) | 2.6% (25/945) | 3.2% (34/1061) | 1.2% (3/255) | 0% (0/91) |
| No, patient did not have dementia | 26.3% (1456/5534) | 23.5% (135/574) | 36.2% (387/1070) | 29.3% (171/583) | 20.9% (214/1024) | 23.2% (219/945) | 26% (276/1061) | 22% (56/255) | 11% (10/91) |
| No, other | 4.1% (225/5534) | 4.4% (25/574) | 3.6% (39/1070) | 7.2% (42/583) | 6.6% (68/1024) | 2.3% (22/945) | 4% (42/1061) | 2% (5/255) | 1.1% (1/91) |
| No, service not available | 35.1% (1945/5534) | 30.1% (173/574) | 27.9% (299/1070) | 16.8% (98/583) | 39.6% (405/1024) | 53% (501/945) | 33.5% (355/1061) | 47.8% (122/255) | 18.7% (17/91) |
| No, no carer or relative | 3.7% (202/5534) | 7.1% (41/574) | 3.2% (34/1070) | 3.1% (18/583) | 2.6% (27/1024) | 2.9% (27/945) | 4.2% (45/1061) | 2.7% (7/255) | 3.3% (3/91) |
| Not offered | 2.5% (136/5534) | 4.9% (28/574) | 2.3% (25/1070) | 1.7% (10/583) | 1.5% (15/1024) | 0.8% (8/945) | 3.9% (41/1061) | 5.5% (14/255) | 0% (0/91) |

Table H: Treatment and support continued

| Q37. What other interventions were provided? (either in house or by referral onwards) | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|-------------------------------|-----------------|----------------|---------------|------------------------|----------------|----------------|----------------|---------------|
| Advance care planning | 5.8% (342/5899) | 4.9% (30/610) | 5.6% (65/1171) | 6.1% (39/637) | 14% (148/1056) | 2.2% (22/1022) | 2.9% (32/1106) | 1.1% (3/277) | 22% (20/91) |
| Animal assisted therapy | 0% (2/5899) | 0% (0/610) | 0% (0/1171) | 0% (0/637) | 0.2% (2/1056) | 0% (0/1022) | 0% (0/1106) | 0% (0/277) | 0% (0/91) |
| Assistive technology | 1.9% (114/5899) | 3.6% (22/610) | 1% (12/1171) | 3.6% (23/637) | 3.1% (33/1056) | 0.9% (9/1022) | 0.6% (7/1106) | 1.4% (4/277) | 4.4% (4/91) |
| Cognitive behaviour therapy | 0.3% (16/5899) | 0.7% (4/610) | 0.6% (7/1171) | 0% (0/637) | 0.1% (1/1056) | 0% (0/1022) | 0.3% (3/1106) | 0.4% (1/277) | 0% (0/91) |
| Cognitive rehabilitation | 0.5% (30/5899) | 0.8% (5/610) | 0.3% (3/1171) | 0.8% (5/637) | 0.4% (4/1056) | 0.1% (1/1022) | 0.2% (2/1106) | 2.9% (8/277) | 2.2% (2/91) |
| Cognitive training | 0.6% (36/5899) | 0.2% (1/610) | 0.6% (7/1171) | 1.9% (12/637) | 1.1% (12/1056) | 0% (0/1022) | 0% (0/1106) | 1.4% (4/277) | 0% (0/91) |
| Counselling and psychotherapy | 0.7% (41/5899) | 2.5% (15/610) | 0.8% (9/1171) | 0.3% (2/637) | 0.4% (4/1056) | 0.6% (6/1022) | 0.5% (5/1106) | 0% (0/277) | 0% (0/91) |
| Creative arts therapies | 0.5% (27/5899) | 2.6% (16/610) | 0.3% (3/1171) | 0% (0/637) | 0.2% (2/1056) | 0% (0/1022) | 0.5% (6/1106) | 0% (0/277) | 0% (0/91) |
| Dementia/Memory cafes | 6.5% (383/5899) | 4.4% (27/610) | 6.9% (81/1171) | 6.9% (44/637) | 6.9% (73/1056) | 3% (31/1022) | 4.7% (52/1106) | 14.4% (40/277) | 42.9% (39/91) |
| Family/Systemic therapy | 0.1% (5/5899) | 0% (0/610) | 0.1% (1/1171) | 0% (0/637) | 0.4% (4/1056) | 0% (0/1022) | 0% (0/1106) | 0% (0/277) | 0% (0/91) |
| Involvement groups | 1.7% (102/5899) | 0% (24/610) | 0.1% (21/1171) | 0% (4/637) | 0.4% (28/1056) | 0% (4/1022) | 0% (15/1106) | 0% (7/277) | 0% (1/91) |
| Life Review Therapy | 0% (0/5899) | 0% (0/610) | 0% (0/1171) | 0% (0/637) | 0% (0/1056) | 0% (0/1022) | 0% (0/1106) | 0% (0/277) | 0% (0/91) |
| Life story work | 0.9% (56/5899) | 0.3% (2/610) | 0.2% (2/1171) | 0.8% (5/637) | 3.8% (40/1056) | 0.6% (6/1022) | 0.2% (2/1106) | 0% (0/277) | 0% (0/91) |
| Music therapy | 0.3% (19/5899) | 0.2% (1/610) | 0.4% (5/1171) | 0% (0/637) | 0.4% (4/1056) | 0.1% (1/1022) | 0.5% (6/1106) | 0.7% (2/277) | 0% (0/91) |

| | | | | | | | | | |
|--|-------------------|-----------------|------------------|-----------------|------------------|------------------|------------------|-----------------|---------------|
| Peer-support groups | 2.8% (165/5899) | 4.3% (26/610) | 2% (24/1171) | 1.3% (8/637) | 2.3% (24/1056) | 1.1% (11/1022) | 1.6% (18/1106) | 2.9% (8/277) | 52.7% (48/91) |
| Occupational therapy | 5.0% (293/5899) | 3.9% (24/610) | 3.2% (38/1171) | 1.7% (11/637) | 11.5% (121/1056) | 5.4% (55/1022) | 2.2% (24/1106) | 2.2% (6/277) | 22% (20/91) |
| Post-diagnostic counselling | 16.5% (974/5899) | 14.1% (86/610) | 6.5% (76/1171) | 22.4% (143/637) | 34.4% (363/1056) | 12.1% (124/1022) | 13.1% (145/1106) | 16.6% (46/277) | 7.7% (7/91) |
| Post-diagnostic groups | 8.9% (527/5899) | 6.9% (42/610) | 8.5% (99/1171) | 11.1% (71/637) | 8.3% (88/1056) | 9.5% (97/1022) | 4.4% (49/1106) | 11.6% (32/277) | 57.1% (52/91) |
| Reminiscence | 0.7% (41/5899) | 0.2% (1/610) | 0% (0/1171) | 1.4% (9/637) | 1.2% (13/1056) | 0.4% (4/1022) | 0.3% (3/1106) | 3.6% (10/277) | 1.1% (1/91) |
| Signposting | 46.7% (2757/5899) | 41.1% (251/610) | 51% (597/1171) | 38.3% (244/637) | 65.1% (687/1056) | 38.8% (397/1022) | 39.3% (435/1106) | 41.9% (116/277) | 82.4% (75/91) |
| Specialist information | 20.4% (1206/5899) | 19.5% (119/610) | 19% (223/1171) | 15.1% (96/637) | 29.1% (307/1056) | 22.1% (226/1022) | 14.4% (159/1106) | 11.6% (32/277) | 72.5% (66/91) |
| Stress/Anxiety management | 2.6% (152/5899) | 2.6% (16/610) | 2.5% (29/1171) | 5.2% (33/637) | 4.5% (47/1056) | 0.7% (7/1022) | 1.2% (13/1106) | 3.2% (9/277) | 1.1% (1/91) |
| Vocational rehabilitation support | 0.2% (10/5899) | 0.7% (4/610) | 0% (0/1171) | 0% (0/637) | 0.3% (3/1056) | 0% (0/1022) | 0.3% (3/1106) | 0% (0/277) | 0% (0/91) |
| Other | 18.5% (1091/5899) | 14.1% (86/610) | 16.3% (191/1171) | 23.2% (148/637) | 17.2% (182/1056) | 23.2% (237/1022) | 18.4% (204/1106) | 10.8% (30/277) | 17.6% (16/91) |
| None | 29.1% (1718/5899) | 30.2% (184/610) | 28.4% (332/1171) | 29.8% (190/637) | 18.8% (198/1056) | 37.8% (386/1022) | 29.2% (323/1106) | 41.5% (115/277) | 6.6% (6/91) |
| <i>Any Post-diagnostic Intervention Offered</i> | 70.9% (4182/5899) | 69.8% (426/610) | 71.6% (839/1171) | 70.3% (448/637) | 81.3% (858/1056) | 62.2% (636/1022) | 70.8% (783/1106) | 58.5% (162/277) | 93.4% (85/91) |
| <i>Any Post-diagnostic Interventions Offered (Excluding Signposting)</i> | 54.0% (3187/5899) | 51.3% (313/610) | 50.8% (595/1171) | 57% (363/637) | 64.3% (679/1056) | 50.5% (516/1022) | 50.8% (562/1106) | 45.5% (126/277) | 89% (81/91) |

| | | | | | | | | | |
|---|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Q37a_1. In addition to the above interventions, if your service is in Wales, were you able to offer: | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|

| | | | | | | | | | |
|---|--------------------------------------|------------------------|------------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|---------------|
| Interventions aligning to the all Wales pathway of standards - standard 9 | 91.2% (83/91) | 0% (0/610) | 0% (0/1171) | 0% (0/637) | 0% (0/1056) | 0% (0/1022) | 0% (0/1106) | 0% (0/277) | 91.2% (83/91) |
| Other socially prescribed interventions | 6.6% (6/91) | 0% (0/610) | 0% (0/1171) | 0% (0/637) | 0% (0/1056) | 0% (0/1022) | 0% (0/1106) | 0% (0/277) | 6.6% (6/91) |
| Q38. Was the patient asked about being contacted for research? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes, patient consented | 12.8% (756/5899) | 10.8% (66/610) | 14.5% (170/1171) | 1.7% (11/637) | 9% (95/1056) | 10.3% (105/1022) | 19.6% (217/1106) | 17.7% (49/277) | 48.4% (44/91) |
| Yes, patient declined | 10.6% (626/5899) | 7% (43/610) | 14.5% (170/1171) | 10.4% (66/637) | 5.3% (56/1056) | 14.9% (152/1022) | 10.5% (116/1106) | 1.4% (4/277) | 20.9% (19/91) |
| Not appropriate | 14.2% (835/5899) | 11.5% (70/610) | 18.4% (215/1171) | 8.5% (54/637) | 18% (190/1056) | 12.3% (126/1022) | 13.4% (148/1106) | 7.9% (22/277) | 17.6% (16/91) |
| No documented discussion | 62.4% (3682/5899) | 70.7% (431/610) | 52.6% (616/1171) | 79.4% (506/637) | 67.7% (715/1056) | 62.5% (639/1022) | 56.5% (625/1106) | 72.9% (202/277) | 13.2% (12/91) |

Table I: Primary Care correspondence

| Q39. Were READ or SNOMED codes in relation to diagnosis included in letter correspondence to GP? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|-------------------------------|-----------------|------------------|-----------------|------------------------|------------------|------------------|-----------------|---------------|
| Yes | 41.2% (2433/5899) | 29.5% (180/610) | 51.2% (600/1171) | 33.1% (211/637) | 43.7% (461/1056) | 12.2% (125/1022) | 53.8% (595/1106) | 66.8% (185/277) | 94.5% (86/91) |
| No | 58.8% (3466/5899) | 70.5% (430/610) | 48.8% (571/1171) | 66.9% (426/637) | 56.3% (595/1056) | 87.8% (897/1022) | 46.2% (511/1106) | 33.2% (92/277) | 5.5% (5/91) |

Appendix III: Organisational Data Tables

Table J: Service Place

| Q0_1 My service or clinic is in: | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|----------------------------------|-------------------------------|-----------------|--------------|--------------|------------------------|--------------|--------------|------------|--------------|
| England | 98.5% (132/134) | 100% (13/13) | 100% (21/21) | 100% (14/14) | 100% (25/25) | 100% (23/23) | 100% (31/31) | 100% (5/5) | 0% (0/2) |
| Wales | 1.5% (2/134) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 100% (100/2) |

Table K: Service Closure/ Staff Redeployment

| Q1. Was your memory service closed or paused for new assessments during the first national lockdown (23rd March-July 2020)? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Yes, less than a month | 6.7% (9/134) | 0% (0/13) | 4.8% (1/21) | 0% (0/14) | 4% (1/25) | 4.3% (1/23) | 16.1% (5/31) | 20% (1/5) | 0% (0/2) |
| Yes, 1-3 months | 38.1% (51/134) | 30.8% (4/13) | 57.1% (12/21) | 28.6% (4/14) | 40% (10/25) | 21.7% (5/23) | 51.6% (16/31) | 0% (0/5) | 0% (0/2) |
| Yes, 4-6 months | 23.9% (32/134) | 23.1% (3/13) | 19% (4/21) | 28.6% (4/14) | 20% (5/25) | 34.8% (8/23) | 12.9% (4/31) | 60% (3/5) | 50% (1/2) |
| Yes, more than 6 months | 3% (4/134) | 0% (0/13) | 4.8% (1/21) | 14.3% (2/14) | 0% (0/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 50% (1/2) |
| No | 28.4% (38/134) | 46.2% (6/13) | 14.3% (3/21) | 28.6% (4/14) | 36% (9/25) | 39.1% (9/23) | 19.4% (6/31) | 20% (1/5) | 0% (0/2) |
| Q2. Approximately what percentage of staff were unable to work during the first national lockdown? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Less than 10% | 42.5% (57/134) | 23.1% (3/13) | 28.6% (6/21) | 35.7% (5/14) | 68% (17/25) | 34.8% (8/23) | 54.8% (17/31) | 0% (0/5) | 50% (1/2) |
| 25% | 16.4% (22/134) | 15.4% (2/13) | 14.3% (3/21) | 21.4% (3/14) | 8% (2/25) | 21.7% (5/23) | 19.4% (6/31) | 20% (1/5) | 0% (0/2) |
| 50% | 8.2% (11/134) | 15.4% (2/13) | 19% (4/21) | 0% (0/14) | 0% (0/25) | 8.7% (2/23) | 9.7% (3/31) | 0% (0/5) | 0% (0/2) |
| 75% | 10.4% (14/134) | 30.8% (4/13) | 14.3% (3/21) | 14.3% (2/14) | 0% (0/25) | 17.4% (4/23) | 0% (0/31) | 20% (1/5) | 0% (0/2) |
| 100% | 5.2% (7/134) | 0% (0/13) | 14.3% (3/21) | 0% (0/14) | 0% (0/25) | 8.7% (2/23) | 3.2% (1/31) | 20% (1/5) | 0% (0/2) |

| | | | | | | | | | |
|---------------------|----------------|--------------|-------------|--------------|------------|-------------|--------------|-----------|-----------|
| No staff redeployed | 17.2% (23/134) | 15.4% (2/13) | 9.5% (2/21) | 28.6% (4/14) | 24% (6/25) | 8.7% (2/23) | 12.9% (4/31) | 40% (2/5) | 50% (1/2) |
|---------------------|----------------|--------------|-------------|--------------|------------|-------------|--------------|-----------|-----------|

Table L: Service Organisation

| Q3. Is your service accredited with the Memory Services National Accreditation Programme (MSNAP)? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Yes | 39.6% (53/134) | 30.8% (4/13) | 42.9% (9/21) | 28.6% (4/14) | 28% (7/25) | 34.8% (8/23) | 58.1% (18/31) | 40% (2/5) | 50% (1/2) |
| No | 60.4% (81/134) | 69.2% (9/13) | 57.1% (12/21) | 71.4% (10/14) | 72% (18/25) | 65.2% (15/23) | 41.9% (13/31) | 60% (3/5) | 50% (1/2) |
| Q4. What organisation provides the memory service? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Mental Health Trust | 90.3% (121/134) | 92.3% (12/13) | 100% (21/21) | 71.4% (10/14) | 96% (24/25) | 100% (23/23) | 83.9% (26/31) | 80% (4/5) | 50% (1/2) |
| Acute Trust | 0% (0/134) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 0% (0/2) |
| Community services provider | 3.7% (5/134) | 7.7% (1/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 12.9% (4/31) | 0% (0/5) | 0% (0/2) |
| Health Board (Wales only) | 0.7% (1/134) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 50% (1/2) |
| GP (Wales only) | 0% (0/134) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 0% (0/2) |
| Learning Disability service (Wales only) | 0% (0/134) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 0% (0/2) |
| Other | 5.2% (7/134) | 0% (0/13) | 0% (0/21) | 28.6% (4/14) | 4% (1/25) | 0% (0/23) | 3.2% (1/31) | 20% (1/5) | 0% (0/2) |
| Q5. Do you have a named research champion/lead? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |

| | | | | | | | | | |
|--|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Yes | 82.8% (111/134) | 84.6% (11/13) | 85.7% (18/21) | 85.7% (12/14) | 88% (22/25) | 69.6% (16/23) | 87.1% (27/31) | 80% (4/5) | 50% (1/2) |
| No | 17.2% (23/134) | 15.4% (2/13) | 14.3% (3/21) | 14.3% (2/14) | 12% (3/25) | 30.4% (7/23) | 12.9% (4/31) | 20% (1/5) | 50% (1/2) |
| Q6. Do you have a named lead for young onset dementia (under 65)? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 52.2% (50/134) | 38.5% (5/13) | 57.1% (12/21) | 78.6% (11/14) | 40% (10/25) | 47.8% (11/23) | 58.1% (18/31) | 40% (2/5) | 50% (1/2) |
| No | 38.8% (52/134) | 53.8% (7/13) | 28.6% (6/21) | 14.3% (2/14) | 52% (13/25) | 52.2% (12/23) | 25.8% (8/31) | 60% (3/5) | 50% (1/2) |
| N/A | 9% (12/134) | 7.7% (1/13) | 14.3% (3/21) | 7.1% (1/14) | 8% (2/25) | 0% (0/23) | 16.1% (5/31) | 0% (0/5) | 0% (0/2) |
| Q7. Which patients do you request an ECG for prior to commencing cholinesterase inhibitors? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| All patients | 24.6% (33/134) | 46.2% (6/13) | 9.5% (2/21) | 14.3% (2/14) | 24% (6/25) | 52.2% (12/23) | 12.9% (4/31) | 0% (0/5) | 50% (1/2) |
| Patients where indicated e.g. with a slow pulse or cardiac condition | 72.4% (97/134) | 53.8% (7/13) | 90.5% (19/21) | 78.6% (11/14) | 68% (17/25) | 47.8% (11/23) | 87.1% (27/31) | 80% (4/5) | 50% (1/2) |
| Other | 3% (4/134) | 0% (0/13) | 0% (0/21) | 7.1% (7.1/14) | 8% (8/25) | 0% (0/23) | 0% (0/31) | 20% (20/5) | 0% (0/2) |
| Q8. Are CT and MRI scans reported by neuroradiologists? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 43.3% (58/134) | 38.5% (5/13) | 71.4% (15/21) | 35.7% (5/14) | 44% (11/25) | 21.7% (5/23) | 45.2% (14/31) | 60% (3/5) | 0% (0/2) |
| No | 56.7% (76/134) | 61.5% (8/13) | 28.6% (6/21) | 64.3% (9/14) | 56% (14/25) | 78.3% (18/23) | 54.8% (17/31) | 40% (2/5) | 100% (2/2) |

| Q9. Can you view scan images (e.g. using medical imaging technology such as PACS)? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Yes | 38.8% (52/134) | 15.4% (2/13) | 33.3% (7/21) | 35.7% (5/14) | 12% (3/25) | 17.4% (4/23) | 77.4% (24/31) | 100% (5/5) | 100% (2/2) |
| No | 61.2% (82/134) | 84.6% (11/13) | 66.7% (14/21) | 64.3% (9/14) | 88% (22/25) | 82.6% (19/23) | 22.6% (7/31) | 0% (0/5) | 0% (0/2) |
| Q10. Is attending imaging appointments facilitated by the memory service? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 23.9% (32/134) | 46.2% (6/13) | 33.3% (7/21) | 14.3% (2/14) | 16% (4/25) | 30.4% (7/23) | 19.4% (6/31) | 0% (0/5) | 0% (0/2) |
| No | 76.1% (102/134) | 53.8% (7/13) | 66.7% (14/21) | 85.7% (12/14) | 84% (21/25) | 69.6% (16/23) | 80.6% (25/31) | 100% (5/5) | 100% (2/2) |

Table M: Scans

| Q11. Are you able to refer patients for: | | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|-----|-------------------------------------|-----------------|---------------|---------------|------------------------------|---------------|---------------|---------------|------------|
| PET scans | Yes | 76.9% (103/134) | 84.6% (11/13) | 71.4% (15/21) | 92.9% (13/14) | 84% (21/25) | 73.9% (17/23) | 71% (22/31) | 60% (3/5) | 50% (1/2) |
| | No | 23.1% (31/134) | 15.4% (2/13) | 28.6% (6/21) | 7.1% (1/14) | 16% (4/25) | 26.1% (6/23) | 29% (9/31) | 40% (2/5) | 50% (1/2) |
| DAT scans | Yes | 88.1% (118/134) | 84.6% (11/13) | 85.7% (18/21) | 92.9% (13/14) | 100% (25/25) | 78.3% (18/23) | 90.3% (28/31) | 60% (3/5) | 100% (2/2) |
| | No | 11.9% (16/134) | 15.4% (2/13) | 14.3% (3/21) | 7.1% (1/14) | 0% (0/25) | 21.7% (5/23) | 9.7% (3/31) | 40% (2/5) | 0% (0/2) |
| CSF examination | Yes | 44% (59/134) | 53.8% (7/13) | 42.9% (9/21) | 50% (7/14) | 28% (7/25) | 30.4% (7/23) | 61.3% (19/31) | 40% (2/5) | 50% (1/2) |
| | No | 56% (75/134) | 46.2% (6/13) | 57.1% (12/21) | 50% (7/14) | 72% (18/25) | 69.6% (16/23) | 38.7% (12/31) | 60% (3/5) | 50% (1/2) |
| SPECT scans | Yes | 77.6% (104/134) | 61.5% (8/13) | 52.4% (11/21) | 100% (14/14) | 80% (20/25) | 78.3% (18/23) | 90.3% (28/31) | 60% (3/5) | 100% (2/2) |
| | No | 22.4% (30/134) | 38.5% (5/13) | 47.6% (10/21) | 0% (0/14) | 20% (5/25) | 21.7% (5/23) | 9.7% (3/31) | 40% (2/5) | 0% (0/2) |

Table N: Joint Working Table

| Q12. Is there an opportunity for joint working with: | | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|--|-------------------------------|-----------------|---------------|---------------|------------------------|---------------|---------------|------------|------------|
| Neurology | Yes, regular meetings (weekly/monthly) | 10.4% (14/134) | 7.7% (1/13) | 28.6% (6/21) | 21.4% (3/14) | 4% (1/25) | 0% (0/23) | 6.5% (2/31) | 20% (1/5) | 0% (0/2) |
| | Yes, quarterly meetings | 9% (12/134) | 0% (0/13) | 4.8% (1/21) | 0% (0/14) | 4% (1/25) | 13% (3/23) | 22.6% (7/31) | 0% (0/5) | 0% (0/2) |
| | Yes, adhoc advice | 69.4% (93/134) | 76.9% (10/13) | 52.4% (11/21) | 71.4% (10/14) | 88% (22/25) | 65.2% (15/23) | 61.3% (19/31) | 80% (4/5) | 100% (2/2) |
| | No | 11.2% (15/134) | 15.4% (2/13) | 14.3% (3/21) | 7.1% (1/14) | 4% (1/25) | 21.7% (5/23) | 9.7% (3/31) | 0% (0/5) | 0% (0/2) |
| Neuroradiology | Yes, regular meetings (weekly/monthly) | 13.4% (18/134) | 7.7% (1/13) | 38.1% (8/21) | 21.4% (3/14) | 4% (1/25) | 4.3% (1/23) | 9.7% (3/31) | 20% (1/5) | 0% (0/2) |
| | Yes, quarterly meetings | 7.5% (10/134) | 23.1% (3/13) | 14.3% (3/21) | 0% (0/14) | 4% (1/25) | 8.7% (2/23) | 0% (0/31) | 20% (1/5) | 0% (0/2) |
| | Yes, adhoc advice | 60.4% (81/134) | 46.2% (6/13) | 38.1% (8/21) | 57.1% (8/14) | 80% (20/25) | 56.5% (13/23) | 71% (22/31) | 60% (3/5) | 50% (1/2) |
| | No | 18.7% (25/134) | 23.1% (3/13) | 9.5% (2/21) | 21.4% (3/14) | 12% (3/25) | 30.4% (7/23) | 19.4% (6/31) | 0% (0/5) | 50% (1/2) |
| Geriatrics | Yes, regular meetings (weekly/monthly) | 6.7% (9/134) | 15.4% (2/13) | 23.8% (5/21) | 0% (0/14) | 0% (0/25) | 0% (0/23) | 3.2% (1/31) | 20% (1/5) | 0% (0/2) |
| | Yes, quarterly meetings | 6% (8/134) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 20% (5/25) | 4.3% (1/23) | 6.5% (2/31) | 0% (0/5) | 0% (0/2) |
| | Yes, adhoc advice | 74.6% (100/134) | 69.2% (9/13) | 57.1% (12/21) | 78.6% (11/14) | 68% (17/25) | 82.6% (19/23) | 83.9% (26/31) | 80% (4/5) | 100% (2/2) |
| | No | 12.7% (17/134) | 15.4% (2/13) | 19% (4/21) | 21.4% (3/14) | 12% (3/25) | 13% (3/23) | 6.5% (2/31) | 0% (0/5) | 0% (0/2) |
| Parkinson's disease clinic | Yes, regular meetings (weekly/monthly) | 3.7% (5/134) | 15.4% (2/13) | 0% (0/21) | 0% (0/14) | 0% (0/25) | 4.3% (1/23) | 3.2% (1/31) | 20% (1/5) | 0% (0/2) |

| | | | | | | | | | | |
|--|-------------------------|-----------------|---------------|---------------|---------------|-------------|---------------|---------------|-----------|------------|
| | Yes, quarterly meetings | 3.7% (5/134) | 0% (0/13) | 4.8% (1/21) | 7.1% (1/14) | 4% (1/25) | 8.7% (2/23) | 0% (0/31) | 0% (0/5) | 0% (0/2) |
| | Yes, adhoc advice | 80.6% (108/134) | 76.9% (10/13) | 61.9% (13/21) | 78.6% (11/14) | 92% (23/25) | 78.3% (18/23) | 87.1% (27/31) | 80% (4/5) | 100% (2/2) |
| | No | 11.9% (16/134) | 7.7% (1/13) | 33.3% (7/21) | 14.3% (2/14) | 4% (1/25) | 8.7% (2/23) | 9.7% (3/31) | 0% (0/5) | 0% (0/2) |

Table O: Post Diagnostic Follow up

| Q13. Do you offer a post diagnostic follow up monitoring service? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|-------------------------------|-----------------|--------------|--------------|------------------------|---------------|---------------|------------|------------|
| Yes, for all patients | 59% (79/134) | 53.8% (7/13) | 33.3% (7/21) | 50% (7/14) | 68% (17/25) | 65.2% (15/23) | 64.5% (20/31) | 80% (4/5) | 100% (2/2) |
| Yes, for patients prescribed medication | 26.9% (36/134) | 30.8% (4/13) | 42.9% (9/21) | 28.6% (4/14) | 20% (5/25) | 17.4% (4/23) | 32.3% (10/31) | 0% (0/5) | 0% (0/2) |
| Yes, other | 9.7% (13/134) | 15.4% (2/13) | 14.3% (3/21) | 14.3% (2/14) | 8% (2/25) | 8.7% (2/23) | 3.2% (1/31) | 20% (1/5) | 0% (0/2) |
| No | 4.5% (6/134) | 0% (0/13) | 9.5% (2/21) | 7.1% (1/14) | 4% (1/25) | 8.7% (2/23) | 0% (0/31) | 0% (0/5) | 0% (0/2) |

Table P: Questions for Services in Wales Only

| Q14. Is there an offer of a named contact for emotional support through the assessment period? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|--------------------------------------|------------------------|---------------|-----------------|-----------------------------------|-------------------|-------------------|-------------------|--------------|
| Yes | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| No | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Q15. Is there an offer of a contact for emotional support following receiving a diagnosis and over the next 48hr period? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| No | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Q16. Is there a Dementia Diagnosis Providing Emotional Support Package included as part of all MAS staff induction? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
| Yes | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| No | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |

| Q16_1. What proportion of MAS staff have completed this package? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|-------------------------------|-----------------|--------|----------|------------------------|------------|------------|------------|----------|
| Completed | 0% (0/2) | | | | | | | | 0% (0/2) |
| Not completed | 0% (0/2) | | | | | | | | 0% (0/2) |

Table Q: Post Diagnostic Services

England

| Q17. Do you provide or offer any of the following post diagnostic services? | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|---|-------------------------------|-----------------|---------------|---------------|------------------------|---------------|---------------|------------|----------|
| Dementia advisor or navigation type service | 73.5% (97/132) | 69.2% (9/13) | 90.5% (19/21) | 78.6% (11/14) | 72% (18/25) | 73.9% (17/23) | 58.1% (18/31) | 100% (5/5) | 0% (0/0) |
| Psychoeducation course e.g. STAR, CRISP programme or other | 45.5% (60/132) | 15.4% (2/13) | 57.1% (12/21) | 50% (7/14) | 68% (17/25) | 26.1% (6/23) | 48.4% (15/31) | 20% (1/5) | 0% (0/0) |
| Vocational rehabilitation support | 6.8% (9/132) | 0% (0/13) | 9.5% (2/21) | 14.3% (2/14) | 8% (2/25) | 4.3% (1/23) | 6.5% (2/31) | 0% (0/5) | 0% (0/0) |
| Cognitive Stimulation Therapy (CST) | 75% (99/132) | 92.3% (12/13) | 71.4% (15/21) | 85.7% (12/14) | 92% (23/25) | 52.2% (12/23) | 64.5% (20/31) | 100% (5/5) | 0% (0/0) |
| Pre-diagnostic support | 49.2% (65/132) | 30.8% (4/13) | 52.4% (11/21) | 42.9% (6/14) | 80% (20/25) | 47.8% (11/23) | 35.5% (11/31) | 40% (2/5) | 0% (0/0) |
| Advance care planning | 43.9% (58/132) | 69.2% (9/13) | 47.6% (10/21) | 28.6% (4/14) | 64% (16/25) | 26.1% (6/23) | 32.3% (10/31) | 60% (3/5) | 0% (0/0) |
| Animal-assisted therapy | 5.3% (7/132) | 0% (0/13) | 0% (0/21) | 0% (0/14) | 28% (7/25) | 0% (0/23) | 0% (0/31) | 0% (0/5) | 0% (0/0) |

| | | | | | | | | | |
|-------------------------------|-----------------|--------------|---------------|---------------|--------------|---------------|---------------|------------|----------|
| Assistive technology | 43.9% (58/132) | 38.5% (5/13) | 57.1% (12/21) | 42.9% (6/14) | 56% (14/25) | 17.4% (4/23) | 41.9% (13/31) | 80% (4/5) | 0% (0/0) |
| Cognitive behaviour therapy | 37.1% (49/132) | 46.2% (6/13) | 47.6% (10/21) | 14.3% (2/14) | 60% (15/25) | 30.4% (7/23) | 22.6% (7/31) | 40% (2/5) | 0% (0/0) |
| Cognitive rehabilitation | 25% (33/132) | 15.4% (2/13) | 19% (4/21) | 21.4% (3/14) | 40% (10/25) | 9.1% (2/22) | 29% (9/31) | 40% (2/5) | 0% (0/0) |
| Cognitive training | 13.6% (18/132) | 7.7% (1/13) | 4.8% (1/21) | 35.7% (5/14) | 20% (5/25) | 13% (3/23) | 6.5% (2/31) | 20% (1/5) | 0% (0/0) |
| Counselling and psychotherapy | 46.2% (61/132) | 61.5% (8/13) | 42.9% (9/21) | 35.7% (5/14) | 60% (15/25) | 30.4% (7/23) | 48.4% (15/31) | 40% (2/5) | 0% (0/0) |
| Creative arts therapies | 11.4% (15/132) | 7.7% (1/13) | 19% (4/21) | 21.4% (3/14) | 20% (5/25) | 4.3% (1/23) | 3.2% (1/31) | 0% (0/5) | 0% (0/0) |
| Dementia/Memory cafes | 56.8% (75/132) | 61.5% (8/13) | 57.1% (12/21) | 71.4% (10/14) | 56% (14/25) | 47.8% (11/23) | 51.6% (16/31) | 80% (4/5) | 0% (0/0) |
| Family/Systemic therapy | 17.4% (23/132) | 7.7% (1/13) | 14.3% (3/21) | 0% (0/14) | 32% (8/25) | 17.4% (4/23) | 16.1% (5/31) | 40% (2/5) | 0% (0/0) |
| Involvement groups | 23.5% (31/132) | 23.1% (3/13) | 19% (4/21) | 42.9% (6/14) | 24% (6/25) | 13% (3/23) | 22.6% (7/31) | 40% (2/5) | 0% (0/0) |
| Life Review Therapy | 2.3% (3/132) | 0% (0/13) | 4.8% (1/21) | 0% (0/14) | 0% (0/25) | 8.7% (2/23) | 0% (0/31) | 0% (0/5) | 0% (0/0) |
| Life story work | 47.7% (63/132) | 38.5% (5/13) | 38.1% (8/21) | 50% (7/14) | 72% (18/25) | 52.2% (12/23) | 38.7% (12/31) | 20% (1/5) | 0% (0/0) |
| Music therapy | 23.5% (31/132) | 7.7% (1/13) | 38.1% (8/21) | 28.6% (4/14) | 20% (5/25) | 13% (3/23) | 25.8% (8/31) | 40% (2/5) | 0% (0/0) |
| Peer-support groups | 37.1% (49/132) | 38.5% (5/13) | 28.6% (6/21) | 28.6% (4/14) | 64% (16/25) | 26.1% (6/23) | 29% (9/31) | 60% (3/5) | 0% (0/0) |
| Occupational therapy | 76.5% (101/132) | 61.5% (8/13) | 81% (17/21) | 57.1% (8/14) | 100% (25/25) | 78.3% (18/23) | 74.2% (23/31) | 40% (2/5) | 0% (0/0) |
| Post-diagnostic counselling | 66.7% (88/132) | 69.2% (9/13) | 47.6% (10/21) | 78.6% (11/14) | 80% (20/25) | 69.6% (16/23) | 58.1% (18/31) | 80% (4/5) | 0% (0/0) |
| Post-diagnostic groups | 62.9% (83/132) | 61.5% (8/13) | 57.1% (12/21) | 71.4% (10/14) | 56% (14/25) | 65.2% (15/23) | 64.5% (20/31) | 80% (4/5) | 0% (0/0) |
| Reminiscence | 26.5% (35/132) | 15.4% (2/13) | 23.8% (5/21) | 14.3% (2/14) | 52% (13/25) | 4.3% (1/23) | 32.3% (10/31) | 40% (2/5) | 0% (0/0) |
| Signposting | 93.2% (123/132) | 100% (13/13) | 90.5% (19/21) | 85.7% (12/14) | 100% (25/25) | 91.3% (21/23) | 90.3% (28/31) | 100% (5/5) | 0% (0/0) |

| | | | | | | | | | |
|---------------------------|----------------|---------------|---------------|--------------|-------------|---------------|---------------|-----------|----------|
| Specialist information | 65.9% (87/132) | 69.2% (9/13) | 52.4% (11/21) | 64.3% (9/14) | 80% (20/25) | 43.5% (10/23) | 77.4% (24/31) | 80% (4/5) | 0% (0/0) |
| Stress/Anxiety management | 49.2% (65/132) | 76.9% (10/13) | 33.3% (7/21) | 57.1% (8/14) | 68% (17/25) | 39.1% (9/23) | 35.5% (11/31) | 60% (3/5) | 0% (0/0) |

Table R: Commissioning Post Diagnostic Services

| Q18. Are these services commissioned? | | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|------------------------------------|-------------------------------|-----------------|---------------|--------------|------------------------|--------------|---------------|------------|----------|
| Dementia advisor or navigation type service | Provide a commissioned service | 27.8% (27/97) | 33.3% (3/9) | 31.6% (6/19) | 9.1% (1/11) | 11.1% (2/18) | 29.4% (5/17) | 38.9% (7/18) | 60% (3/5) | 0% (0/0) |
| | Yes, via another provider | 62.9% (61/97) | 55.6% (5/9) | 63.2% (12/19) | 81.8% (9/11) | 83.3% (15/18) | 47.1% (8/17) | 55.6% (10/18) | 40% (2/5) | 0% (0/0) |
| | Provide but it is not commissioned | 9.3% (9/97) | 11.1% (1/9) | 5.3% (1/19) | 9.1% (1/11) | 5.6% (1/18) | 23.5% (4/17) | 5.6% (1/18) | 0% (0/5) | 0% (0/0) |
| Psychoeducation course e.g. STAR, CRISP | Provide a commissioned service | 56.7% (34/60) | 50% (1/2) | 50% (6/12) | 14.3% (1/7) | 58.8% (10/17) | 33.3% (2/6) | 86.7% (13/15) | 100% (1/1) | 0% (0/0) |
| | Yes, via another provider | 18.3% (11/60) | 0% (0/2) | 8.3% (1/12) | 57.1% (4/7) | 17.6% (3/17) | 16.7% (1/6) | 13.3% (2/15) | 0% (0/1) | 0% (0/0) |
| | Provide but it is not commissioned | 25.0% (15/60) | 50% (1/2) | 41.7% (5/12) | 28.6% (2/7) | 23.5% (4/17) | 50% (3/6) | 0% (0/15) | 0% (0/1) | 0% (0/0) |
| Vocational rehabilitation support | Provide a commissioned service | 11.1% (1/9) | 75% (9/12) | 60% (9/15) | 66.7% (8/12) | 82.6% (19/23) | 66.7% (8/12) | 75% (15/20) | 60% (3/5) | 0% (0/0) |
| | Yes, via another provider | 55.6% (5/9) | 0% (0/12) | 13.3% (2/15) | 16.7% (2/12) | 4.3% (1/23) | 0% (0/12) | 5% (1/20) | 20% (1/5) | 0% (0/0) |
| | Provide but it is not commissioned | 33.3% (3/9) | 25% (3/12) | 26.7% (4/15) | 16.7% (2/12) | 13% (3/23) | 33.3% (4/12) | 20% (4/20) | 20% (1/5) | 0% (0/0) |

| | | | | | | | | | | |
|--|------------------------------------|---------------|-------------|--------------|-------------|---------------|--------------|--------------|-------------|----------|
| Cognitive Stimulation Therapy (CST) | Provide a commissioned service | 71.7% (71/99) | 50% (2/4) | 27.3% (3/11) | 100% (6/6) | 80% (16/20) | 36.4% (4/11) | 72.7% (8/11) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 7.1% (7/99) | 25% (1/4) | 0% (0/11) | 0% (0/6) | 10% (2/20) | 18.2% (2/11) | 18.2% (2/11) | 0% (0/2) | 0% (0/0) |
| | Provide but it is not commissioned | 21.2% (21/99) | 25% (1/4) | 72.7% (8/11) | 0% (0/6) | 10% (2/20) | 45.5% (5/11) | 9.1% (1/11) | 0% (0/2) | 0% (0/0) |
| Pre-diagnostic support | Provide a commissioned service | 63.1% (41/65) | 55.6% (5/9) | 0% (0/10) | 50% (2/4) | 87.5% (14/16) | 33.3% (2/6) | 70% (7/10) | 66.7% (2/3) | 0% (0/0) |
| | Yes, via another provider | 10.8% (7/65) | 33.3% (3/9) | 40% (4/10) | 25% (1/4) | 12.5% (2/16) | 0% (0/6) | 20% (2/10) | 33.3% (1/3) | 0% (0/0) |
| | Provide but it is not commissioned | 26.2% (17/65) | 11.1% (1/9) | 60% (6/10) | 25% (1/4) | 0% (0/16) | 66.7% (4/6) | 10% (1/10) | 0% (0/3) | 0% (0/0) |
| Advance care planning | Provide a commissioned service | 55.2% (32/58) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 71.4% (5/7) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via another provider | 22.4% (13/58) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 28.6% (2/7) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provide but it is not commissioned | 22.4% (13/58) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/7) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Animal-assisted therapy | Provide a commissioned service | 71.4% (5/7) | 20% (1/5) | 25% (3/12) | 33.3% (2/6) | 21.4% (3/14) | 50% (2/4) | 0% (0/13) | 25% (1/4) | 0% (0/0) |
| | Yes, via another provider | 28.6% (2/7) | 80% (4/5) | 58.3% (7/12) | 66.7% (4/6) | 71.4% (10/14) | 50% (2/4) | 100% (13/13) | 75% (3/4) | 0% (0/0) |
| | Provide but it is not commissioned | 0.0% (0/7) | 0% (0/5) | 16.7% (2/12) | 0% (0/6) | 7.1% (1/14) | 0% (0/4) | 0% (0/13) | 0% (0/4) | 0% (0/0) |
| Assistive technology | Provide a commissioned service | 20.7% (12/58) | 66.7% (4/6) | 0% (0/10) | 50% (1/2) | 86.7% (13/15) | 42.9% (3/7) | 71.4% (5/7) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 74.1% (43/58) | 0% (0/6) | 20% (2/10) | 0% (0/2) | 6.7% (1/15) | 14.3% (1/7) | 14.3% (1/7) | 0% (0/2) | 0% (0/0) |
| | Provide but it is not commissioned | 5.2% (3/58) | 33.3% (2/6) | 80% (8/10) | 50% (1/2) | 6.7% (1/15) | 42.9% (3/7) | 14.3% (1/7) | 0% (0/2) | 0% (0/0) |
| Cognitive behaviour therapy | Provide a commissioned service | 57.1% (28/49) | 50% (1/2) | 50% (2/4) | 33.3% (1/3) | 70% (7/10) | 0% (0/3) | 33.3% (3/9) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 10.2% (5/49) | 0% (0/2) | 0% (0/4) | 0% (0/3) | 20% (2/10) | 33.3% (1/3) | 0% (0/9) | 0% (0/2) | 0% (0/0) |

| | | | | | | | | | | |
|--------------------------------------|------------------------------------|---------------|-------------|--------------|--------------|---------------|--------------|--------------|------------|----------|
| | Provide but it is not commissioned | 32.7% (16/49) | 50% (1/2) | 50% (2/4) | 66.7% (2/3) | 10% (1/10) | 66.7% (2/3) | 66.7% (6/9) | 0% (0/2) | 0% (0/0) |
| Cognitive rehabilitation | Provide a commissioned service | 48.5% (16/33) | 100% (1/1) | 100% (1/1) | 20% (1/5) | 100% (5/5) | 33.3% (1/3) | 50% (1/2) | 100% (1/1) | 0% (0/0) |
| | Yes, via another provider | 9.1% (3/33) | 0% (0/1) | 0% (0/1) | 0% (0/5) | 0% (0/5) | 0% (0/3) | 50% (1/2) | 0% (0/1) | 0% (0/0) |
| | Provide but it is not commissioned | 42.4% (14/33) | 0% (0/1) | 0% (0/1) | 80% (4/5) | 0% (0/5) | 66.7% (2/3) | 0% (0/2) | 0% (0/1) | 0% (0/0) |
| Cognitive training | Provide a commissioned service | 61.1% (11/18) | 62.5% (5/8) | 0% (0/9) | 80% (4/5) | 66.7% (10/15) | 42.9% (3/7) | 40% (6/15) | 50% (1/2) | 0% (0/0) |
| | Yes, via another provider | 5.6% (1/18) | 12.5% (1/8) | 22.2% (2/9) | 0% (0/5) | 13.3% (2/15) | 28.6% (2/7) | 13.3% (2/15) | 50% (1/2) | 0% (0/0) |
| | Provide but it is not commissioned | 33.3% (6/18) | 25% (2/8) | 77.8% (7/9) | 20% (1/5) | 20% (3/15) | 28.6% (2/7) | 46.7% (7/15) | 0% (0/2) | 0% (0/0) |
| Counselling and psychotherapy | Provide a commissioned service | 47.5% (29/61) | 0% (0/1) | 0% (0/4) | 0% (0/3) | 0% (0/5) | 0% (0/1) | 0% (0/1) | 0% (0/0) | 0% (0/0) |
| | Yes, via another provider | 16.4% (10/61) | 100% (1/1) | 25% (1/4) | 100% (3/3) | 100% (5/5) | 0% (0/1) | 100% (1/1) | 0% (0/0) | 0% (0/0) |
| | Provide but it is not commissioned | 36.1% (22/61) | 0% (0/1) | 75% (3/4) | 0% (0/3) | 0% (0/5) | 100% (1/1) | 0% (0/1) | 0% (0/0) | 0% (0/0) |
| Creative arts therapies | Provide a commissioned service | 0% (0/15) | 12.5% (1/8) | 8.3% (1/12) | 0% (0/10) | 0% (0/14) | 9.1% (1/11) | 0% (0/16) | 25% (1/4) | 0% (0/0) |
| | Yes, via another provider | 73.3% (11/15) | 87.5% (7/8) | 66.7% (8/12) | 100% (10/10) | 100% (14/14) | 36.4% (4/11) | 100% (16/16) | 75% (3/4) | 0% (0/0) |
| | Provide but it is not commissioned | 26.7% (4/15) | 0% (0/8) | 25% (3/12) | 0% (0/10) | 0% (0/14) | 54.5% (6/11) | 0% (0/16) | 0% (0/4) | 0% (0/0) |
| Dementia/Memory cafes | Provide a commissioned service | 5.3% (4/75) | 100% (1/1) | 0% (0/3) | 0% (0/0) | 75% (6/8) | 25% (1/4) | 80% (4/5) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 82.7% (62/75) | 0% (0/1) | 0% (0/3) | 0% (0/0) | 0% (0/8) | 25% (1/4) | 20% (1/5) | 0% (0/2) | 0% (0/0) |
| | Provide but it is not commissioned | 12% (9/75) | 0% (0/1) | 100% (3/3) | 0% (0/0) | 25% (2/8) | 50% (2/4) | 0% (0/5) | 0% (0/2) | 0% (0/0) |
| Family/Systemic therapy | Provide a commissioned service | 60.9% (14/23) | 0% (0/3) | 25% (1/4) | 33.3% (2/6) | 33.3% (2/6) | 33.3% (1/3) | 28.6% (2/7) | 0% (0/2) | 0% (0/0) |

| | | | | | | | | | | |
|-----------------------------|------------------------------------|----------------|-------------|---------------|--------------|---------------|---------------|---------------|-------------|----------|
| | Yes, via another provider | 8.7% (2/23) | 33.3% (1/3) | 25% (1/4) | 50% (3/6) | 66.7% (4/6) | 0% (0/3) | 42.9% (3/7) | 50% (1/2) | 0% (0/0) |
| | Provide but it is not commissioned | 30.4% (7/23) | 66.7% (2/3) | 50% (2/4) | 16.7% (1/6) | 0% (0/6) | 66.7% (2/3) | 28.6% (2/7) | 50% (1/2) | 0% (0/0) |
| Involvement groups | Provide a commissioned service | 25.8% (8/31) | 0% (0/0) | 0% (0/1) | 0% (0/0) | 0% (0/0) | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via another provider | 41.9% (13/31) | 0% (0/0) | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provide but it is not commissioned | 32.3% (10/31) | 0% (0/0) | 100% (1/1) | 0% (0/0) | 0% (0/0) | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Life review therapy | Provide a commissioned service | 33.3% (1/3) | 60% (3/5) | 12.5% (1/8) | 28.6% (2/7) | 61.1% (11/18) | 58.3% (7/12) | 33.3% (4/12) | 100% (1/1) | 0% (0/0) |
| | Yes, via another provider | 0% (0/3) | 20% (1/5) | 50% (4/8) | 28.6% (2/7) | 16.7% (3/18) | 0% (0/12) | 8.3% (1/12) | 0% (0/1) | 0% (0/0) |
| | Provide but it is not commissioned | 66.7% (2/3) | 20% (1/5) | 37.5% (3/8) | 42.9% (3/7) | 22.2% (4/18) | 41.7% (5/12) | 58.3% (7/12) | 0% (0/1) | 0% (0/0) |
| Life story work | Provide a commissioned service | 46.0% (29/63) | 100% (1/1) | 12.5% (1/8) | 0% (0/4) | 0% (0/5) | 0% (0/3) | 0% (0/8) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 17.5% (11/63) | 0% (0/1) | 50% (4/8) | 100% (4/4) | 100% (5/5) | 33.3% (1/3) | 100% (8/8) | 0% (0/2) | 0% (0/0) |
| | Provide but it is not commissioned | 36.5% (23/63) | 0% (0/1) | 37.5% (3/8) | 0% (0/4) | 0% (0/5) | 66.7% (2/3) | 0% (0/8) | 0% (0/2) | 0% (0/0) |
| Music therapy | Provide a commissioned service | 12.9% (4/31) | 0% (0/5) | 0% (0/6) | 50% (2/4) | 12.5% (2/16) | 50% (3/6) | 33.3% (3/9) | 66.7% (2/3) | 0% (0/0) |
| | Yes, via another provider | 71% (22/31) | 60% (3/5) | 100% (6/6) | 50% (2/4) | 81.3% (13/16) | 16.7% (1/6) | 44.4% (4/9) | 33.3% (1/3) | 0% (0/0) |
| | Provide but it is not commissioned | 16.1% (5/31) | 40% (2/5) | 0% (0/6) | 0% (0/4) | 6.3% (1/16) | 33.3% (2/6) | 22.2% (2/9) | 0% (0/3) | 0% (0/0) |
| Peer-support groups | Provide a commissioned service | 24.5% (12/49) | 87.5% (7/8) | 82.4% (14/17) | 87.5% (7/8) | 84% (21/25) | 77.8% (14/18) | 56.5% (13/23) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 61.2% (30/49) | 12.5% (1/8) | 5.9% (1/17) | 12.5% (1/8) | 4% (1/25) | 5.6% (1/18) | 8.7% (2/23) | 0% (0/2) | 0% (0/0) |
| | Provide but it is not commissioned | 14.3% (7/49) | 0% (0/8) | 11.8% (2/17) | 0% (0/8) | 12% (3/25) | 16.7% (3/18) | 34.8% (8/23) | 0% (0/2) | 0% (0/0) |
| Occupational therapy | Provide a commissioned service | 77.2% (78/101) | 66.7% (6/9) | 60% (6/10) | 72.7% (8/11) | 80% (16/20) | 68.8% (11/16) | 83.3% (15/18) | 50% (2/4) | 0% (0/0) |

| | | | | | | | | | | |
|------------------------------------|------------------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|-------------|----------|
| | Yes, via another provider | 6.9% (7/101) | 11.1% (1/9) | 10% (1/10) | 9.1% (1/11) | 5% (1/20) | 18.8% (3/16) | 11.1% (2/18) | 25% (1/4) | 0% (0/0) |
| | Provide but it is not commissioned | 15.8% (16/101) | 22.2% (2/9) | 30% (3/10) | 18.2% (2/11) | 15% (3/20) | 12.5% (2/16) | 5.6% (1/18) | 25% (1/4) | 0% (0/0) |
| Post-diagnostic counselling | Provide a commissioned service | 72.7% (64/88) | 50% (4/8) | 58.3% (7/12) | 60% (6/10) | 35.7% (5/14) | 60% (9/15) | 45% (9/20) | 100% (4/4) | 0% (0/0) |
| | Yes, via another provider | 11.4% (10/88) | 37.5% (3/8) | 8.3% (1/12) | 40% (4/10) | 28.6% (4/14) | 13.3% (2/15) | 45% (9/20) | 0% (0/4) | 0% (0/0) |
| | Provide but it is not commissioned | 15.9% (14/88) | 12.5% (1/8) | 33.3% (4/12) | 0% (0/10) | 35.7% (5/14) | 26.7% (4/15) | 10% (2/20) | 0% (0/4) | 0% (0/0) |
| Post-diagnostic groups | Provide a commissioned service | 53.0% (44/83) | 50% (1/2) | 0% (0/5) | 50% (1/2) | 76.9% (10/13) | 100% (1/1) | 20% (2/10) | 100% (2/2) | 0% (0/0) |
| | Yes, via another provider | 27.7% (23/83) | 50% (1/2) | 60% (3/5) | 50% (1/2) | 15.4% (2/13) | 0% (0/1) | 70% (7/10) | 0% (0/2) | 0% (0/0) |
| | Provide but it is not commissioned | 19.3% (16/83) | 0% (0/2) | 40% (2/5) | 0% (0/2) | 7.7% (1/13) | 0% (0/1) | 10% (1/10) | 0% (0/2) | 0% (0/0) |
| Reminiscence | Provide a commissioned service | 48.6% (17/35) | 76.9% (10/13) | 63.2% (12/19) | 83.3% (10/12) | 84% (21/25) | 71.4% (15/21) | 82.1% (23/28) | 60% (3/5) | 0% (0/0) |
| | Yes, via another provider | 40% (14/35) | 15.4% (2/13) | 26.3% (5/19) | 8.3% (1/12) | 8% (2/25) | 9.5% (2/21) | 3.6% (1/28) | 20% (1/5) | 0% (0/0) |
| | Provide but it is not commissioned | 11.4% (4/35) | 7.7% (1/13) | 10.5% (2/19) | 8.3% (1/12) | 8% (2/25) | 19% (4/21) | 14.3% (4/28) | 20% (1/5) | 0% (0/0) |
| Signposting | Provide a commissioned service | 76.4% (94/123) | 77.8% (7/9) | 100% (11/11) | 88.9% (8/9) | 85% (17/20) | 70% (7/10) | 83.3% (20/24) | 100% (4/4) | 0% (0/0) |
| | Yes, via another provider | 11.4% (14/123) | 0% (0/9) | 0% (0/11) | 0% (0/9) | 10% (2/20) | 0% (0/10) | 16.7% (4/24) | 0% (0/4) | 0% (0/0) |
| | Provide but it is not commissioned | 12.2% (15/123) | 22.2% (2/9) | 0% (0/11) | 11.1% (1/9) | 5% (1/20) | 30% (3/10) | 0% (0/24) | 0% (0/4) | 0% (0/0) |
| Specialist information | Provide a commissioned service | 85.1% (74/87) | 70% (7/10) | 14.3% (1/7) | 50% (4/8) | 88.2% (15/17) | 55.6% (5/9) | 63.6% (7/11) | 66.7% (2/3) | 0% (0/0) |
| | Yes, via another provider | 6.9% (6/87) | 10% (1/10) | 14.3% (1/7) | 0% (0/8) | 5.9% (1/17) | 0% (0/9) | 9.1% (1/11) | 0% (0/3) | 0% (0/0) |
| | Provide but it is not commissioned | 8.0% (7/87) | 20% (2/10) | 71.4% (5/7) | 50% (4/8) | 5.9% (1/17) | 44.4% (4/9) | 27.3% (3/11) | 33.3% (1/3) | 0% (0/0) |

| | | | | | | | | | | |
|----------------------------------|------------------------------------|---------------|-------------|---------------|--------------|---------------|--------------|---------------|-----------|----------|
| Stress/Anxiety management | Provide a commissioned service | 63.1% (41/65) | 33.3% (3/9) | 31.6% (6/19) | 9.1% (1/11) | 11.1% (2/18) | 29.4% (5/17) | 38.9% (7/18) | 60% (3/5) | 0% (0/0) |
| | Yes, via another provider | 6.2% (4/65) | 55.6% (5/9) | 63.2% (12/19) | 81.8% (9/11) | 83.3% (15/18) | 47.1% (8/17) | 55.6% (10/18) | 40% (2/5) | 0% (0/0) |
| | Provide but it is not commissioned | 30.8% (20/65) | 11.1% (1/9) | 5.3% (1/19) | 9.1% (1/11) | 5.6% (1/18) | 23.5% (4/17) | 5.6% (1/18) | 0% (0/5) | 0% (0/0) |

Table S: Wales Post Diagnostic Services

| Q19. Do you provide or offer any of the following post diagnostic services? Wales | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East & Yorkshire | North West | South East | South West | Wales |
|--|----------------------------------|-----------------|----------|----------|------------------------|------------|------------|------------|------------|
| Dementia advisor or navigation type service | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Psychoeducation course e.g. STAR, CRISP programme or other | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Vocational rehabilitation support | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Cognitive Stimulation Therapy (CST) | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Pre-diagnostic support | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Advance care planning | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Animal-assisted therapy | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Assistive technology | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Cognitive behaviour therapy | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Cognitive rehabilitation | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Cognitive training | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Counselling and psychotherapy | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Creative arts therapies | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |

| | | | | | | | | | |
|-----------------------------|------------|----------|----------|----------|----------|----------|----------|----------|------------|
| Dementia/Memory cafes | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Family/Systemic therapy | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Involvement groups | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Life Review Therapy | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Life story work | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Music therapy | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Peer-support groups | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Occupational therapy | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Post-diagnostic counselling | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Post-diagnostic groups | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Reminiscence | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Signposting | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Specialist information | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Stress/Anxiety management | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |

Table T: Wales Commissioning Post Diagnostic Services

| Q20. Are these services commissioned? | | National MAS 2021 % (Num/Den) | East of England | London | Midlands | North East and Yorkshire | North West | South East | South West | Wales |
|--|------------------------------------|-------------------------------------|-----------------|----------|----------|--------------------------------|---------------|---------------|---------------|------------|
| Dementia advisor or navigation type service | Provided by service directly | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Provided jointly with GP service | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Yes, via a 3rd sector organisation | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Psychoeducation course e.g. STAR, CRISP | Provided by service directly | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Provided jointly with GP service | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Yes, via a 3rd sector organisation | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| Vocational rehabilitation support | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Cognitive Stimulation Therapy (CST) | Provided by service directly | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| | Provided jointly with GP service | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Yes, via a 3rd sector organisation | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |

| | | | | | | | | | | | |
|------------------------------------|------------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|------------|
| Pre-diagnostic support | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| Advance care planning | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| Animal-assisted therapy | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Assistive technology | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Cognitive behaviour therapy | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |

| | | | | | | | | | | | |
|--------------------------------------|------------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|------------|
| Cognitive rehabilitation | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| Cognitive training | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Counselling and psychotherapy | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| Creative arts therapies | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Dementia/Memory cafes | Provided by service directly | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |

| | | | | | | | | | | | |
|--------------------------------|------------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|------------|
| Family/Systemic therapy | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Involvement groups | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| Life review therapy | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Life story work | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| Music therapy | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |

| | | | | | | | | | | |
|------------------------------------|------------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|------------|
| Peer-support groups | Provided by service directly | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| Occupational therapy | Provided by service directly | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| | Provided jointly with GP service | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Yes, via a 3rd sector organisation | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Post-diagnostic counselling | Provided by service directly | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Provided jointly with GP service | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| | Yes, via a 3rd sector organisation | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) |
| Post-diagnostic groups | Provided by service directly | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| Reminiscence | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |

| | | | | | | | | | | | |
|----------------------------------|------------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|------------|
| Signposting | Provided by service directly | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| | Provided jointly with GP service | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Yes, via a 3rd sector organisation | 50% (1/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 50% (1/2) |
| Specialist information | Provided by service directly | 100% (2/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (2/2) |
| | Provided jointly with GP service | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| | Yes, via a 3rd sector organisation | 0% (0/2) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/2) |
| Stress/Anxiety management | Provided by service directly | 100% (1/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 100% (1/1) |
| | Provided jointly with GP service | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |
| | Yes, via a 3rd sector organisation | 0% (0/1) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/0) | 0% (0/1) |