

# NCAP SNOMED Coding Guidance for Early Intervention in Psychosis Teams

*Mapping NCAP items to the MHSDS*

---

National Clinical Audit of Psychosis  
**September 2025**

*Version 1*



**NCAP**  
NATIONAL  
CLINICAL AUDIT  
OF PSYCHOSIS

## Contents

Purpose of the document .....	3
Section 1 - SNOMED Coding Guidance for EIP Teams: MHSDS Data Recording & NCAP Compliance .....	4
Psychosocial Interventions .....	5
Cognitive Behavioural Therapy for Psychosis (CBTp).....	5
Cognitive Behavioural Therapy (CBT) for At Risk Mental States (ARMS).....	6
Family Intervention (FI) .....	6
Supported Employment and/or Education (SEE).....	7
Carer focused Education and Support Programme (CESP) .....	8
Access and Waiting Times.....	9
Clozapine.....	9
Physical Health .....	10
Smoking .....	10
Alcohol.....	11
Substance Misuse.....	13
Body Mass Index .....	14
Blood Pressure .....	16
Glucose.....	18
Cholesterol.....	20
Outcome Measures .....	23
HoNOS Working Age Adults .....	23
HoNOSCa.....	23
DIALOG .....	24
QPR .....	25
GBO.....	25
ReQoL-10.....	26
Section 2. NCAP Analysis and Audit Mapping .....	27
Psychosocial Interventions.....	27
Cognitive behavioural therapy for psychosis (CBTp) .....	27
Cognitive Behavioural Therapy (CBT) for at Risk Mental States (ARMS).....	27
Family Intervention (FI).....	28
Supported Employment and/or Education (SEE) .....	28
Carer focused Education and Support Programme (CESP).....	28
Timely Access (or Access and Waiting Times) .....	29
Clozapine .....	29

Physical Health .....	30
Outcome Measures.....	30
Demographics .....	32
Appendix A: Additional 'Declined' cluster codes lists.....	35
Appendix B: Physical health screening and related outcomes.....	39
Additional Smoking codes.....	39
Additional Alcohol codes .....	40
Additional Substance Misuse codes.....	41
Additional Body Mass Index (BMI) codes.....	56
Additional Blood Pressure (BP) codes.....	58
Additional Glucose codes .....	61
Additional Cholesterol codes.....	62

## Purpose of the document

The primary purpose of this document is to guide Early Intervention in Psychosis (EIP) teams on using the appropriate SNOMED codes when recording data in the Mental Health Services Data Set (MHSDS), specifically to support reporting for the National Clinical Audit of Psychosis (NCAP).

It also outlines the more detailed data required to evidence NCAP standards.

The document is divided into two sections:

- **Section 1** – *SNOMED Coding Guidance for EIP Teams: MHSDS Data Recording & NCAP Compliance*

This section details the specific NCAP compliant SNOMED codes that should be utilised when recording data in the MHSDS.

- **Section 2** – *NCAP Analysis and Audit Mapping*

This section details how NCAP uses this data for audit and analysis, including the broader range of codes currently accepted

### Audience

This document is for anyone involved in the NCAP audit, including providers, clinicians, audit teams, BI staff, and data analysts.

# Section 1 - SNOMED Coding Guidance for EIP Teams: MHSDS Data Recording & NCAP Compliance

This section outlines the recommended SNOMED codes for recording clinical activity in the MHSDS, aligned with NCAP standards. These codes have been developed in collaboration with NHS England to ensure consistency with national expectations. By using standardised codes, we aim to improve the quality and completeness of MHSDS submissions, thereby strengthening the evidence base used to inform NCAP audit results.

## **Glossary of terms**

**MHSDS Table:** Refers to the specific table within the MHSDS where the relevant data is recorded. Each table groups related data items about service users and their care.

**MHSDS data item:** A unique identifier (UID) for a specific data field within an MHSDS table. It defines the exact data point being collected, such as referral date or care contact type.

**NCAP Mapping:** Indicates how each MHSDS data item aligns with a specific NCAP question or reporting standard. This helps ensure consistent data collection for audit and benchmarking purposes.

**SNOMED codes:** Standardised clinical terminology used across the NHS to record clinical information.

**Qualifier codes:** Used to add context or detail to a clinical record, helping us to clarify the status of an intervention or service. In this guidance, we refer to two specific qualifier codes that are applied consistently across all interventions:

- Offered - 410527000
- Refused – 443390004<sup>1</sup>

---

<sup>1</sup> Declined in the NCAP mapping is synonymous with Refused from the list of MHSDS qualifier codes above. This is the case for all other instances where this terminology appears throughout the document

### Example: Recording CBTp using qualifier codes

To record that CBTp has been offered to a patient the SNOMED expression will be structured as follows:

SNOMED code for CBTp: Link code = Qualifier code

718026005:408730004=410527000

Where:

- 718026005 = CBTp
- 408730004 = Link code (This is a generic code and remains the same for all entries)
- 410527000 = Offered

## Psychosocial Interventions

All psychosocial interventions information can be found in the *MHS202 care activity* or the *MHS204 indirect activity* table within the MHSDS.

### Cognitive Behavioural Therapy for Psychosis (CBTp)

Under guidance from NHS England, the SNOMED code for CBT for bipolar has also been included, as this is a newly introduced code that was previously recorded under CBTp.

#### SNOMED codes:

- CBTp – 718026005
- CBT for bipolar – 1771581000000100

Use either of the above codes in the expression below.

MHSDS data item	NCAP mapping	SNOMED expression
M202110	<b>CBTp Taken up</b> (use when CBTp/CBT for bipolar session is delivered)	718026005 1771581000000100
<b>or</b> M204100	<b>CBTp Waiting</b> (offered but not yet taken up)	Any of the CBT SNOMED codes listed above:408730004=410527000
	<b>CBTp Declined</b>	Any of the CBT SNOMED codes listed above:408730004=443390004

MHSDS data item	NCAP mapping	SNOMED expression
	<i>(service user has refused)</i>	
	<b>CBTp Not offered</b>	No applicable SNOMED code recorded
	<b>Referral to another service</b>	1097161000000100

## Cognitive Behavioural Therapy (CBT) for At Risk Mental States (ARMS)

**SNOMED code:** CBT – 228557008

MHSDS data item	NCAP mapping	SNOMED expression
	<b>CBT Taken up</b> <i>(use when CBT is delivered)</i>	228557008
M202110	<b>CBT Waiting</b> <i>(offered but not yet taken up)</i>	228557008:408730004=410527000
<b>or</b>	<b>CBT Declined</b> <i>(service user has refused)</i>	228557008:408730004=443390004
M204100	<b>CBT Not offered</b>	No applicable SNOMED code recorded
	<b>Referral to another service</b>	519101000000109

## Family Intervention (FI)

**SNOMED code:** Family Intervention – 985451000000105

MHSDS data item	NCAP mapping	SNOMED expression
	<b>Family Intervention Taken up</b> <i>(use when FI is delivered)</i>	985451000000105
M202110	<b>Family Intervention Waiting</b> <i>(offered but not yet taken up)</i>	985451000000105:408730004=410527000
<b>or</b>	<b>Family Intervention Declined</b>	985451000000105:408730004=443390004
M204100		

	<i>(service user has refused)</i>	
	<b>Family Intervention Not offered</b>	Missing SNOMED code
	<b>Referral to another service</b>	859411000000105

## Supported Employment and/or Education (SEE)

Multiple SNOMED codes that can be used to evidence SEE activity within the MHSDS. These codes provide different types of support provided in relation to employment and education.

### SNOMED codes:

- Education rehabilitation – 183339004
- Vocational rehabilitation – 70082004
- Individual Placement and Support – 772822000
- Employment support other than Individual Placement and Support – 1098051000000103

### SNOMED referral codes:

- Referral to education service – 415271004
- Referral for vocational rehabilitation - 18781004
- Referral to employment support service other than Individual Placement and Support – 1098041000000101
- Referral to an Individual Placement and Support service – 1082611000000105

Use any of the above codes in the expression below.

MHSDS data item	NCAP mapping	SNOMED expression
M202110 <b>or</b>	<b>SEE Taken up</b> <i>(use when SEE is delivered)</i>	183339004 70082004 1098051000000103 772822000
	<b>SEE Waiting</b> <i>(offered but not yet taken up)</i>	<i>Any of the SEE SNOMED codes listed above:408730004=410527000</i>
M204100	<b>SEE Declined</b> <i>(service user has refused)</i>	<i>Any of the SEE SNOMED codes listed above:408730004=443390004</i>

MHSDS data item	NCAP mapping	SNOMED expression
	<b>SEE Not offered</b>	Missing SNOMED code
	<b>Referral to another service</b>	<i>Any of the SEE referral codes** listed above</i>

## Carer focused Education and Support Programme (CESP)

In addition to the *MHS202 Care Activity* and *MHS204 Indirect Activity* tables, carer-related information is also extracted from the *MHS011 social and personal circumstances* within the MHSDS.

**SNOMED code:** Carer focused education and support programme - 726052009

MHSDS table	MHSDS data item	NCAP mapping	SNOMED expression
MHS202 care activity <b>or</b> MHS204 Indirect activity	M202110 procedure <b>or</b> M204100	<b>CESP Taken up</b> <i>(use when CESP is delivered)</i>	726052009
		<b>CESP Waiting</b> <i>(offered but not yet taken up)</i>	726052009;408730004=410527000
		<b>CESP Declined</b> <i>(service user has refused)</i>	726052009;408730004=443390004
		<b>CESP Not offered</b>	Missing SNOMED code
		<b>Referral to another service</b>	1097201000000108
MHS202 care activity <b>or</b> MHS204 indirect care activity <b>or</b> MHS011 SocPerCircumstance	M202060 <b>or</b> M204090 <b>or</b> M011020	(Service user) has a caregiver	184156005

## Access and Waiting Times

For more detailed information on Access and Waiting Time (AWT) please refer to: [Early Intervention in Psychosis \(EIP\) Waiting Times quick guide to submitting data - NHS England Digital](#).

MHSDS Table	MHSDS data item	Data item name	National code /SNOMED CT code
MHS101	M101010	This is the date the REFERRAL REQUEST was received by the Health Care Provider.	Date
MHS902 Service Team Details	M902030	Service or team type referred to (mental health)	A14 - Early intervention team for psychosis
MHS006MHCare Coord	M006010	StartDateAssCareCoord	Date used to 'stop the clock'
MHS006 Care coordinator	M006040	Care professional service or team type association (mental health) - CareProfServOrTeamTypeAssoc	A14 - Early Intervention Team for Psychosis
HS201CareContact	M201010	CareContDate	Date used to 'stop the clock'

## Clozapine

Clozapine information can be found in the *MHS202 care activity* table within the MHSDS.

**SNOMED code:** Clozapine therapy - 723948002

MHSDS data item	NCAP mapping	SNOMED expression
M202110 (procedure)	<b>Clozapine Taken up</b> <i>(use when clozapine is given)</i>	723948002
	<b>Clozapine Waiting</b> <i>(offered but not yet taken up)</i>	723948002:408730004=410527000 <b>or</b>

MHSDS data item	NCAP mapping	SNOMED expression
		1085661000000102 <sup>2</sup>
	<b>Clozapine Declined</b> (service user has refused)	723948002:408730004=443390004 <b>or</b> 1085661000000102 <sup>3</sup>
	<b>Clozapine Not offered</b>	Missing SNOMED code

## Physical Health

All physical health information can be found in the *MHS202 care activity* or the *MHS204 indirect activity* table within the MHSDS.

## Smoking

MHSDS data item	NCAP mapping	SNOMED expression
<b>Smoking assessment</b>		
M202110 (procedure) <b>or</b> M204100	Smoking assessment completed	196771000000101 <b>or</b> 196771000000101:408730004= 410527000
	Declined to provide information	196771000000101: 408730004= 443390004
	Not documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months
<b>Smoking status</b>		
M202060 (finding) <b>or</b> M204090	Current Smoker	77176002 - Smoker (finding)
	Ex-Smoker/ Non-Smoker	Ex-Smoker – 8517006 <b>or</b> Never smoked – 266919005

<sup>2</sup> This SNOMED code is for 'Clozapine therapy offered'. The use of this code will help differentiate between the 'take up' of clozapine vs when the antipsychotic has been offered but not commenced (i.e. waiting or declined), as this standard is based on 'offer' rather than 'take up'. This workaround is implemented for use in those systems where qualifier codes are not available. Where qualifier codes are available, their use is encouraged instead to discern between waiting and declined options.

<sup>3</sup> As above.

Interventions for smoking		
M202110 (procedure) <b>or</b> M204100	Smoking cessation education	225323000
	Smoking cessation therapy	710081004
	Referral to smoking cessation service	871661000000106
	Brief intervention for smoking cessation	771155005
	Smoking cessation behaviour support	384742004
	Nicotine replacement therapy	151159008 <b>or</b> 313396002
	Varenicline therapy	719591006
M202110 (procedure)	Intervention delivered	SNOMED code without any qualifier code
	Intervention offered/ waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined' <b>or</b> 966971000000103 - Varenicline smoking cessation therapy declined (situation) <b>or</b> 315022003 - Nicotine replacement therapy declined (situation)
		Not documented

## Alcohol

MHSDS data item	NCAP mapping	SNOMED expression
<b>Alcohol assessment</b>		
M202110 (procedure) <b>or</b>	Alcohol use assessment completed	713127001
		<b>or</b> 443781008

MHSDS data item	NCAP mapping	SNOMED expression
M204100	Declined to provide information	Any of the above codes: 408730004=443390004  <b>or</b> 361731000000101
	Not documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months
<b>Alcohol use</b>		
M202060 (finding)  <b>or</b> M204090	Alcohol consumption is harmful	Harmful alcohol use – 198431000000105  <b>or</b> Hazardous alcohol use – 198421000000108
	Alcohol consumption is not harmful	Alcohol intake within recommended sensible limits (finding)- 160593006
	Service user does not drink Alcohol	Does not drink alcohol – 105542008
<b>Interventions for harmful alcohol use</b>		
M202110  <b>or</b> M204100	Education about alcohol consumption	281078001 <b>or</b> 408947007
	Referral to alcohol misuse service	1099141000000106 <b>or</b> 431260004
	Motivational interviewing technique	713144002
	Referral to alcohol brief intervention service	376401000000103
	Referral to psycho-educational group	417158007
	Disulfiram measurement	105168006
	Naltrexone measurement	121396009
	Drug addiction maintenance	768691000000103

MHSDS data item	NCAP mapping	SNOMED expression
	therapy naltrexone	
M202110 (procedure)	Intervention delivered	SNOMED code without any qualifier code
	Intervention offered/waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined'
	Not documented	Missing SNOMED code or if date recorded is not in the last 12 months

## Substance Misuse

Substance misuse assessment		
MHSDS data item	NCAP mapping	SNOMED expression
M202110  <b>or</b> M204100	Substance misuse assessment completed	777041000000105 <b>or</b> 443781008 - Assessment of lifestyle
	Declined to provide information	Any of the above codes: 408730004= 443390004
	Not documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months
Substance misuse		
M202060 (finding)  <b>or</b> M204090	Substance misuse	Substance misuse - 361055000
	No substance misuse	Missing SNOMED code for substance misuse
Interventions for substance misuse		
M202110  <b>or</b> M204100	Substance use education	425014005 <b>or</b> 408943006
	Referral to substance misuse service	201521000000104 <b>or</b> 413306008

	Brief intervention for substance misuse	860061000000101
	Motivational interviewing technique	713144002
	Referral to psycho-educational group	417158007
	Drug rehabilitation and detoxification care management	782191000000107
M202110 (procedure)	Intervention delivered	SNOMED code without any qualifier code
	Intervention offered/waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined' or Substance misuse treatment declined (situation) - 299881000000104
	Not documented	Missing SNOMED code or if date recorded is not in the last 12 months

## Body Mass Index

MHSDS data item	NCAP mapping	SNOMED expression
<b>Body Mass Index (BMI) screening</b>		
M202110 <b>or</b> M204100	BMI screening completed	698094009
	Declined to provide information	698094009: 408730004= 443390004
	Not documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months
<b>BMI value</b>		
	BMI (observable entity)	BMI 'observable entity' – 60621009

MHSDS data item	NCAP mapping	SNOMED expression
M202080		
M202090	BMI Value <sup>4</sup> (kg/m <sup>2</sup> )	BMI value
M202110 <b>or</b> M204100	Referral for combined healthy eating and physical education programme	770749002
	Lifestyle education regarding risk of diabetes	699826006 <b>or</b> 443288003
	Referral for lifestyle education regarding risk of diabetes	1106151000000107
	Weight management programme	718361005
	Refer to weight management programme	408289007
	Referral for lifestyle education	1097171000000107
	Lifestyle education	313204009
	Mental health medication review	413143000
	Antipsychotic medication review	769063007
	Advice about diet	11816003 <b>or</b> 443288003
Referral to dietitian	103699006	
Advice about exercise	304507003	

<sup>4</sup> The exact BMI values are stored as an Observation Value where there is a SNOMED code for 'Observable Entity'.

MHSDS data item	NCAP mapping	SNOMED expression
	Referral for exercise therapy	390864007
	Referral to exercise on referral programme	526151000000109
	Bariatric surgery	430715008
	Assessment for bariatric surgery	707206008
M202110 (procedure)	Intervention delivered	SNOMED code without any qualifier code
	Intervention offered/waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined'
	Not documented	Missing SNOMED code or if date recorded is not in the last 12 months

## Blood Pressure

MHSDS data item	NCAP mapping	SNOMED expression
<b>Blood pressure screening</b>		
M202110  <b>or</b> M204100	Blood pressure assessment completed	171222001  <b>or</b> 75367002
	Declined to provide information	Any of the above codes: 408730004= 443390004  <b>or</b> 413123006
	Not documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months

MHSDS data item	NCAP mapping	SNOMED expression
<b>Blood pressure values</b>		
M202080	Blood pressure (observable entity) <sup>5</sup>	Systolic blood pressure 'observable entity' - 271649006 <b>and</b> Diastolic blood pressure 'observable entity' - 271650006
M202090	Blood Pressure values	Systolic value <b>and</b> Diastolic value
<b>Interventions for hypertension</b>		
M202110 <b>or</b> M204100	Referral to general practice service	1090411000000105 <b>or</b> 360981000000109 <b>or</b> 183515008
	Referral for antihypertensive therapy	1097181000000109 <b>or</b> 183515008
	Antihypertensive therapy	308116003
	Mental health medication review	413143000
	Antipsychotic medication review	769063007
	Advice about diet	11816003 <b>or</b> 443288003
	Referral to dietitian	103699006
	Advice about exercise	304507003
	Referral for exercise therapy	390864007
	Referral to exercise on referral programme	526151000000109
Referral to specialist/secondary care physician	103696004	
	Intervention delivered	SNOMED code without any qualifier code

<sup>5</sup> The exact blood pressure values are stored as an Observation Value where there is a SNOMED code for 'observable entity'.

MHSDS data item	NCAP mapping	SNOMED expression
M202110 (procedure)	Intervention offered/waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined' <b>or</b> 401047000 - Hypertension treatment declined (situation)
	Not documented	Missing SNOMED code or if date recorded is not in the last 12 months

## Glucose

MHSDS data item	NCAP mapping	SNOMED expression
<b>Glucose screening</b>		
M202110 <b>or</b> M204100	Glucose assessment completed	Haemoglobin A1c measurement – 43396009 <b>or</b> Fasting blood glucose measurement - 271062006 <b>or</b> Random blood glucose measurement – 271061004
	Declined to provide information	Any of the codes above: 408730004= 443390004 <b>or</b> 698473004 - Blood glucose test declined (situation)
	Not Documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months
<b>Glucose values</b>		

MHSDS data item	NCAP mapping	SNOMED expression
M202080	Glucose (observable entity) <sup>6</sup>	Haemoglobin A1c level (observable entity) – 1003671000000109 <b>or</b> Fasting blood glucose level (observable entity) – 997681000000108 <b>or</b> Random blood glucose level (observable entity) – 1089381000000101
M202090	Glucose values	Values
Interventions for glucose regulation		
M202110 <b>or</b> M204100	Referral for diabetic care	1099151000000109 <b>or</b> 183515008
	Diabetic care	385804009 <b>or</b> 394725008
	Referral to general practice service	1090411000000105 <b>or</b> 360981000000109 <b>or</b> 183515008
	Diet modification	1098021000000108 <b>or</b> 443288003
	Metformin therapy	1097191000000106 <b>or</b> 170746002
	Mental health medication review	413143000
	Antipsychotic medication review	769063007
	Referral to specialist/secondary care physician	103696004
	Advice about exercise	304507003
	Referral for exercise therapy	390864007

<sup>6</sup> The glucose values are stored as an Observation Value where there is a SNOMED code for 'Observable Entity'.

MHSDS data item	NCAP mapping	SNOMED expression
	Referral to exercise on referral programme	526151000000109
	Referral for lifestyle education	1097171000000107
	Lifestyle education	313204009 <b>or</b> 443288003
	Assessment for bariatric surgery	707206008
	Bariatric operative procedure	430715008
M202110 (procedure)	Intervention delivered	SNOMED code without any qualifier code
	Intervention offered/waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined'
	Not documented	Missing SNOMED code or if date recorded is not in the last 12 months

## Cholesterol

MHSDS data item	NCAP mapping	SNOMED expression
<b>Cholesterol (blood lipids) screening</b>		
M202110 <b>or</b> M204100	Cholesterol screening completed	Total cholesterol measurement - 121868005
		High density lipoprotein measurement - 17888004
		Total cholesterol: HDL ratio measurement - 166842003
		Assessment using QRISK cardiovascular disease 10-year risk calculator - 763243004
	Declined to provide information	Any of the above codes: 408730004=443390004
	Not documented	Missing (No SNOMED code) or if date recorded is not in the last 12 months
<b>Cholesterol measurements</b>		

MHSDS data item	NCAP mapping	SNOMED expression
M202080	Cholesterol (observable entity) <sup>7</sup>	Total cholesterol level (observable entity) – 853681000000104 Non-HDL cholesterol – 293821000000103 High density/low density lipoprotein ratio (observable entity) – 1029071000000109 Total cholesterol: high density lipoprotein ratio (observable entity) – 1028551000000102 Triglycerides – 14740000 QRISK cardiovascular disease 10-year risk calculator score (observable entity) – 763244005
M202090	Cholesterol values	values
Interventions for dyslipidaemia		
M202110	Lipid lowering therapy	134350008
	Referral for lipid lowering therapy	1105081000000108
	Mental health medication review	413143000
	Antipsychotic medication review	769063007
	Advice about diet	11816003 <b>or</b> 443288003
M204100	Referral to dietitian	103699006
	Advice about exercise	304507003
M204100	Referral for exercise therapy	390864007
	Referral to exercise on referral programme	526151000000109
	Referral to general practice service	1090411000000105 <b>or</b>

<sup>7</sup> The exact cholesterol values are stored as an observation value where there is a SNOMED code for 'observable entity'.

MHSDS data item	NCAP mapping	SNOMED expression
		360981000000109 <b>or</b> 183515008
	Referral to primary care service	703978000
	Referral to specialist/secondary care physician	103696004
M202110 (procedure)	Intervention delivered	SNOMED code without any qualifier code
	Intervention offered/waiting	The relevant SNOMED codes and qualifier code for 'offered'
	Declined intervention	The relevant SNOMED code and qualifier code for 'declined' <b>or</b> Lipid lowering therapy declined (situation) - 135826008
	Not documented	Missing SNOMED code or if date recorded is not in the last 12 months

## Outcome Measures

All outcome measures data can be found within *MHS606 coded scored assessment (referral)* or *MHS607 coded scored assessment (care activity)* tables within the MHSDS. NCAP looks for both an initial assessment with scores, and a follow-up assessment with scores.

### HoNOS Working Age Adults

All individual scores are being collected.

MHSDS data item	NCAP mapping	SNOMED CT codes	Values
M607910  or  MHS606910	1 – overactive, aggressive, disruptive or agitated behaviour	979641000000103	0 - No problem  1 - Minor problem requiring no action  2 - Mild problem but definitely present  3 - Moderately severe problem  4 - Severe to very severe problem  9 - Unknown
	2 – Non-accidental self-injury	979651000000100	
	3 – Problem drinking or drug-taking	979661000000102	
	4 – Cognitive problems	979671000000109	
	5 – Physical illness or disability problems	979681000000106	
	6 – Problems associated with hallucinations and delusions	979691000000108	
	7 – Problems with depressed mood	979701000000108	
	8 – Other mental and behavioural problems	979711000000105	
	9 – Problems with relationships	979721000000104	
	10 – Problems with activities of daily living	979731000000102	
	11 – Problems with living conditions	979741000000106	
	12 – Problems with occupation and activities	979751000000109	

### HoNOSCa

All individual scores are being collected.

MHSDS data item	NCAP mapping	SNOMED CT codes	Values
-----------------	--------------	-----------------	--------

M607910  or  M606910	1 – Disruptive, antisocial or aggressive behaviour	989751000000102	0 - No problem  1 - Minor problem requiring no action  2 - Mild problem but definitely present  3 - Moderately severe problem  4 - Severe to very severe problem  9 - Unknown
	2 – Overactivity, attention and concentration	989801000000109	
	3 – Non-accidental self-injury	989811000000106	
	4 – Alcohol, substance/solvent misuse	989821000000100	
	5 – Scholastic or language skills	989831000000103	
	6 – Physical illness or disability problems	989841000000107	
	7 – Hallucinations and delusions	989851000000105	
	8 – Non-organic somatic symptoms	989861000000108	
	9 – Emotional and related symptoms	989871000000101	
	10 – Peer relationships	989761000000104	
	11 – Self-care and independence	989771000000106	
	12 – Family life and relationships	989781000000108	
	13 – Poor school attendance	989791000000105	

## DIALOG

All individual scores are being collected.

MHSDS data item	NCAP mapping	SNOMED CT codes	Values
M607910  or  M606910	1 – How satisfied are you with your mental health	1037651000000100	DIALOG scores are recorded as 1 to 7, with 8 used for "not known"
	2 – How satisfied are you with your physical health	1037661000000102	
	3 – How satisfied are you with your job situation	1037671000000109	
	4 – How satisfied are you with your accommodation	1037681000000106	

MHSDS data item	NCAP mapping	SNOMED CT codes	Values
	5 – How satisfied are you with your leisure activities	1037691000000108	DIALOG scores are recorded as 1 to 7, with 8 used for "not known"
	6 – How satisfied are you with your relationship with your partner/family	1833391000000107	
	7 – How satisfied are you with your friendships	1833401000000105	
	8 – How satisfied are you with your personal safety	1037721000000104	
	9 – How satisfied are you with your medication	1037731000000102	
	10 – How satisfied are you with the practical help you receive	1037741000000106	
	11 – How satisfied are you with consultations with mental health professionals	1037751000000109	

## QPR

The QPR total score is being collected.

MHSDS data item	NCAP mapping	SNOMED CT codes	Values
M607910 or M606910	QPR total (observable entity)	1035441000000106	There is a total score of 0-60 for the 15-item version.
M607911 or M606911	QPR Score value	Score	

## GBO

All scores are being collected. There is a score of 0-10 for each individual goal where 0 indicates goal not at all met and 10 indicates goal reached.

MHSDS Table	MHSDS data item	NCAP mapping	SNOMED CT codes
MHS607 or MHS606	M607910 or M606910	Goal-Based Outcomes Tool Goal Progress Chart - goal 1 score	1638531000000102
		Goal-Based Outcomes Tool Goal Progress Chart - goal 2 score	1638541000000106

## ReQoL-10

SNOMED code:

The ReQoL-10 total score is being collected. There is a total score of 0-40 where 0 indicates poorest quality of life and 40 indicates highest quality of life.

MHSDS Table	MHSDS data item	NCAP mapping	SNOMED CT codes
MHS607  <b>or</b> MHS606	MS607910 <b>or</b> M606910	ReQoL-10 (observable entity)	1091071000000100
	M607911 <b>or</b> M606911	ReQoL-10 score	Score

## Section 2. NCAP Analysis and Audit Mapping

This section outlines how data submitted to the MHSDS is used to calculate the nine NCAP standards and inform audit results. It includes a broader set of SNOMED codes currently used in NCAP analysis, beyond those recommended in section 1 to ensure we are capturing as much data as possible. The aim is to provide transparency around the audit methodology and help teams understand how their recorded data contributes to national benchmarking and quality improvement.

### Psychosocial Interventions

The timeframe for psychosocial interventions is three years prior to the end of reporting period. *For example: If the end of the reporting period ends 1st September 2025, relevant data will cover from 1st September 2022 to 31st August 2025.*

If a psychosocial intervention SNOMED code is recorded with the 'offered' qualifier code but without the intervention code alone, this will be interpreted as the intervention being offered but not yet commenced. This logic applies to all psychosocial interventions.

In NCAP mapping the term 'Declined' is considered synonymous with 'Refused' from the list of MHSDS qualifier codes. This applies consistently throughout the document wherever this terminology appears.

### Cognitive behavioural therapy for psychosis (CBTp)

Service users with First Episode Psychosis (FEP) should take up CBTp.

- Each occurrence of the CBTp SNOMED code represents a session delivered.
- This is measured by the percentage of service users who have taken up CBTp, calculated as:
  - **Numerator:** FEP service users who take up CBTp.
  - **Denominator:** All FEP service users

### Cognitive Behavioural Therapy (CBT) for at Risk Mental States (ARMS)

Service users with At-Risk Mental State (ARMS) should take up CBT for ARMS.

- Each occurrence of the SNOMED code for CBT for ARMS represents a session delivered.

- This is measured by the percentage of service users with ARMS who have taken up CBT for ARMS calculated as:
  - **Numerator:** ARMS service users who take up CBT for ARMS.
  - **Denominator:** All ARMS service users.

## Family Intervention (FI)

Service users with FEP and their families should take up family intervention.

- Each occurrence of the FI SNOMED code represents another session.
- This is measured by the percentage of service users with FEP who have taken up FI calculated as:
  - **Numerator:** FEP Service users who have a contactable caregiver and took up family intervention.
  - **Denominator:** FEP Service users with a contactable identified family member, friend or carer who supports them.

There was no SNOMED code found indicating an 'identified family member, friend or carer that can be contacted/is involved in the person's care'. As such, a proportion of FEP service users in line with Family Intervention samples from previous audits (74.8%) will be utilised as an interim denominator for the proxy measure.

## Supported Employment and/or Education (SEE)

Service users with FEP who are unemployed and actively seeking employment should take up supported employment and/or education.

- Each occurrence of the SEE SNOMED code represents another session.
- This is measured by the percentage of service users with FEP who have taken up supported education and/or employment, calculated as:
  - **Numerator:** FEP Service users who are unemployed and actively seeking employment who take up supported employment and/or education.
  - **Denominator:** FEP Service users who are unemployed and actively seeking employment.

If a code for *unemployed and actively seeking work* is present on a record at any point since referral, the patient will be classified as 'unemployed' and will be included in the SEE calculation.

## Carer focused Education and Support Programme (CESP)

Carers for service users with FEP should take up carer focused education and support programmes.

- Each occurrence of the SNOMED code for CESP indicates another session.

- This is measured by the percentage of carers for service users with FEP who have taken up focused education and supported programme, calculated as:
  - **Numerator:** Service users with FEP whose carer takes up focused education and support programmes
  - **Denominator:** Service users with FEP who have an identified family member, friend, or carer who supports them.

There was no SNOMED code found indicating an 'identified family member, friend or carer that can be contacted/is involved in the person's care', and no SNOMED code indicating a non-contactable carer. As such, a proportion of FEP service users in line with Carer focused Education and Support samples from previous audits (79.5%) will be utilised as an interim denominator for the proxy measure.

## Timely Access (or Access and Waiting Times)

People with FEP should start treatment in EIP services within two weeks of referral.

- Proportion of Referrals entering treatment waiting two weeks or less
  - **Numerator:** Referrals on EIP pathway entering treatment within two weeks
  - **Denominator:** Referrals on EIP pathway entering treatment

## Clozapine

Service users with FEP who have undergone two unsuccessful trials of antipsychotic medication are offered clozapine.

- The timeframe for the Clozapine standard is 3 years from end of reporting period.
  - **Numerator:** Service users with FEP who are offered clozapine (presence of any of the codes listed in the table above for taken up, waiting, or declined).
  - **Denominator:** Service users with FEP who have not responded adequately to or tolerated treatment with at least 2 antipsychotic drugs

8

---

<sup>8</sup>Due to the unavailability of MHSDS data informing whether the service user had undergone at least two unsuccessful trails of antipsychotic medication, a proxy denominator was introduced to continue reporting against this metric, whilst other

## Physical Health

Service users should be offered a physical health review annually which includes:

- smoking status;
- alcohol intake;
- substance misuse;
- BMI;
- blood pressure;
- glucose and
- cholesterol.

To meet this standard, service users must have been offered screening on all seven measures and been offered an intervention if the screening outcome indicated need. Service users who decline screening are included as meeting the standard.

The timeframe for this standard is 12 months from the end of reporting period.

- **Numerator:** Service users with FEP who were offered all physical health screenings and offered interventions where the outcome of a screening indicated one was needed.
- **Denominator:** Service users with FEP.

Please note that should a physical health intervention code be present, but no information around the screening/assessment is recorded, an assumption will be made that the presence of an intervention indicated need, and that therefore the screening/assessment has taken place.

For example, if a patient has no information on whether they are a smoker, but a smoking intervention code is recorded, the assumption will be made that the presence of the intervention indicated need, and that as such, the patient is a smoker (screening completed).

## Outcome Measures

For service users with FEP or ARMS, two or more nationally mandated clinical outcome measures (HoNOS/HoNOSCA, DIALOG, QPR, GBO, REQoL-10) should be recorded at least twice: once on initial assessment and once at a later time point.

The timeframe for the outcome measure standard is 12 months from the end of the reporting period.

- **Numerator:** Service users with FEP or ARMS who have at least two of the above outcome measures recorded more than once.

---

options, such as the introduction of a new SNOMED code is explored. The proxy denominator is 'all service users with FEP'.

- **Denominator:** Service users with FEP or ARMS.

## Demographics

MHSDS Table	MHSDS data item	NCAP Mapping
<b>Age of patient</b>		
MHS001 Master patient index	M001D07	Age calculated at the end of reporting period.
<b>Gender</b>		
MHS001 Master patient index	M001160	1 - Male (including trans man) 2 - Female (including trans woman) 3 - Non-binary 4 - Other X - Non known (not recorded) Z - Not stated (person asked but declined to provide a response)
<b>Ethnicity</b>		
MHS001 Master patient index	M001100	A - White - British B - White -Irish C - White - Any other white background D - Mixed - White and black Caribbean E - Mixed - White and black African F - Mixed - White and Asian G - Mixed - Any other mixed background H - Asian or Asian British - Indian J - Asian or Asian British - Pakistani K - Asian or Asian British - Bangladeshi L - Asian or Asian British - Any other Asian background M - Black or Black British - Caribbean N - Black or Black British African P - Black or Black British - Any other Black background R - Other Ethnic Groups - Chinese S - Other Ethnic Groups - Any other ethnic group Z - Not stated 99 - Not known
<b>Employment status</b>		
MHS004 Employment status	M004010	01 - Employed 02 - Unemployed and actively seeking work 03 - Undertaking full (at least 16 hours per week) or part time (less than 16 hour per week) education or training as a student and not working or actively seeking work

MHSDS Table	MHSDS data item	NCAP Mapping
		04 - Long-term sick or disabled, those receiving government sickness and disability benefits 05 - Looking after the family or home as a homemaker and not working or actively seeking work 06 - Not receiving government sickness and disability benefits and not working or actively seeking work 07 - Unpaid voluntary work and not working or actively seeking work 08 - Retired ZZ - Not stated (person asked but declined to provide a response)

Organisation name and ID number		
MHSDS table	MHSDS data item	NCAP item
MHS000 Header	M000080	The ORGANISATION IDENTIFIER of the organisation that assigned the local patient identifier, then mapped to NCAP ORG

EIP team name and ID number			
MHSDS table	MHSDS data item	Data item	NCAP item
MHS902	M902010	CareProfTeamLocalID  A unique local CARE PROFESSIONAL TEAM IDENTIFIER within a Health Care Provider which may be assigned automatically by the computer system	This is the Team code that NCAP has collected from EIP teams in order to identify eligible samples in the MHSDS. This is then translated into a NCAP team, e.g. EIP1001
	M902030	ServTeamTypeMHA14	Team is Early Intervention Psychosis

Care contact			
MHSDS table	MHSDS data item	NCAP mapping	SNOMED CT codes
MHS201 care contact	M201010	Care contact date	Date

Consultation mechanism (in conjunction with any care contact)			
MHSDS table	MHSDS data item	NCAP mapping	National code
MHS201 care contact	MS201220	Consultation mechanism: The communication mechanism used to relay information between the CARE PROFESSIONAL and the PERSON who is the subject of the consultation, during a CARE CONTACT.	01 - Face to face 02 - Telephone 04 - Talk type for a person unable to speak 05 - Email 09 - Text Message (Asynchronous) 10 - Instant messaging (Synchronous) 11 - Video consultation 12 - Message Board (Asynchronous) 13 - Chat Room (Synchronous) 98 - Other (not listed)
MHS201 care contact	M201D13	Care Professional team ID	

## Appendix A: Additional ‘Declined’ cluster codes lists

The cluster codes listed below indicate where a service user has declined a physical health screening, assessment, or intervention. These codes are currently being accepted by the audit, but utilising the specific SNOMED codes detailed above in the physical health section is preferred.

Cluster code	Description	SNOMED CT code	NCAP mapping
<b>ALCSCRNDEC_COD</b>			
ALCSCRNDEC_COD	Alcohol screening and assessment declined codes	1104551000000109	Declined to provide information about alcohol use (situation)
ALCSCRNDEC_COD	Alcohol screening and assessment declined codes	361731000000101	Alcohol assessment declined (situation)
ALCSCRNDEC_COD	Alcohol screening and assessment declined codes	428073005	Alcohol consumption screening test declined (situation)
ALCSCRNDEC_COD	Alcohol screening and assessment declined codes	858861000000101	Declines to state current alcohol consumption (finding)
ALCSCRNDEC_COD	Alcohol screening and assessment declined codes	922471000000101	Alcohol Use Disorders Identification Test declined (situation)
<b>ALCINTDEC_COD</b>			
ALCINTDEC_COD	Codes indicating the patient has chosen not to accept an alcohol intervention	379411000000105	Brief intervention for excessive alcohol consumption declined (situation)
ALCINTDEC_COD	Codes indicating the patient has chosen not to	380861000000109	Declined referral to specialist alcohol

Cluster code	Description	SNOMED CT code	NCAP mapping
	accept an alcohol intervention		treatment service (situation)
ALCINTDEC_COD	Codes indicating the patient has chosen not to accept an alcohol intervention	442444001	Referral to specialist alcohol treatment service declined by patient (situation)
ALCINTDEC_COD	Codes indicating the patient has chosen not to accept an alcohol intervention	754831000000102	Extended intervention for excessive alcohol consumption declined (situation)
ALCINTDEC_COD	Codes indicating the patient has chosen not to accept an alcohol intervention	781191000000101	Referral to community alcohol team declined (situation)
<b>BMIDEC_COD</b>			
BMIDEC_COD	Codes indicating the patient has chosen not to have their body mass index (BMI) measured	1037511000000103	Body height measurement declined (situation)
BMIDEC_COD	Codes indicating the patient has chosen not to have their body mass index (BMI) measured	736013005	Body weight measurement declined (situation)
<b>CHOLDEC_COD</b>			
CHOLDEC_COD	Codes indicating a patient has chosen not to have a cholesterol test	141851000119107	Lipid screening declined (situation)

Cluster code	Description	SNOMED CT code	NCAP mapping
CHOLDEC_COD	Codes indicating a patient has chosen not to have a cholesterol test	203151000000104	Cholesterol test declined (situation)
CHOLDEC_COD	Codes indicating a patient has chosen not to have a cholesterol test	301111000000107	Lipid disorder monitoring declined (situation)
CHOLDEC_COD	Codes indicating a patient has chosen not to have a cholesterol test	9471000175101	Hyperlipidemia screening test declined (situation)
<b>SMOKSTATDEC_COD</b>			
SMOKSTATDEC_COD	Codes indicating the patient has chosen not to give their smoking status	1098881000000103	Declined to give smoking status (situation)
SMOKSTATDEC_COD	Codes indicating the patient has chosen not to give their smoking status	11351000175103	Tobacco use screening declined (situation)
<b>ILLSUBASSDEC_COD</b>			
ILLSUBASSDEC_COD	Codes indicating patient has chosen not to have their illicit substance abuse assessment	362451000000107	Drug misuse assessment declined (situation)
ILLSUBASSDEC_COD	Codes indicating patient has chosen not to have their illicit substance abuse assessment	777101000000108	Substance misuse assessment declined (situation)
ILLSUBASSDEC_COD	Codes indicating patient has chosen not to have their illicit	783241000000102	Declined to give substance misuse history (finding)

Cluster code	Description	SNOMED CT code	NCAP mapping
	substance abuse assessment		
<b>WTMGINTDEC_COD</b>			
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	134385008	Referral to dietician declined (situation)
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	199351000000104	Declined referral to physical exercise programme (situation)
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	506171000000109	Referral to weight management service declined (situation)
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	511991000000101	Referral for exercise on prescription declined (situation)
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	698483000	Weight management advice declined (situation)
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	898971000000109	Dietetics intervention declined (situation)
WTMGINTDEC_COD	Codes indicating the patient has chosen not to receive a weight management intervention	904631000000104	Intensive weight management programme declined (situation)

## Appendix B: Physical health screening and related outcomes

The codes listed in this appendix relate to physical health screening and their outcomes. While the codes in the 'Physical Health' portion of Section 1 are preferred, NCAP will accept the use of these alternative codes.

### Additional Smoking codes

SNOMED concept ID	Code description
360900008	Aggressive ex-smoker (finding)
230065006	Chain smoker (finding)
230057008	Cigar consumption (observable entity)
59978006	Cigar smoker (finding)
230056004	Cigarette consumption (observable entity)
401201003	Cigarette pack-years (observable entity)
65568007	Cigarette smoker (finding)
405746006	Current non smoker but past smoking history unknown (finding)
160625004	Date ceased smoking (observable entity)
722499006	Electronic cigarette user (finding)
1092071000000105	Ex-heavy smoker (20-39/day) (finding)
1092111000000104	Ex-light smoker (1-9/day) (finding)
1092091000000109	Ex-moderate smoker (10-19/day) (finding)
8517006	Ex-smoker (finding)
1092031000000108	Ex-smoker amount unknown (finding)
735128000	Ex-smoker for less than 1 year (finding)
48031000119106	Ex-smoker for more than 1 year (finding)
1092131000000107	Ex-trivial smoker (<1/day) (finding)
1092041000000104	Ex-very heavy smoker (40+/day) (finding)
160605003	Heavy cigarette smoker (20-39 cigs/day) (finding)
230063004	Heavy cigarette smoker (finding)
56771006	Heavy smoker (over 20 per day) (finding)
360890004	Intolerant ex-smoker (finding)
160604004	Moderate cigarette smoker (10-19 cigs/day) (finding)
230062009	Moderate cigarette smoker (finding)
56578002	Moderate smoker (20 or less per day) (finding)
221000119102	Never smoked any substance (finding)
266919005	Never smoked tobacco (finding)
8392000	Non-smoker (finding)
394873005	Not interested in stopping smoking (finding)
230059006	Occasional cigarette smoker (finding)
428041000124106	Occasional tobacco smoker (finding)
82302008	Pipe smoker (finding)

SNOMED concept ID	Code description
230058003	Pipe tobacco consumption (observable entity)
160619003	Rolls own cigarettes (finding)
77176002	Smoker (finding)
225934006	Smokes in bed (finding)
449868002	Smokes tobacco daily (finding)
308438006	Smoking restarted (finding)
266929003	Smoking started (finding)
160617001	Stopped smoking (finding)
266918002	Tobacco smoking consumption (observable entity)
53896009	Tolerant ex-smoker (finding)
266920004	Trivial cigarette smoker (less than one cigarette/day) (finding)
160606002	Very heavy cigarette smoker (40+ cigs/day) (finding)
230064005	Very heavy cigarette smoker (finding)
836001000000109	Waterpipe tobacco consumption (observable entity)

## Additional Alcohol codes

SNOMED concept ID	Code description
300939009	Abstinent alcoholic (finding)
66590003	Alcohol dependence (disorder)
160592001	Alcohol intake above recommended sensible limits (finding)
160593006	Alcohol intake within recommended sensible limits (finding)
228317009	Alcoholic binges exceeding safe amounts (finding)
228316000	Alcoholic binges exceeding sensible amounts (finding)
191811004	Continuous chronic alcoholism (disorder)
105542008	Current non-drinker of alcohol (finding)
82581004	Ex-drinker (finding)
228278007	Fairly heavy drinker (finding)
198431000000105	Harmful alcohol use (finding)
198421000000108	Hazardous alcohol use (finding)
160577002	Heavy drinker - 7-9u/day (finding)
86933000	Heavy drinker (finding)
228274009	Lifetime non-drinker (finding)
783261004	Lifetime non-drinker of alcohol (finding)
160575005	Light drinker - 1-2u/day (finding)
228277002	Light drinker (finding)
714829008	Moderate alcohol dependence (disorder)
160576006	Moderate drinker - 3-6u/day

SNOMED concept ID	Code description
713862009	Severe alcohol dependence (disorder)
160579004	Stopped drinking alcohol (finding)
266917007	Trivial drinker - <1u/day (finding)
160578007	Very heavy drinker - greater than 9 units/day (finding)
228279004	Very heavy drinker (finding)

## Additional Substance Misuse codes

The following codes have been extracted from 'ILLSUB\_COD' cluster codes, discarding codes that were not informative for the audit.

SNOMED concept ID	Code description
417298001	Abnormal craving for drugs (finding)
712542001	Abstinent from drug misuse (finding)
762504005	Abuse of synthetic cathinone (disorder)
105549004	Abuses volatile solvents (finding)
296302007	Accidental cannabis overdose (disorder)
291246000	Accidental cannabis poisoning (disorder)
290543000	Accidental cocaine poisoning (disorder)
291258000	Accidental ecstasy poisoning (disorder)
295175007	Accidental heroin overdose (disorder)
290181001	Accidental heroin poisoning (disorder)
295567006	Accidental local cocaine overdose (disorder)
296314004	Accidental mescaline overdose (disorder)
291255002	Accidental mescaline poisoning (disorder)
296322006	Accidental overdose by cocaine (disorder)
296326009	Accidental overdose by crack cocaine (disorder)
296306005	Accidental overdose by lysergic acid (disorder)
1149240000	Accidental overdose by lysergic acid diethylamide (disorder)
242257009	Accidental overdose of ecstasy (disorder)
838520000	Accidental overdose of methylenedioxymethamphetamine (disorder)
216552005	Accidental poisoning by lysergide, LSD (disorder)
216551003	Accidental poisoning caused by cannabis derivatives (disorder)
216583009	Accidental poisoning caused by cocaine (disorder)
291261004	Accidental poisoning caused by crack cocaine (disorder)
216463005	Accidental poisoning caused by heroin (disorder)
216554006	Accidental poisoning caused by mescaline (disorder)
216469009	Accidental poisoning caused by opium (disorder)
296310008	Accidental psilocybin overdose (disorder)
231482005	Active drug dependence (disorder)
228413007	Age at starting drug misuse (observable entity)

SNOMED concept ID	Code description
424461008	Altered behaviour due to substance use (finding)
1230266009	Amphetamine and/or amphetamines derivative abuse in remission (disorder)
1230072003	Amphetamine and/or amphetamine derivative abuse, continuous (disorder)
1230071005	Amphetamine and/or amphetamine derivative abuse, episodic (disorder)
838527002	Amphetamine and/or amphetamine derivative dependence (disorder)
1231328003	Amphetamine and/or amphetamine derivative dependence continuous (disorder)
1231327008	Amphetamine and/or amphetamine derivative dependence episodic (disorder)
1231325000	Amphetamine and/or amphetamine derivative dependence in remission (disorder)
1157240004	Amphetamine and/or amphetamine derivative intoxication (disorder)
1237202006	Amphetamine and/or amphetamine derivative withdrawal syndrome (disorder)
788863007	Amnestic disorder caused by psychoactive substance (disorder)
442229000	Amount of money spent per day on drug habit (observable entity)
84758004	Amphetamine abuse (disorder)
427205009	Amphetamine abuse, continuous (disorder)
429692000	Amphetamine abuse, episodic (disorder)
32358001	Amphetamine delusional disorder (disorder)
21647008	Amphetamine dependence (disorder)
45421006	Amphetamine intoxication (disorder)
428659002	Amphetamine misuse (finding)
191845006	Amphetamine or psychostimulant dependence in remission (disorder)
191843004	Amphetamine or psychostimulant dependence, continuous (disorder)
191844005	Amphetamine or psychostimulant dependence, episodic (disorder)
78358001	Amphetamine withdrawal syndrome (disorder)
43497001	Amphetamine-induced mood disorder (disorder)
51443000	Amphetamine-induced psychotic disorder with hallucinations (disorder)
25753007	Amphetamine-induced sleep disorder (disorder)
429179002	Antidepressant misuse (finding)
82339009	Anxiety disorder caused by amphetamine (disorder)
51493001	Anxiety disorder caused by cocaine (disorder)
724722007	Anxiety disorder caused by dissociative drug (disorder)
724723002	Anxiety disorder caused by ketamine (disorder)
12398201000119102	Anxiety disorder caused by methamphetamine (disorder)

SNOMED concept ID	Code description
724708007	Anxiety disorder caused by methylenedioxymethamphetamine (disorder)
55967005	Anxiety disorder caused by phencyclidine (disorder)
762331007	Anxiety disorder caused by stimulant (disorder)
737341006	Anxiety disorder caused by synthetic cannabinoid (disorder)
762515000	Anxiety disorder caused by synthetic cathinone (disorder)
231470001	Anxiolytic dependence (disorder)
1231159006	Anxiolytic dependence in remission (disorder)
724659004	Anxiolytic dependence with current use (disorder)
1231163004	Anxiolytic dependence, continuous (disorder)
1231161002	Anxiolytic dependence, episodic (disorder)
231472009	Barbiturate dependence (disorder)
428623008	Barbiturate misuse (finding)
231473004	Benzodiazepine dependence (disorder)
428406005	Benzodiazepine misuse (finding)
1237200003	Buprenorphine and/or naloxone withdrawal syndrome (disorder)
703845008	Buprenorphine dependence (disorder)
228443009	Buying drugs (finding)
63649001	Cannabis delusional disorder (disorder)
85005007	Cannabis dependence (disorder)
191839003	Cannabis dependence in remission (disorder)
723933008	Cannabis dependence with current use (disorder)
191837001	Cannabis dependence, continuous (disorder)
191838006	Cannabis dependence, episodic (disorder)
11048011000119103	Cannabis hyperemesis syndrome co-occurrent and due to cannabis dependence (disorder)
39807006	Cannabis intoxication delirium (disorder)
428823006	Cannabis misuse (finding)
296301000	Cannabis overdose (disorder)
296304008	Cannabis overdose of undetermined intent (disorder)
268641003	Cannabis type drug dependence (disorder)
39951001	Cannabis-induced anxiety disorder (disorder)
26714005	Cannabis-induced psychotic disorder with hallucinations (disorder)
817962007	Chlordiazepoxide dependence (disorder)
228401002	Cleaning of drug injection equipment (observable entity)
228402009	Cleans drug injection equipment (finding)
715818002	Cleans drug injection needle with bleach (finding)
373613000	Cleans own needles (finding)
718617006	Clinical Institute Withdrawal Assessment for Benzodiazepines scale score (observable entity)
763699005	Clinical Opiate Withdrawal Scale score (observable entity)
78267003	Cocaine abuse (disorder)
30491001	Cocaine delusional disorder (disorder)

SNOMED concept ID	Code description
31956009	Cocaine dependence (disorder)
191833002	Cocaine dependence in remission (disorder)
724688003	Cocaine dependence with current use (disorder)
191831000	Cocaine dependence, continuous (disorder)
191832007	Cocaine dependence, episodic (disorder)
27956007	Cocaine intoxication (disorder)
70328006	Cocaine intoxication delirium (disorder)
429782000	Cocaine misuse (finding)
191829009	Cocaine type drug dependence (disorder)
80868005	Cocaine withdrawal syndrome (disorder)
10327003	Cocaine-induced mood disorder (disorder)
6348008	Cocaine-induced psychotic disorder with hallucinations (disorder)
22574000	Cocaine-induced sleep disorder (disorder)
429299000	Combined drug dependence, continuous (disorder)
191873008	Combined drug dependence, excluding opioid, continuous (disorder)
191874002	Combined drug dependence, excluding opioid, episodic (disorder)
191875001	Combined drug dependence, excluding opioid, in remission (disorder)
191871005	Combined drug dependence, excluding opioids (disorder)
191865004	Combined opioid with non-opioid drug dependence (disorder)
191869005	Combined opioid with non-opioid drug dependence in remission (disorder)
191867007	Combined opioid with non-opioid drug dependence, continuous (disorder)
191868002	Combined opioid with non-opioid drug dependence, episodic (disorder)
1255013006	Combined opioid with non-opioid substance dependence (disorder)
1255019005	Combined opioid with non-opioid substance dependence in remission (disorder)
1255018002	Combined opioid with non-opioid substance dependence, continuous (disorder)
1255015004	Combined opioid with non-opioid substance dependence, episodic (disorder)
1255012001	Combined substance dependence, continuous (disorder)
1255017007	Combined substance dependence, excluding opioid, continuous (disorder)
1255016003	Combined substance dependence, excluding opioid, episodic (disorder)
1255020004	Combined substance dependence, excluding opioid, in remission (disorder)
1255014000	Combined substance dependence, excluding opioids (disorder)
413295004	Concerned about own drug use (finding)

SNOMED concept ID	Code description
191819002	Continuous opioid dependence (disorder)
416262000	Continuous use of drugs (observable entity)
231481003	Controlled drug dependence (disorder)
428493006	Crack cocaine misuse (finding)
228438002	Craves for drugs (finding)
417284009	Current drug user (finding)
248021000000105	Current non recreational drug user (finding)
1254782007	Dabbing (event)
1364721000000101	Date stopped drug misuse (observable entity)
228441006	Dealing with drugs (finding)
860699005	Deep vein thrombosis of lower extremity due to intravenous drug use (disorder)
8837000	Delirium caused by amphetamine (disorder)
724717007	Delirium caused by dissociative drug (disorder)
724716003	Delirium caused by ketamine (disorder)
762324008	Delirium caused by stimulant (disorder)
737339005	Delirium caused by synthetic cannabinoid (disorder)
762506007	Delirium caused by synthetic cathinone (disorder)
16236661000119100	Delirium due to methamphetamine intoxication (disorder)
50722006	Delusional disorder caused by phencyclidine (disorder)
724714000	Dependence caused by dissociative substance (disorder)
231477003	Dependence on diamorphine (disorder)
441681009	Dependence on unknown drug (disorder)
16238181000119101	Depressive disorder caused by amphetamine (disorder)
16238221000119109	Depressive disorder caused by methamphetamine (disorder)
363908000	Details of drug misuse behaviour (observable entity)
440664005	Details of drug use behaviour during pregnancy (observable entity)
231474005	Diazepam dependence (disorder)
737226008	Disorder caused by cannabis (disorder)
1187220002	Disorder caused by cocaine (disorder)
788904003	Disorder caused by dissociative drug (disorder)
1187219008	Disorder caused by psychoactive substance (disorder)
737334000	Disorder caused by synthetic cannabinoid use (disorder)
762503004	Disorder caused by synthetic cathinone (disorder)
228367002	Does not misuse drugs (situation)
439374006	Drug abuse cessation behaviour (observable entity)
228373001	Drug addict (finding)
191816009	Drug dependence (disorder)
199252002	Drug dependence during pregnancy - baby delivered (disorder)
199254001	Drug dependence during pregnancy - baby not yet delivered (disorder)
267206008	Drug dependence during pregnancy, childbirth and the puerperium (disorder)

SNOMED concept ID	Code description
10755161000119102	Drug dependence in childbirth (disorder)
1461000119109	Drug dependence in remission (disorder)
199253007	Drug dependence in the puerperium - baby delivered (disorder)
199255000	Drug dependence in the puerperium - baby delivered during previous episode of care (disorder)
153491000119103	Drug dependence, continuous (disorder)
153501000119105	Drug dependence, episodic (disorder)
228419006	Drug habit takes priority over family obligations (finding)
228420000	Drug habit takes priority over financial obligations (finding)
228418003	Drug habit takes priority over social obligations (finding)
228394003	Drug injecting equipment hygiene (observable entity)
228391006	Drug injection behaviour (observable entity)
240951000000103	Drug misuse reported by other (finding)
441668002	Drug seeking behaviour (finding)
228440007	Drug-related offending behaviour (finding)
228429004	Drug-related rituals (observable entity)
202961000000106	Ecstasy misuse (finding)
191877009	Ecstasy type drug dependence (disorder)
405069002	Effect of substance addiction (observable entity)
204641000000107	Episodic nondependent crack cocaine abuse (disorder)
191820008	Episodic opioid dependence (disorder)
16076691000119100	Episodic polysubstance dependence (disorder)
417252002	Episodic use of drugs (observable entity)
417531009	Excessive craving for drugs (finding)
426001001	Fentanyl dependence (disorder)
228430009	Follows drug-related rituals (finding)
228428007	Follows same drug-related routine every day (finding)
228390007	Frequency of drug misuse (observable entity)
228398000	Frontloading (finding)
191853003	Glue sniffing dependence (disorder)
191857002	Glue sniffing dependence in remission (disorder)
191855005	Glue sniffing dependence, continuous (disorder)
191856006	Glue sniffing dependence, episodic (disorder)
228389003	Groin injector (finding)
361049005	Habitual drug user (finding)
74851005	Hallucinogen abuse (disorder)
50933003	Hallucinogen delusional disorder (disorder)
38247002	Hallucinogen dependence (disorder)
191851001	Hallucinogen dependence in remission (disorder)
724695007	Hallucinogen dependence with current use (disorder)
191849000	Hallucinogen dependence, continuous (disorder)
191850000	Hallucinogen dependence, episodic (disorder)
32009006	Hallucinogen hallucinosis (disorder)
50320000	Hallucinogen intoxication (disorder)

SNOMED concept ID	Code description
40571009	Hallucinogen intoxication delirium (disorder)
1383008	Hallucinogen mood disorder (disorder)
15277004	Hallucinogen-induced anxiety disorder (disorder)
785277001	Harmful pattern of use of amphetamines and/or amphetamines derivative (disorder)
724712001	Harmful use of dissociative drug (disorder)
228427002	Has a routine of drug-related activities (finding)
228368007	Has never misused drugs (situation)
383871000000108	Health problem secondary to drug misuse (finding)
202991000000100	Heroin misuse (finding)
295174006	Heroin overdose (disorder)
295176008	Heroin overdose of undetermined intent (disorder)
724656006	Hypnotic dependence (disorder)
1231158003	Hypnotic dependence in remission (disorder)
724658007	Hypnotic dependence with current use (disorder)
1231162009	Hypnotic dependence, continuous (disorder)
1231160001	Hypnotic dependence, episodic (disorder)
268640002	Hypnotic or anxiolytic dependence (disorder)
191827006	Hypnotic or anxiolytic dependence in remission (disorder)
191825003	Hypnotic or anxiolytic dependence, continuous (disorder)
191826002	Hypnotic or anxiolytic dependence, episodic (disorder)
741063003	Illicit drug injection in last 12 months (finding)
307052004	Illicit drug use (finding)
788955005	Impulse control disorder caused by cocaine (disorder)
788956006	Impulse control disorder caused by psychoactive substance (disorder)
788957002	Impulse control disorder caused by stimulant (disorder)
788958007	Impulse control disorder caused by synthetic cathinone (disorder)
5002000	Inhalant dependence (disorder)
86391000119101	Inhalant dependence, continuous (disorder)
86401000119104	Inhalant dependence, episodic (disorder)
18689007	Inhalant intoxication delirium (disorder)
20876004	Inhalant-induced anxiety disorder (disorder)
89451009	Inhalant-induced mood disorder (disorder)
61104008	Inhalant-induced organic mental disorder (disorder)
32875003	Inhalant-induced persisting dementia (disorder)
75122001	Inhalant-induced psychotic disorder with delusions (disorder)
63983005	Inhalant-induced psychotic disorder with hallucinations (disorder)
228376009	Inhales drugs (finding)
226034001	Injecting drug user (finding)
228387001	Injects drugs intramuscularly (finding)
228386005	Injects drugs subcutaneously (finding)
296303002	Intentional cannabis overdose (disorder)

SNOMED concept ID	Code description
240061000000104	Intentional drug overdose by drug paraphernalia (disorder)
295568001	Intentional local cocaine overdose (disorder)
296315003	Intentional mescaline overdose (disorder)
296323001	Intentional overdose by cocaine (disorder)
296327000	Intentional overdose by crack cocaine (disorder)
296307001	Intentional overdose by lysergic acid (disorder)
1149241001	Intentional overdose by lysergic acid diethylamide (disorder)
296319009	Intentional overdose of ecstasy (disorder)
838521001	Intentional overdose of methylenedioxymethamphetamine (disorder)
1155772001	Intoxication caused by central stimulant (disorder)
762671008	Intoxication caused by synthetic cathinone (disorder)
145101000119102	Intravenous cocaine abuse (disorder)
228388006	Intravenous drug user (finding)
145121000119106	Intravenous nondependent opioid abuse (disorder)
417697003	Irresistible craving for drugs (finding)
724715004	Ketamine dependence (disorder)
1087511000000109	Late onset amphetamine-induced psychosis (disorder)
1087501000000107	Late onset cannabinoid-induced psychosis (disorder)
1087481000000103	Late onset cocaine-induced psychosis (disorder)
1087491000000101	Late onset lysergic acid diethylamide-induced psychosis (disorder)
231475006	Librium dependence (disorder)
295566002	Local cocaine overdose (disorder)
295570005	Local cocaine overdose of undetermined intent (disorder)
228371004	Long-term drug misuser (finding)
231468005	Lysergic acid diethylamide dependence (disorder)
12398361000119105	Mental disorder caused by methamphetamine (disorder)
231469002	Mescaline dependence (disorder)
296313005	Mescaline overdose (disorder)
296316002	Mescaline overdose of undetermined intent (disorder)
231478008	Methadone dependence (disorder)
429512006	Methadone misuse (finding)
699449003	Methamphetamine abuse (disorder)
426873000	Methamphetamine dependence (disorder)
12398571000119105	Methamphetamine intoxication (disorder)
12398281000119105	Methamphetamine withdrawal syndrome (disorder)
1231319004	Methylenedioxymethamphetamine dependence (disorder)
724704009	Methylenedioxymethamphetamine dependence with current use (disorder)
1268383007	Methylenedioxymethamphetamine user (finding)
703885002	Misuse of analgesic (finding)
788165003	Misuse of medication (finding)

SNOMED concept ID	Code description
424626006	Misuse of over-the-counter medications (finding)
191939002	Misuse of prescription only drugs (finding)
44870007	Misused drugs in past (finding)
105550004	Misused volatile solvents in past (finding)
824001000000103	Misuses anabolic steroids (finding)
361055000	Misuses drugs (finding)
228375008	Misuses drugs orally (finding)
228383002	Misuses drugs rectally (finding)
228384008	Misuses drugs sublingually (finding)
228382007	Misuses drugs vaginally (finding)
1254959003	Monitoring substance withdrawal (regime/therapy)
788983007	Mood disorder caused by cannabis (disorder)
724720004	Mood disorder caused by dissociative drug (disorder)
724721000	Mood disorder caused by ketamine (disorder)
12398321000119100	Mood disorder caused by methamphetamine (disorder)
724707002	Mood disorder caused by methylenedioxymethamphetamine (disorder)
29733004	Mood disorder caused by opioid (disorder)
4863002	Mood disorder caused by phencyclidine (disorder)
762328006	Mood disorder caused by stimulant (disorder)
789119007	Mood disorder caused by synthetic cannabinoid (disorder)
762511009	Mood disorder caused by synthetic cathinone (disorder)
838530009	Mood disorder with depressive symptoms caused by amphetamines and/or amphetamines derivative (disorder)
724678004	Mood disorder with depressive symptoms caused by anxiolytic (disorder)
724690002	Mood disorder with depressive symptoms caused by cocaine (disorder)
762345001	Mood disorder with depressive symptoms caused by dissociative drug (disorder)
762342003	Mood disorder with depressive symptoms caused by ecstasy type drug (disorder)
762336002	Mood disorder with depressive symptoms caused by hallucinogen (disorder)
724677009	Mood disorder with depressive symptoms caused by hypnotic (disorder)
762321000	Mood disorder with depressive symptoms caused by opioid (disorder)
724676000	Mood disorder with depressive symptoms caused by sedative (disorder)
762329003	Mood disorder with depressive symptoms caused by stimulant (disorder)
762512002	Mood disorder with depressive symptoms caused by synthetic cathinone (disorder)

SNOMED concept ID	Code description
762339009	Mood disorder with depressive symptoms caused by volatile inhalant (disorder)
838528007	Mood disorder with manic symptoms caused by amphetamine and/or amphetamine derivative (disorder)
724691003	Mood disorder with manic symptoms caused by cocaine (disorder)
762344002	Mood disorder with manic symptoms caused by dissociative drug (disorder)
762341005	Mood disorder with manic symptoms caused by ecstasy type drug (disorder)
762335003	Mood disorder with manic symptoms caused by hallucinogen (disorder)
762320004	Mood disorder with manic symptoms caused by opioid (disorder)
762513007	Mood disorder with manic symptoms caused by synthetic cathinone (disorder)
762338001	Mood disorder with manic symptoms caused by volatile inhalant (disorder)
838529004	Mood disorder with mixed depressive and manic symptoms caused by amphetamine and/or amphetamine derivative (disorder)
724692005	Mood disorder with mixed depressive and manic symptoms caused by cocaine (disorder)
762346000	Mood disorder with mixed depressive and manic symptoms caused by dissociative drug (disorder)
762343008	Mood disorder with mixed depressive and manic symptoms caused by ecstasy type drug (disorder)
762337006	Mood disorder with mixed depressive and manic symptoms caused by hallucinogen (disorder)
762322007	Mood disorder with mixed depressive and manic symptoms caused by opioid (disorder)
762330008	Mood disorder with mixed depressive and manic symptoms caused by stimulant (disorder)
762514001	Mood disorder with mixed depressive and manic symptoms caused by synthetic cathinone (disorder)
762340006	Mood disorder with mixed depressive and manic symptoms caused by volatile inhalant (disorder)
231479000	Morphine dependence (disorder)
1237201004	Naloxone dependence (disorder)
70545002	Narcotic drug user (finding)
230443000	Narcotic withdrawal epilepsy (disorder)
248601000000106	Neck injector (finding)
413096007	Never injecting drug user (finding)
836439001	Nicotine dependence in remission (disorder)
1104931000000109	Nitrous oxide misuse (finding)
1268384001	Nitrous oxide user (finding)
1230088003	Nondependent amphetamine and/or amphetamine derivative abuse (disorder)

SNOMED concept ID	Code description
1230083007	Nondependent amphetamine and/or amphetamine derivative abuse in remission (disorder)
1230085000	Nondependent amphetamine and/or amphetamine derivative abuse, continuous (disorder)
1230087008	Nondependent amphetamine and/or amphetamine derivative abuse, episodic (disorder)
414874007	Nondependent amphetamine or psychostimulant abuse in remission (disorder)
191924003	Nondependent amphetamine or psychostimulant abuse, continuous (disorder)
191925002	Nondependent amphetamine or psychostimulant abuse, episodic (disorder)
1230078004	Nondependent anxiolytic abuse in remission (disorder)
191916008	Nondependent cocaine abuse (disorder)
191920007	Nondependent cocaine abuse in remission (disorder)
191918009	Nondependent cocaine abuse, continuous (disorder)
191919001	Nondependent cocaine abuse, episodic (disorder)
1230079007	Nondependent hypnotic abuse in remission (disorder)
268647004	Nondependent hypnotic or anxiolytic abuse (disorder)
191907009	Nondependent hypnotic or anxiolytic abuse in remission (disorder)
191905001	Nondependent hypnotic or anxiolytic abuse, continuous (disorder)
191906000	Nondependent hypnotic or anxiolytic abuse, episodic (disorder)
1230089006	Nondependent psychostimulant abuse (disorder)
1230082002	Nondependent psychostimulant abuse in remission (disorder)
1230084001	Nondependent psychostimulant abuse, continuous (disorder)
1230086004	Nondependent psychostimulant abuse, episodic (disorder)
228374007	Notified addict (finding)
724693000	Obsessive compulsive disorder caused by cocaine (disorder)
724730008	Obsessive compulsive disorder caused by psychoactive substance (disorder)
762332000	Obsessive compulsive disorder caused by stimulant (disorder)
762516004	Obsessive compulsive disorder caused by synthetic cathinone (disorder)
228405006	Obtains clean needles (finding)
228407003	Obtains clean syringes (finding)
105546006	Occasional drug abuser (finding)
197541000000101	Occasional drug user (finding)
428819003	Opiate misuse (finding)
1047881000000106	Opioid analgesic dependence (disorder)
75544000	Opioid dependence (disorder)

SNOMED concept ID	Code description
191821007	Opioid dependence in remission (disorder)
724653003	Opioid dependence with current use (disorder)
1081000119105	Opioid dependence, on agonist therapy (disorder)
52866005	Opioid intoxication delirium (disorder)
87132004	Opioid withdrawal syndrome (disorder)
288851000119106	Opioid-induced mood disorder due to opioid abuse (disorder)
288861000119108	Opioid-induced mood disorder due to opioid dependence (disorder)
19445006	Opioid-induced psychotic disorder with hallucinations (disorder)
231480002	Opium dependence (disorder)
50026000	Organic anxiety disorder caused by psychoactive substance (disorder)
32552001	Organic delusional disorder caused by psychoactive substance (disorder)
28368009	Organic hallucinosis caused by psychoactive substance (disorder)
83367009	Organic mental disorder caused by amphetamine and/or amphetamine derivative (disorder)
312936002	Organic mental disorder caused by anxiolytic agent (disorder)
310202009	Organic mental disorder caused by arylcyclohexylamine (disorder)
77355000	Organic mental disorder caused by cannabis (disorder)
46975003	Organic mental disorder caused by cocaine (disorder)
53050002	Organic mental disorder caused by hallucinogen (disorder)
313915006	Organic mental disorder caused by hypnotic agent (disorder)
14784000	Organic mental disorder caused by opioid (disorder)
21841000119100	Organic mental disorder caused by phencyclidine (disorder)
11387009	Organic mental disorder caused by psychoactive substance (disorder)
1187205008	Organic mental disorder caused by sedative (disorder)
37331004	Organic mood disorder caused by psychoactive substance (disorder)
46721000	Organic personality disorder caused by psychoactive substance (disorder)
296321004	Overdose of cocaine (disorder)
296324007	Overdose of cocaine of undetermined intent (disorder)
296325008	Overdose of crack cocaine (disorder)
296328005	Overdose of crack cocaine of undetermined intent (disorder)
296318001	Overdose of ecstasy (disorder)
296320003	Overdose of ecstasy of undetermined intent (disorder)
708079007	Overdose of illicit drug (disorder)

SNOMED concept ID	Code description
296305009	Overdose of lysergic acid (disorder)
1149239002	Overdose of lysergic acid diethylamide (disorder)
296308006	Overdose of lysergic acid of undetermined intent (disorder)
838519006	Overdose of methylenedioxyamphetamine (disorder)
838522008	Overdose of methylenedioxyamphetamine of undetermined intent (disorder)
240961000000100	Patient admits to drug use (finding)
707848009	Patient denies drug use (finding)
724728006	Perceptual disturbances and seizures co-occurrent and due to psychoactive substance withdrawal (disorder)
724726005	Perceptual disturbances co-occurrent and due to psychoactive substance withdrawal (disorder)
58727001	Phencyclidine dependence (disorder)
425841004	Phencyclidine dependence in remission (disorder)
31715000	Phencyclidine intoxication delirium (disorder)
33871004	Phencyclidine-induced psychotic disorder with hallucinations (disorder)
311173003	Phencyclidine-related disorder (disorder)
228372006	Poly-drug misuser (finding)
51339003	Polysubstance dependence (disorder)
228444003	Possession of drugs (finding)
237228001	Pregnancy and drug dependence (disorder)
1254991002	Pregnancy and substance dependence (disorder)
416437003	Preoccupied with substance misuse (observable entity)
228415000	Priority of drug-related activities (observable entity)
91388009	Psychoactive substance abuse (disorder)
2403008	Psychoactive substance dependence (disorder)
724724008	Psychoactive substance dependence with current use (disorder)
11061003	Psychoactive substance use disorder (disorder)
74934004	Psychoactive substance withdrawal syndrome (disorder)
724725009	Psychoactive substance withdrawal syndrome without complication (disorder)
83168008	Psychoactive substance-induced organic amnestic disorder (disorder)
39003006	Psychoactive substance-induced organic delirium (disorder)
111480006	Psychoactive substance-induced organic dementia (disorder)
943121000000104	Psychoactive substance-induced psychosis (disorder)
288461000119105	Psychosis caused by inhalant (disorder)
275471001	Psychostimulant dependence (disorder)
1231336007	Psychostimulant dependence continuous (disorder)
1231333004	Psychostimulant dependence episodic (disorder)
1231331002	Psychostimulant dependence in remission (disorder)

SNOMED concept ID	Code description
428370001	Psychostimulant withdrawal syndrome (disorder)
7761000119106	Psychotic disorder caused by amphetamine use (disorder)
724675001	Psychotic disorder caused by anxiolytic (disorder)
723936000	Psychotic disorder caused by cannabis (disorder)
724689006	Psychotic disorder caused by cocaine (disorder)
724718002	Psychotic disorder caused by dissociative drug (disorder)
724696008	Psychotic disorder caused by hallucinogen (disorder)
724674002	Psychotic disorder caused by hypnotic (disorder)
724719005	Psychotic disorder caused by ketamine (disorder)
724706006	Psychotic disorder caused by methylenedioxymethamphetamine (disorder)
21831000119109	Psychotic disorder caused by phencyclidine (disorder)
724729003	Psychotic disorder caused by psychoactive substance (disorder)
724673008	Psychotic disorder caused by sedative (disorder)
762325009	Psychotic disorder caused by stimulant (disorder)
737340007	Psychotic disorder caused by synthetic cannabinoid (disorder)
762507003	Psychotic disorder caused by synthetic cathinone (disorder)
724702008	Psychotic disorder caused by volatile inhalant (disorder)
20385005	Psychotic disorder with delusions caused by opioid (disorder)
762327001	Psychotic disorder with delusions caused by stimulant (disorder)
762509000	Psychotic disorder with delusions caused by synthetic cathinone (disorder)
762326005	Psychotic disorder with hallucinations caused by stimulant (disorder)
762508008	Psychotic disorder with hallucinations caused by synthetic cathinone (disorder)
735750005	Psychotic disorder with schizophreniform symptoms caused by cocaine (disorder)
762510005	Psychotic disorder with schizophreniform symptoms caused by synthetic cathinone (disorder)
424848002	Recreational drug user (finding)
416751004	Reduced drugs misuse (finding)
228425005	Routine of drug-related activities (observable entity)
427327003	Sedative dependence (disorder)
724657002	Sedative dependence with current use (disorder)
724727001	Seizure co-occurrent and due to psychoactive substance withdrawal (disorder)
1254960008	Seizure co-occurrent and due to substance withdrawal (disorder)
70932007	Sexual dysfunction caused by amphetamine (finding)
71328000	Sexual dysfunction caused by opioid (finding)

SNOMED concept ID	Code description
762333005	Sexual dysfunction caused by stimulant (disorder)
762517008	Sexual dysfunction caused by synthetic cathinone (disorder)
228397005	Shares drug equipment (finding)
228395002	Shares drug injecting equipment (finding)
228400001	Shares needles (finding)
228399008	Shares syringes (finding)
1264554000	Signs of opioid withdrawal on naloxone challenge test (finding)
723937009	Sleep disorder caused by cannabis (disorder)
762334004	Sleep disorder caused by stimulant (disorder)
737342004	Sleep disorder caused by synthetic cannabinoid (disorder)
762518003	Sleep disorder caused by synthetic cathinone (disorder)
228377000	Smokes drugs (finding)
228378005	Smokes drugs in cigarette form (finding)
228379002	Smokes drugs through a pipe (finding)
228381000	Sniffs drugs (finding)
428495004	Solvent misuse (finding)
441527004	Stimulant abuse (disorder)
442406005	Stimulant dependence (disorder)
1254812006	Substance dependence (disorder)
1254985004	Substance dependence during pregnancy - baby delivered (disorder)
1254986003	Substance dependence during pregnancy - baby not yet delivered (disorder)
1254981008	Substance dependence during pregnancy, childbirth and/or puerperium (disorder)
1254987007	Substance dependence in childbirth (disorder)
1254973007	Substance dependence in remission (disorder)
1254975000	Substance dependence, continuous (disorder)
1254974001	Substance dependence, episodic (disorder)
737336003	Synthetic cannabinoid abuse (disorder)
737337007	Synthetic cannabinoid dependence (disorder)
737335004	Synthetic cannabinoid intoxication (disorder)
737338002	Synthetic cannabinoid withdrawal syndrome (disorder)
762505006	Synthetic cathinone dependence (disorder)
762672001	Synthetic cathinone withdrawal syndrome (disorder)
228421001	Time devoted to drug-related activities (observable entity)
228411009	Time since stopped drug misuse (observable entity)
228422008	Time spent obtaining drugs (observable entity)
228424009	Time spent recovering from drugs (observable entity)
228423003	Time spent taking drugs (observable entity)
228412002	Total time drugs misused (observable entity)
413329000	Treated for drug use in last 12 months (finding)
770101000000107	Treatment outcomes profile score (observable entity)
1142050005	Uncomplicated opioid withdrawal (disorder)

SNOMED concept ID	Code description
228417008	Undue priority given to drug-related activities (finding)
383901000000108	Uses drug paraphernalia (finding)
228410005	Uses needle and syringe exchange scheme (finding)
228406007	Uses needle exchange scheme (finding)
279461000000104	Using heroin on top of substitution therapy (finding)
724700000	Volatile inhalant dependence with current use (disorder)
943151000000109	Volatile inhalant-induced psychosis (disorder)

## Additional Body Mass Index (BMI) codes

SNOMED concept ID	Code description
162766004	On examination - weight within 10% ideal (finding)
162764001	On examination - weight greater than 20% below ideal (finding)
162765000	On examination - weight 10-20% below ideal (finding)
139987007	O/E - weight greater than 20% below ideal (finding)
248342006	Underweight (finding)
162769006	On examination - Underweight (finding)
392758003	O/E - Underweight (context-dependent category)
43664005	Normal weight (finding)
717923002	Moderate underweight in infancy childhood and adolescence (finding)
408388001	[D]Underweight (situation)
503001000000108	[D]Underweight (situation)
104301000000104	[D]Underweight
268916007	On examination - weight greater than 20% over ideal (finding)
268915006	On examination - weight 10-20% over ideal (finding)
238131007	Overweight (finding)
808051000000101	Overweight
275947003	On examination - overweight (finding)
162690006	On examination - obese (finding)
783719006	Obesity due to SIM bHLH transcription factor 1 deficiency (disorder)
785722006	Obesity due to leptin receptor gene deficiency (disorder)
783549006	Obesity due to centrosomal protein 19 deficiency (disorder)
819948005	Obese class III (finding)
914741000000103	Obese class III (body mass index equal to or greater than 40.0) (finding)
917171000000102	Obese class III (body mass index equal to or greater than 40.0)
443381000124105	Obese class II (finding)
914731000000107	Obese class II (body mass index 35.0 - 39.9) (finding)
917161000000109	Obese class II (body mass index 35.0 - 39.9)

SNOMED concept ID	Code description
443371000124107	Obese class I (finding)
914721000000105	Obese class I (body mass index 30.0 - 34.9) (finding)
917151000000106	Obese class I (body mass index 30.0 - 34.9)
414915002	Obese (finding)
139990001	O/E - overweight (& [weight 10-20% over ideal]) (finding)
162767008	O/E - overweight (& [weight 10-20% over ideal]) (finding)
139917004	O/E - obese (finding)
225171007	Weight and body mass assessment procedure (procedure)
39857003	Weighing patient (procedure)
784399000	Self reported body weight (observable entity)
248350002	Reference weight (observable entity)
1162416001	Pre-amputation measured body weight (observable entity)
55491000237100	Patient weight (observable entity)
162763007	On examination - weight (finding)
363808001	Measured body weight (observable entity)
840358001	High body weight (finding)
516391000000108	Dry weight (observable entity)
445541000	Dry body weight (observable entity)
1162388008	Dosing body weight (observable entity)
735395000	Current body weight (observable entity)
425024002	Body weight without shoes (observable entity)
424927000	Body weight with shoes (observable entity)
248345008	Body weight (observable entity)
27113001	Body weight (observable entity)
400967004	Baseline weight (observable entity)
47961000000105	Baseline weight
75061000000102	Baseline weight
248333004	Standing height (observable entity)
1162419008	Self reported body height (observable entity)
1162392001	Pre-amputation measured body height (observable entity)
54871000237100	Patient height (observable entity)
162755006	On examination - height (finding)
139977008	O/E - height (finding)
50373000	Body height measure (observable entity)
1153637007	Body height (observable entity)
162762002	On examination - height NOS (finding)
594151000000105	On examination - height NOS (finding)
139984000	O/E - height NOS (finding)
758931000000104	Height and weight measurement for National Child Measurement Programme (finding)
140096001	Height and Weight (observable entity)
162879003	Height and weight (observable entity)
698094009	Measurement of body mass index (procedure)

SNOMED concept ID	Code description
139991002	O/E weight: [>20% over ideal] or [obese] (finding)
162768003	O/E weight: [>20% over ideal] or [obese] (finding)
139988002	O/E -weight 10-20% below ideal (finding)
139090003	Abnormal weight gain (finding)
161833006	Abnormal weight gain (finding)
22495007	Abnormal weight (finding)
42287000	Abnormal increase in weight (finding)
158270004	[D]Abnormal weight gain (situation)
206918008	[D]Abnormal weight gain (situation)
496891000000106	[D]Abnormal weight gain (situation)
60621009	Body mass index (observable entity)

### Additional Blood Pressure (BP) codes

SNOMED concept ID	Code description
371622005	Elevated blood pressure reading without diagnosis of hypertension (situation)
140240003	O/E - BP reading raised (finding)
140241004	O/E - BP reading very high (finding)
147836002	O/E - check high BP (finding)
147835003	O/E - initial high BP (finding)
163027005	On examination - blood pressure reading raised (finding)
163028000	On examination - blood pressure reading very high (finding)
170582005	On examination - check high blood pressure (finding)
170581003	On examination - initial high blood pressure (finding)
271647008	Raised blood pressure (finding)
271869003	Raised blood pressure reading (disorder)
314465004	24 hour diastolic blood pressure (observable entity)
213051000000103	Ambulatory diastolic blood pressure
213061000000100	Ambulatory diastolic blood pressure
198091000000104	Ambulatory diastolic blood pressure (observable entity)
314462001	Average 24 hour diastolic blood pressure (observable entity)
314461008	Average day interval diastolic blood pressure (observable entity)
314453003	Average diastolic blood pressure (observable entity)
413605002	Average home diastolic blood pressure (observable entity)
314460009	Average night interval diastolic blood pressure (observable entity)
945861000000100	Baseline diastolic blood pressure
716632005	Baseline diastolic blood pressure (observable entity)
945851000000103	Baseline diastolic blood pressure (observable entity)
1091811000000102	Diastolic arterial pressure (observable entity)
67726005	Diastolic arterial pressure (observable entity)
271650006	Diastolic blood pressure (observable entity)

SNOMED concept ID	Code description
100181000000103	Lying diastolic blood pressure
95311000000107	Lying diastolic blood pressure
407557002	Lying diastolic blood pressure (observable entity)
314456006	Minimum 24 hour diastolic blood pressure (observable entity)
314454009	Minimum day interval diastolic blood pressure (observable entity)
314451001	Minimum diastolic blood pressure (observable entity)
314455005	Minimum night interval diastolic blood pressure (observable entity)
174255007	Non-invasive diastolic arterial pressure (observable entity)
163031004	On examination - Diastolic blood pressure reading (finding)
1162735000	Self reported diastolic blood pressure (observable entity)
100161000000107	Sitting diastolic blood pressure
95291000000106	Sitting diastolic blood pressure
407555005	Sitting diastolic blood pressure (observable entity)
75141000000102	Standing diastolic blood pressure
79411000000108	Standing diastolic blood pressure
400975005	Standing diastolic blood pressure (observable entity)
147845001	24 hr blood pressure monitoring (procedure)
141947003	Ambulatory blood pressure recording (procedure)
164783007	Ambulatory blood pressure recording (procedure)
386534000	Arterial blood pressure (observable entity)
723232008	Average blood pressure (observable entity)
1285115008	Average home blood pressure (observable entity)
928031000000105	Baseline blood pressure
928021000000108	Baseline blood pressure (observable entity)
75367002	Blood pressure (observable entity)
1105331000000106	Blood pressure measurement using oscillometric monitoring device with opportunistic atrial fibrillation detection (procedure)
116711000000107	Blood pressure recorded by patient at home
121281000000107	Blood pressure recorded by patient at home
413153004	Blood pressure recorded by patient at home (procedure)
163033001	Lying blood pressure (observable entity)
140246009	Lying blood pressure reading (observable entity)
6797001	Mean blood pressure (observable entity)
990141000000106	Measurement of blood pressure in left arm (procedure)
990151000000109	Measurement of blood pressure in right arm (procedure)
371911009	Measurement of blood pressure using cuff method (procedure)
990231000000105	Measurement of blood pressure using large adult size blood pressure cuff (procedure)
810061000000102	Measurement of blood pressure using manual sphygmomanometer by auscultation over brachial artery (procedure)

SNOMED concept ID	Code description
990161000000107	Measurement of blood pressure using manual sphygmomanometer by palpation (procedure)
816161000000103	Measurement of blood pressure using non-invasive blood pressure monitor (procedure)
990261000000100	Measurement of blood pressure using paediatric size blood pressure cuff (procedure)
990251000000103	Measurement of blood pressure using small adult size blood pressure cuff (procedure)
990241000000101	Measurement of blood pressure using standard adult size blood pressure cuff (procedure)
723236006	Minimum blood pressure (observable entity)
852301000000109	Minimum mean blood pressure (observable entity)
251076008	Non-invasive arterial pressure (observable entity)
723237002	Non-invasive blood pressure (observable entity)
163020007	On examination - blood pressure reading (finding)
170573004	Pre-treatment blood pressure reading (regime/therapy)
147827001	Pre-treatment BP reading (finding)
337061000000109	Self measured blood pressure reading
337501000000104	Self measured blood pressure reading
335661000000109	Self measured blood pressure reading (observable entity)
163035008	Sitting blood pressure (observable entity)
140248005	Sitting blood pressure reading (observable entity)
271651005	Stable blood pressure (finding)
163034007	Standing blood pressure (observable entity)
140247000	Standing blood pressure reading (observable entity)
364090009	Systemic arterial pressure (observable entity)
386536003	Systemic blood pressure (observable entity)
314464000	24 hour systolic blood pressure (observable entity)
213031000000105	Ambulatory systolic blood pressure
213041000000101	Ambulatory systolic blood pressure
198081000000101	Ambulatory systolic blood pressure (observable entity)
314449000	Average 24 hour systolic blood pressure (observable entity)
314446007	Average day interval systolic blood pressure (observable entity)
413606001	Average home systolic blood pressure (observable entity)
314445006	Average night interval systolic blood pressure (observable entity)
314440001	Average systolic blood pressure (observable entity)
945881000000109	Baseline systolic blood pressure
716579001	Baseline systolic blood pressure (observable entity)
945871000000107	Baseline systolic blood pressure (observable entity)
100171000000100	Lying systolic blood pressure
95301000000105	Lying systolic blood pressure
407556006	Lying systolic blood pressure (observable entity)
314447003	Minimum 24 hour systolic blood pressure (observable entity)

SNOMED concept ID	Code description
314441002	Minimum day interval systolic blood pressure (observable entity)
314442009	Minimum night interval systolic blood pressure (observable entity)
314438006	Minimum systolic blood pressure (observable entity)
251070002	Non-invasive systolic arterial pressure (observable entity)
163030003	On examination - Systolic blood pressure reading (finding)
707303003	Post exercise systolic blood pressure response abnormal (finding)
707304009	Post exercise systolic blood pressure response normal (finding)
775671000000104	Post exercise systolic blood pressure response normal (finding)
1162737008	Self reported systolic blood pressure (observable entity)
100151000000109	Sitting systolic blood pressure
95281000000109	Sitting systolic blood pressure
407554009	Sitting systolic blood pressure (observable entity)
75131000000106	Standing systolic blood pressure
79401000000106	Standing systolic blood pressure
400974009	Standing systolic blood pressure (observable entity)
72313002	Systolic arterial pressure (observable entity)
271649006	Systolic blood pressure (observable entity)
271870002	Low blood pressure reading (disorder)
147851006	Normal blood pressure (finding)
170605004	Normal blood pressure (finding)
2004005	Normal blood pressure (finding)
53813002	Normal diastolic arterial pressure (finding)
12929001	Normal systolic arterial pressure (finding)
140238008	O/E - BP reading normal (finding)
163024003	On examination - blood pressure borderline low (disorder)
163023009	On examination - blood pressure reading low (disorder)
163025002	On examination - blood pressure reading normal (finding)
163022004	On examination - blood pressure reading very low (disorder)

## Additional Glucose codes

Any of the codes included in the IFCCHBAM\_COD cluster

Cluster ID	SNOMED concept ID	Code description
IFCCHBAM_COD	999791000000106	Haemoglobin A1c level - International Federation of Clinical Chemistry and Laboratory Medicine standardised (observable entity)
IFCCHBAM_COD	1049301000000100	Haemoglobin A1c level (diagnostic reference range) - International

		Federation of Clinical Chemistry and Laboratory Medicine standardised (observable entity)
IFCCHBAM_COD	1049321000000109	Haemoglobin A1c level (monitoring ranges) - International Federation of Clinical Chemistry and Laboratory Medicine standardised (observable entity)
IFCCHBAM_COD	1971000237103	Substance concentration of haemoglobin A1c diagnostic reference range in blood (observable entity)
IFCCHBAM_COD	1107481000000106	Substance concentration of haemoglobin A1c in blood (observable entity)
IFCCHBAM_COD	6181000237109	Substance concentration of haemoglobin A1c monitoring range in blood (observable entity)

### Or additional glucose codes:

SNOMED concept ID	Code description
997681000000108	Fasting blood glucose level (observable entity)
271062006	Fasting blood glucose measurement (procedure)
58111000237107	Fasting substance concentration of glucose in plasma (observable entity)
571000237106	Fasting substance concentration of glucose in serum (observable entity)
1003671000000109	Haemoglobin A1c level (observable entity)
43396009	Haemoglobin A1c measurement (procedure)
1003141000000105	Plasma fasting glucose level (observable entity)
1089381000000101	Random blood glucose level (observable entity)
271061004	Random blood glucose measurement
1003131000000101	Serum fasting glucose level (observable entity)

### Additional Cholesterol codes

Cluster ID	Cluster description	SNOMED concept ID	Code description
CHOL2_COD	Total cholesterol codes with a value	1005671000000105	Serum cholesterol level (observable entity)
CHOL2_COD	Total cholesterol codes with a value	1017161000000104	Plasma total cholesterol level (observable entity)
CHOL2_COD	Total cholesterol codes with a value	1083761000000106	Serum fasting total cholesterol level (observable entity)

Cluster ID	Cluster description	SNOMED concept ID	Code description
CHOL2_COD	Total cholesterol codes with a value	1106531000000105	Substance concentration of cholesterol in plasma (observable entity)
CHOL2_COD	Total cholesterol codes with a value	1106541000000101	Substance concentration of cholesterol in serum (observable entity)
CHOL2_COD	Total cholesterol codes with a value	850981000000101	Cholesterol level (observable entity)
CHOL2_COD	Total cholesterol codes with a value	853681000000104	Total cholesterol level (observable entity)
CHOL2_COD	Total cholesterol codes with a value	994351000000103	Serum total cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1005681000000107	Serum high density lipoprotein cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1010581000000101	Plasma high density lipoprotein cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1026451000000102	Serum fasting high density lipoprotein cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1026461000000104	Serum random high density lipoprotein cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1028831000000106	Plasma random high density lipoprotein cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein	1028841000000102	Plasma fasting high density

Cluster ID	Cluster description	SNOMED concept ID	Code description
	(HDL) cholesterol test result codes		lipoprotein cholesterol level (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1107661000000104	Substance concentration of high density lipoprotein cholesterol in plasma (observable entity)
HDLCCHOL_COD	High density lipoprotein (HDL) cholesterol test result codes	1107681000000108	Substance concentration of high density lipoprotein cholesterol in serum (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1010591000000104	Plasma low density lipoprotein cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1014501000000104	Calculated low density lipoprotein cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1022191000000100	Serum low density lipoprotein cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1026471000000106	Serum fasting low density lipoprotein cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1026481000000108	Serum random low density lipoprotein cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1028851000000104	Plasma random low density lipoprotein cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein	1028861000000101	Plasma fasting low density lipoprotein

Cluster ID	Cluster description	SNOMED concept ID	Code description
	(LDL) cholesterol test results		cholesterol level (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1108541000000100	Substance concentration of low density lipoprotein cholesterol in plasma (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	1108551000000102	Substance concentration of low density lipoprotein cholesterol in serum (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	53981000237105	Substance concentration of low density lipoprotein cholesterol in plasma (observable entity)
LDLCCHOL_COD	Low density lipoprotein (LDL) cholesterol test results	55621000237101	Substance concentration of low density lipoprotein cholesterol in serum (observable entity)
NONHDLCCCHOL_COD	Non-high density lipoprotein (Non-HDL) cholesterol test result codes	1006191000000106	Serum non high density lipoprotein cholesterol level (observable entity)
NONHDLCCCHOL_COD	Non-high density lipoprotein (Non-HDL) cholesterol test result codes	1030411000000101	Non high density lipoprotein cholesterol level (observable entity)
NONHDLCCCHOL_COD	Non-high density lipoprotein (Non-HDL) cholesterol test result codes	1102851000000101	Estimated serum non high density lipoprotein cholesterol level (observable entity)

Cluster ID	Cluster description	SNOMED concept ID	Code description
NONHDLCCCHOL_COD	Non-high density lipoprotein (Non-HDL) cholesterol test result codes	11451000237102	Substance concentration of non-high density lipoprotein cholesterol in plasma (observable entity)
NONHDLCCCHOL_COD	Non-high density lipoprotein (Non-HDL) cholesterol test result codes	12021000237106	Substance concentration of non-high density lipoprotein cholesterol in serum (observable entity)
QRISKSCORE_COD	QRISK cardiovascular risk score codes	1085871000000105	QRISK3 cardiovascular disease 10 year risk calculator score (observable entity)
QRISKSCORE_COD	QRISK cardiovascular risk score codes	353641000000105	QRISK cardiovascular disease 10 year risk score (assessment scale)
QRISKSCORE_COD	QRISK cardiovascular risk score codes	718087004	QRISK2 cardiovascular disease 10 year risk score (observable entity)
QRISKSCORE_COD	QRISK cardiovascular risk score codes	763244005	QRISK cardiovascular disease 10 year risk calculator score (observable entity)
TCHOLHDL_COD	Total cholesterol high-density lipoprotein (HDL) codes	1015681000000109	Serum cholesterol/high density lipoprotein ratio (observable entity)
TCHOLHDL_COD	Total cholesterol high-density lipoprotein (HDL) codes	1015691000000106	Plasma cholesterol/high density lipoprotein ratio (observable entity)
TCHOLHDL_COD	Total cholesterol high-density lipoprotein (HDL) codes	1028551000000102	Total cholesterol: high density lipoprotein ratio (observable entity)

Cluster ID	Cluster description	SNOMED concept ID	Code description
TCHOLHDL_COD	Total cholesterol high-density lipoprotein (HDL) codes	313811003	Cholesterol/High density lipoprotein ratio measurement (procedure)
TRIGLYC_COD	Triglyceride test result codes	1005691000000109	Serum triglycerides level (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1010601000000105	Plasma triglyceride level (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1026491000000105	Serum fasting triglyceride level (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1026501000000104	Serum random triglyceride level (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1028871000000108	Plasma random triglyceride level (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1031321000000109	Plasma fasting triglyceride level (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1109821000000101	Substance concentration of triglyceride in plasma (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1109831000000104	Substance concentration of triglyceride in serum (observable entity)
TRIGLYC_COD	Triglyceride test result codes	1461000237101	Substance concentration of triglyceride in serum (observable entity)
TRIGLYC_COD	Triglyceride test result codes	850991000000104	Triglyceride level (observable entity)