


CASE PRESENTATIONS

Lois Dugmore Nurse Consultant - Dual Diagnosis
Leicestershire Partnership NHS Trust.

Saskia Bauweraerts - Senior Recovery Worker Dual
Diagnosis worker Turning Point Leicester, Leicestershire
and Rutland.



INTRODUCTION

- ◉ Importance of Joint working
- ◉ Role of staff
- ◉ Referrals
- ◉ Prescribing
- ◉ Safeguarding
- ◉ Joint care planning
- ◉ Multi disciplinary meetings
- ◉ Care programme approach reviews
- ◉ Information sharing agreements.

CASE STUDY A

- ◉ Peter - 53 year old male
- ◉ Dual Heritage
- ◉ Drug using since mid teens
- ◉ Dropped out of university due to cannabis use
- ◉ Worked as support worker and mental health deteriorated and started to use Heroin and Crack to compensate in his late 20's.
- ◉ Diagnosis of Chronic Schizophrenia
- ◉ Open to CMHT, substance services and regular inpatient admissions following extensive crack use.
- ◉ Frequent hospital admissions
- ◉ Failed detoxification placements
- ◉ Rehab, funding issues.
- ◉ Inpatient prescribing issues.

CLINICAL INPUT - RECIPE TO INCREASE RECOVERY CAPITAL

- ◉ Substance misuse worker
- ◉ Substance Misuse Consultant Psychiatrist
- ◉ Mutual Aid
- ◉ CMHT
- ◉ Dual Diagnosis Nurse Consultant
- ◉ Adult Social Care
- ◉ Support from family carer
- ◉ Enablement worker
- ◉ CRISIS Team
- ◉ Adult Mental Health Inpatient Admissions

CASE STUDY B

- ◉ Paul 33 year old male
- ◉ Emotionally Unstable Personality Disorder
- ◉ Child exploitation
- ◉ Bereavement
- ◉ Supportive family
- ◉ Open to services since a child
- ◉ Frequent hospital admissions
- ◉ Frequent overdose and self harm daily at times
- ◉ Drug and alcohol use for last 15 years
- ◉ Cannabis, NPS, amphetamines

RECOVERY CAPITAL

- ◉ Substance misuse worker
- ◉ Mutual Aid
- ◉ CMHT ,Dual Diagnosis Nurse Consultant
- ◉ Support from family carer
- ◉ Deliberate self harm Team
- ◉ Adult Mental Health Inpatient Admissions
- ◉ Police
- ◉ Ambulance
- ◉ Renal Unit
- ◉ Housing

BARRIERS

- ◉ Commissioning key
- ◉ Joint working essential with good working relations not enough need commissioned services.
- ◉ Prescribing
- ◉ Adult social care involvement.
- ◉ Housing input - lack of supported housing
- ◉ Good links with probation and criminal justice.
- ◉ Exclusion criteria's for services both internal and external services.
- ◉ Public health versus NHS England.
- ◉ Staff training
- ◉ Referrals where are services.

CONCLUSION

- ◉ Joint working
- ◉ Commissioned joint services essential
- ◉ Client compliance - won't work if client does not want to stop using
- ◉ Clear understanding of issues
- ◉ Policy
- ◉ Staff responsibility
- ◉ Recovery pathways
- ◉ NHS Confederation - most expensive client group to treat - yet least resourced.