

Derbyshire Healthcare **NHS Foundation Trust**



Authors: Muzamal Rehman, Dr Kripa Chakravarthy & Denise Garton

Liaison Team Background & Statistics


South Derbyshire Liaison Team

Previous liaison psychiatry services within the Royal Derby Hospital

Team 1	Team 2	Team 3
MHLT	HALT	Confusion Team
seeing patients presenting with self-harm or suicidal ideation/	Hospital Alcohol Liaison Team Seeing patients who present with alcohol/substance misuse and/or addiction	Seeing patients who present with confusion, dementia and delirium. Predominantly an older adult team


Assessing Patients Under the Influence of NPS


Admission to the Royal Derby Hospital following use of Novel Psychoactive Substances



Current liaison team (based on RAID principles)

- One Team since November 2013.
- A 24/7 service providing advice, support and signposting around mental health & substance misuse
- Close representation of the Rapid Assessment Interface and Discharge (RAID) Liaison Psychiatry model





Involvement of Liaison Team resulted in a necessary admission in order to support recovery. Patients' children also safe after Community team involvement.

Vignette


40-year-old lady with a history of alcohol, cannabis and heroin use since teens. Stopped using heroin 5 years previously, but continued to drink to excess and regularly use cannabis then switched to 'Black Mamba'.

Within months of commencing Black Mamba, she began experiencing symptoms such as paranoia, grandiose, agitation and increasingly chaotic. Police involvement in the community, three ED attendances related to collapse. Psychoactive substances care pathways followed. Liaison Team member conducted a full assessment.



Pathway

The most common NPS presentations to ED were Black Mamba (39%), Cannabis (25%) and MKAT (22%).



Between November 2014 to November 2015, more males presented to ED following NPS use than females. There is a perception that prevalence of NPS use is higher in younger age groups but our graph here shows the it is actually higher in the middle aged population.

Focused on excellence

regarding care.

Community Drug Team involvement after LT assessment. Continued use of NPS and deterioration in symptoms therefore patient admitted for 5 weeks on psychiatric ward and children were protected with the involvement of social services.

Advice given to ED staff on how to manage patient and contact made with social services, and drug/alcohol services.

Multidisciplinary team work

ED attendance was 'collapse' very vague, but LT able to investigate NPS use. Physical observations undertaken and care delivered accordingly.

> Looking beyond presenting problems

Staff Training, Challenges & Future Directions


Although patient was difficult to manage,

brief patient education was delivered and

User centred

offered copy of letters to other services





Dr Kripa Chakravarthy (Consultant Psychiatrist)

Kripa.Chakravarthy@Derbyshcft.nhs.uk

Denise Garton (Clinical Lead for Substance Misuse) Denise.Garton@Derbyshcft.nhs.uk

Muzamal Rehman (Research Assistant)

Muzamal.Rehman@Derbyshcft.nhs.uk

Continue working with Community Teams to enhance services for people who use NPS Build a healthy working relationship with the Royal Derby Hospital and distribute NPS patient leaflets when required Work towards the NPS Partnership Strategy which aims to address NPS at every level: education, prevention, regulation & enforcement Implement the Psychoactive Substances Act 2016