NCAP NATIONAL CLINICAL AUDIT OF PSYCHOSIS PSYCHIATRISTS

NCAP EIP 2020-2021 audit analysis plan

<u>Case Note Audit Questionnaire - Analysis Plan</u>

Analysis to be conducted on all standards a national, Trust and team level. Team reports will include analysis of all data collected.

	Standards	Relevant question numbers	Analysis plan
S1*	Service users with first episode of psychosis start treatment in early intervention in psychosis services within two weeks of referral (allocated to, and engaged with, an EIP care coordinator).	N/A	Analysis will be provided by NHS Digital
S2	Service users with first episode of psychosis take up Cognitive Behavioural Therapy for psychosis (CBTp)	Q7	Numerator: all those who commenced a course of CBTp, delivered by a person with relevant skills, experience and competencies (1) Denominator: all (2) Denominator: under 18s
S3	Service users with first episode psychosis and their families take up Family Interventions (FI).	Q7	Numerator: all those who commenced a course of FI, delivered by a person with relevant skills, experience and competencies (1) Denominator: all (2) Denominator: under 18s (3) Denominator: all those who had an identified carer, excluding those who did not wish this person to be contacted
S4	Service users with first episode psychosis who have not responded adequately to or tolerated treatment with at least two antipsychotic drugs are offered clozapine.	Q9 & if they have not responded adequately Q9a	•
S5	Service users with first episode psychosis take up supported employment and education programmes.	Q7 & Q4	Numerator: all those who have commenced a supported employment programme (1) Denominator: all those who are not in work, education, or training at the time of their initial assessment



NCAP EIP 2020-2021 audit analysis plan

S6	Service users receive a physical health review annually. This includes the following measures:	Q11 (smoking) Q12 (alcohol intake) Q13 (substance misuse) Q14 (BMI) Q15 (blood pressure) Q16 (glucose) Q17 (cholesterol)	(2) Denominator: all those under the age of 18 who are not in work, education, or training at the time of their initial assessment (3) Denominator: all For each individual PH measure: Numerator: all those who received a screening (including refusals/those who were pregnant or gave birth in last 6 weeks) (1) Denominator: all (2) Denominator: under 18s For all 7 PH measures collectively: Numerator: all those who received all seven individual PH measures (including refusals/those who were pregnant or gave birth in last 6 weeks) (1) Denominator: all (2) Denominator: under 18s
S7	Service users are offered relevant interventions for their physical health for the following measures:	Q18 (smoking cessation) Q19 (harmful alcohol use) Q20 (substance misuse) Q21 (weight gain/obesity) Q22 (hypertension) Q23 (diabetes/ high risk of diabetes) Q24 (dyslipidaemia)	For each individual PH measure: Numerator: all those offered a relevant intervention (including refusals) (1) Denominator: all who required an intervention as per the Lester tool (2) Denominator: all those under the age of 18 who required an intervention as per the Lester tool Composite measure of standards 6 & 7: Numerator: all those who received screenings (including refusals/those who were pregnant or gave birth in last 6 weeks) and any relevant interventions for all seven PH measures (including refusals) (1) Denominator: all (2) Denominator: under 18s
58	Carers take up carer-focused education and support programmes.	Q5 & if they have an identified carer Q10	` '



NCAP EIP 2020-2021 audit analysis plan

	 (1) Denominator: carers from all those who have an identified family member, friend or carer who supports them (2) Denominator: carers from all those under the age of 18 who have an identified family member, friend or carer who supports them (3) Denominator: carers from all those who have an identified family member, friend or carer who supports them, excluding those where the patient does not wish them to be contacted/ it's not felt to be in the patient's best interests for them to be involved in their care
--	---

Outcome indicator		Relevant question numbers	Analysis plan
I.1	Clinical outcome measurement data for service users (two or more outcome measures from HoNOS/HoNOSCA, DIALOG, QPR) is recorded at least twice (assessment and one other time point).	Q6	Numerator: all those with 2 or more outcome measures recorded more than once (only including 'other' for under 18s) (1) Denominator: all (2) Denominator: under 18s Numerator: individual outcome measure recorded more than once Denominator: all those with 2 or more outcome measures recorded more than once (only including 'other' for under 18s)

^{*}data will not be collected for this standard, the Early Intervention in Psychosis Waiting Times data published by NHS England will be used